

cell data entered, MA 8/31/04

Ref ID #46227

Woodmansee, S.W. and A. Frances. 2004. Observations of vascular plants at Big Cypress National Preserve, cell #AX50, Collier County, Florida. 4 May 2004. The Institute for Regional Conservation, Miami, FL.

SiteRefID

59501

59502

SiteID

Big Cypress National Preserve

Big Cypress National Preserve Cell #AX50

cell data entered by MA, 8/31/04

WOODMANSE & FRANCES

| Plants of Big Cypress based on Muss et al. (2002) | | | |
|---|--|---|--|
| CELL # | Ax 50 | Point # | 320 |
| Date: | Aug 4, 2004 | Observers: | SU AF |
| | Abrus precatorius ! | Apios americana !! | Bucida buceras |
| | Abutilon permolle | Apteria aphylla *! | Bulbostylis ciliatifolia |
| | Acacia pinetorum | Ardisia escallonioides !! | Bulbostylis stenophylla |
| | Acalypha gracilens | Argemone mexicana | Burmannia capitata ! |
| | Acalypha ostryifolia | Aristida beyrichiana ! | Burmannia flava |
| | Acer rubrum | Aristida patula !! | Bursera simaruba |
| | Acmella oppositifolia var. repens ! | Aristida purpurascens ! | Caesalpinia bonduc |
| | Acroelorrhapha wrightii | Aristida spiciformis | Calliandra haematocephala |
| | Acrostichum aureum *! | Arnoglossum ovatum ! | Callicarpa americana !! |
| | Acrostichum danaeifolium! | Arundo donax ! | Callisia repens *! |
| | Adiantum capillus-veneris* | Asclepias curassavica | Calopogon multiflorus! |
| | Adiantum tenerum* | Asclepias incamata! | Calopogon tuberosus! |
| | Aechmea bracteata * | Asclepias lanceolata !! | Calyptocarpus vialis *! |
| | Aechmea victoriana C*! | Asclepias longifolia | Calyptanthus pallens! |
| | Aeschynomene americana | Asclepias tuberosa ! | Calystegia sepium subsp. limnophila |
| | Aeschynomene pratensis! | Asclepias verticillata ! | Campanula floridana |
| | Agalinis fasciculata !! | Asimina reticulata | Campsis radicans ! |
| | Agalinis filifolia | Asparagus setaceus *C | Campylocentrum pachyrrhizum |
| | Agalinis linifolia ! | Asplenium serratum | Campyloneurum angustifolium* |
| | Agalinis maritima | Aster adnatus | Campyloneurum phyllitidis !! |
| | Agave decipiens * | Aster bracei | Canna flaccida |
| | Agave sisalana * | Aster carolinianus | Caperonia castaneifolia !! |
| | Ageratum houstonianum *! | Aster concolor | Capparis cynophallophora * |
| | Ageratina jucunda | Aster dumosus ! | Capparis flexuosa |
| | Albizia lebbek | Aster elliptii | Capriaria biflora ! |
| | Aletris bracteata | Aster fontinale * | Cardamine pennsylvanica* |
| | Aletris lutea | Aster subulatus ! | Cardiospermum corindum |
| | Allamanda cathartica * | Avicennia germinans ! | Cardiospermum microcarpum |
| | Alpinia zerumbet | Axonopus compressus*! | Carex comosa *! |
| | Altemanthera flavescens *! | Axonopus fissifolius*! | Carex gigantea! |
| | Alysicarpus ovalifolius | Axonopus furcatus ! | Carex longii*! |
| | Alysicarpus vaginalis | Azolla caroliniana | Carex lupuliformis ! |
| | Amaranthus australis | Baccharis angustifolia | Carex verrucosa *! |
| | Amaranthus viridis* | Baccharis glomeruliflora | Carex vexans *! |
| | Ambrosia artemisiifolia !! | Baccharis halimifolia | Carica papaya |
| | Ammannia latifolia | Bacopa caroliniana !! | Carphephorus corymbosus |
| | Amorpha fruticosa | Bacopa monnieri | Carphephorus odoratissimus var. subtropicanus* ! |
| | Amorpha herbacea | Bambusa sp. C | Caryota mitis |
| | Ampelopsis arborea !! | Bartonia paniculata ! | Cassipourea filiformis !! |
| | Amphicarpum muhlenbergianum ! | Bartonia virginica * | Casuarina equisetifolia |
| | Amyris elemifera | Bauhinia purpurea | Casuarina glauca |
| | Anagallis minima * | Bauhinia variegata | Catharanthus roseus |
| | Anagallis pumila *! | Beadlea cranichoides * | Catopsis berteroniana |
| | Ananas comosus *C | Bejaria racemosa | Catopsis floribunda |
| | Andropogon glomeratus var. glaucopsis* | Berchemia scandens | Celtis laevigata |
| | Andropogon glomeratus var. hirsutior | Bidens alba var. radiata !! | Cenchrus echinatus * |
| | Andropogon glomeratus var. pumilus | Bigelovia nudata subsp. australis | Cenchrus gracillimus*! |
| | Andropogon gyrans | Bischofia javanica | Cenchrus incertus |
| | Andropogon longiberbis | Blechnum senulatum !! | Centella asiatica |
| | Andropogon temarius | Blechnum pyramidatum | Centrosema virginianum |
| | Andropogon virginicus | Bletia purpurea | Cephalanthus occidentalis |
| | Andropogon virginicus var. decipiens | Blutaparon vermiculare *! | Ceratophyllum demersum |
| | Andropogon virginicus var. glaucus | Boehmeria cylindrica !! | Ceratopteris thalictroides |
| | Anemia adiantifolia | Boerhavia diffusa | Cestrum diurnum *! |
| | Angadenia berteroi ! | Boltonia diffusa | Chamaecrista deeringiana * |
| | Annanas comosus C | Borrchia frutescens *! | Chamaecrista fasciculata !! |
| | Annona glabra | Bothriochloa ischaemum var. songarica!+ | Chamaecrista nictitans var. aspera |
| | | Bothriochloa pertusa | Chamaesyce blodgettii !! |
| | | Brassica rapa | Chamaesyce conferta ! |
| | | Buchnera americana !! | Chamaesyce hirta !! |

| | | | | | |
|---|--|---|---|---|---|
| | <i>Chamaesyce hypericifolia</i> | | <i>Ctenitis sloanei</i> | ✓ | <i>Diospyros virginiana</i> |
| | <i>Chamaesyce hyssopifolia</i> ! | | <i>Cuphea carthagenensis</i> ! | | <i>Distichlis spicata</i> * |
| | <i>Chamaesyce lasiocarpa</i> | | <i>Cuscuta pentagona</i> ! | | <i>Dodonaea angustifolia</i> * |
| | <i>Chamaesyce mendezii</i> | | <i>Cyclosporum leptophyllum</i> *! | | <i>Dracaena marginata</i> C* |
| | <i>Chamaesyce ophthalmica</i> | | <i>Cynanchum blodgettii</i> | | <i>Drosera brevifolia</i> |
| | <i>Chamaesyce pergamena</i> | | <i>Cynanchum scoparium</i> | | <i>Drosera capillaris</i> |
| | <i>Chamaesyce porteri</i> | | <i>Cynodon dactylon</i> ! | | <i>Drymaria cordata</i> *! |
| | <i>Chaptalia tomentosa</i> | | <i>Cyperus articulatus</i> ! | | <i>Drypetes lateriflora</i> |
| | <i>Chiococca alba</i> | | <i>Cyperus compressus</i> | | <i>Dypsis lutescens</i> * |
| | <i>Chiococca parvifolia</i> | | <i>Cyperus croceus</i> | | <i>Dyschoriste angusta</i> |
| | <i>Chlorophytum comosum</i> * | | <i>Cyperus distinctus</i> | | <i>Dyschoriste oblongifolia</i> ! |
| | <i>Chromolaena odorata</i> * | | <i>Cyperus esculentus</i> | | <i>Echinochloa colona</i> ! |
| ✓ | <i>Chrysobalanus icaco</i> | | <i>Cyperus flavescens</i> !! | | <i>Echinochloa crus-galli</i> |
| | <i>Chrysophyllum oliviforme</i> | ✓ | <i>Cyperus haspan</i> | | <i>Echinochloa muricata</i> ! |
| | <i>Chrysopogon pauciflorus</i> | | <i>Cyperus involucratus</i> | | <i>Echinochloa paludigena</i> |
| | <i>Chrysopsis mariana</i> *! | | <i>Cyperus ligularis</i> | | <i>Echinochloa walteri</i> |
| | <i>Chrysopsis subulata</i> | ✓ | <i>Cyperus odoratus</i> ! | | <i>Echinodorus berteroi</i> |
| | <i>Cirsium horridulum</i> | | <i>Cyperus planifolius</i> | | <i>Eclipta prostrata</i> |
| | <i>Cirsium nuttallii</i> | | <i>Cyperus polystachyos</i> !! | | <i>Eichhornia crassipes</i> |
| ✓ | <i>Cissus verticillata</i> | | <i>Cyperus prolifer</i> * | | <i>Eleocharis alba</i> |
| | <i>Citharexylum spinosum</i> ! | | <i>Cyperus pumilus</i> | | <i>Eleocharis angusta</i> |
| | <i>Citrus aurantium</i> | | <i>Cyperus retrorsus</i> !! | | <i>Eleocharis atropurpurea</i> |
| | <i>Citrus limon</i> | | <i>Cyperus rotundus</i> * | ✓ | <i>Eleocharis baldwinii</i> |
| | <i>Citrus sinensis</i> | | <i>Cyperus surinamensis</i> !! | | <i>Eleocharis cellulosa</i> !! |
| | <i>Citrus xparadisi</i> | | <i>Cyperus tetragonus</i> *! | | <i>Eleocharis elongata</i> |
| ✓ | <i>Cladium jamaicense</i> | | <i>Cyrtopodium punctatum</i> | ✓ | <i>Eleocharis flavescens</i> |
| | <i>Clematis baldwinii</i> ! | | <i>Dactyloctenium aegyptium</i> !! | | <i>Eleocharis geniculata</i> ! |
| | <i>Clerodendrum chinense</i> *! | | <i>Dalbergia sissoo</i> | | <i>Eleocharis interstincta</i> |
| | <i>Clerodendrum indicum</i> * | | <i>Dalea carnea</i> !! | | <i>Elephantopus elatus</i> !! |
| | <i>Clerodendrum speciosissimum</i> * | | <i>Dalea carthagenensis</i> var. <i>floridana</i> | | <i>Eleusine indica</i> !! |
| | <i>Clitoria mariana</i> | | <i>Delonix regia</i> * | | <i>Elionurus tripsacoides</i> ! |
| | <i>Cnidioscolus stimulosus</i> | | <i>Desmodium floridanum</i> | | <i>Elytraria carolinensis</i> var. <i>angustifolia</i> !! |
| | <i>Coccoloba diversifolia</i> ! | ✓ | <i>Desmodium incanum</i> !! | | <i>Emilia fosbergii</i> *! |
| | <i>Coccoloba uvifera</i> * | | <i>Desmodium paniculatum</i> | ✓ | <i>Encyclia cochleata</i> |
| | <i>Codiaeum variegatum</i> var. <i>pictum</i> | | <i>Desmodium tortuosum</i> | | <i>Encyclia tampensis</i> |
| | <i>Coelorachis rugosa</i> !! | ✓ | <i>Desmodium triflorum</i> | | <i>Epipremnum pinnatum</i> * |
| | <i>Coleus pumilus</i> | | <i>Desmodium viridiflorum</i> | | <i>Epidendrum anceps</i> ! |
| | <i>Colocasia esculenta</i> | | <i>Dichantherium aciculare</i> | | <i>Epidendrum floridense</i> |
| | <i>Colubrina arborescens</i> | | <i>Dichantherium aciculare</i> | | <i>Epidendrum nocturnum</i> |
| | <i>Commelina caroliniana</i> *! | | <i>Dichantherium commutatum</i> !! | | <i>Epidendrum rigidum</i> |
| | <i>Commelina diffusa</i> var. <i>diffusa</i> ! | | <i>Dichantherium dichotomum</i> ! | | <i>Equisetum hyemale</i> var. <i>affine</i> |
| | <i>Commelina erecta</i> | | <i>Dichantherium ensifolium</i> ! | | <i>Eragrostis atrovirens</i> ! |
| | <i>Conocarpus erectus</i> ! | ✓ | <i>Dichantherium ensifolium</i> var. <i>unciphyllum</i> ! | | <i>Eragrostis bahiensis</i> |
| ✓ | <i>Conoclinium coelestinum</i> !! | | <i>Dichantherium erectifolium</i> !! | ✓ | <i>Eragrostis ciliaris</i> ! |
| ✓ | <i>Conyza canadensis</i> var. <i>pusilla</i> | | <i>Dichantherium laxiflorum</i> *! | | <i>Eragrostis elliotii</i> |
| | <i>Corchorus hirtus</i> * | | <i>Dichantherium leucothrix</i> *! | | <i>Eragrostis hypnoides</i> *! |
| | <i>Corchorus siliquosus</i> | | <i>Dichantherium ovale</i> | | <i>Eragrostis secundiflora</i> ssp. <i>oxylepis</i> *! |
| | <i>Cordia globosa</i> | | <i>Dichantherium portoricense</i> | | <i>Eragrostis spectabilis</i> ! |
| ✓ | <i>Coreopsis leavenworthii</i> | | <i>Dichantherium strigosum</i> var. <i>glabrescens</i> | | <i>Eragrostis virginica</i> *! |
| | <i>Cornus foemina</i> | | <i>Dichanthium aristatum</i> *!+ | ✓ | <i>Erechtites hieracifolia</i> |
| | <i>Costus spicatus</i> * | | <i>Dichondra carolinensis</i> ! | ✓ | <i>Eremochloa ophiuroides</i> !! |
| | <i>Crassocephalum crepidioides</i> *! | | <i>Dichondra micrantha</i> | ✓ | <i>Erigeron quercifolius</i> |
| | <i>Croton americanum</i> | | <i>Dicliptera sexangularis</i> | | <i>Erigeron vernus</i> |
| | <i>Crotalaria lanceolata</i> !! | | <i>Digitaria ciliaris</i> *!+ | | <i>Eriobotrya japonica</i> |
| | <i>Crotalaria pallida</i> var. <i>obovata</i> | | <i>Digitaria filiformis</i> var. <i>filiformis</i> * ! | ✓ | <i>Eriocaulon compressum</i> |
| | <i>Crotalaria pumila</i> *! | | <i>Digitaria longiflora</i> | | <i>Eriocaulon decangulare</i> ! |
| ✓ | <i>Crotalaria rotundifolia</i> | | <i>Digitaria pauciflora</i> *! | | <i>Eriocaulon ravenelii</i> ! |
| | <i>Crotalaria spectabilis</i> | | <i>Digitaria violascens</i> ! | | <i>Eriochloa michauxii</i> var. <i>michauxii</i> *! |
| | <i>Croton glandulosus</i> var. <i>glandulosus</i> *! | | <i>Diodia virginiana</i> | | <i>Erucastrum gallicum</i> |
| | <i>Croton humilis</i> ! | | <i>Dioscorea bulbifera</i> | | <i>Eryngium baldwinii</i> |
| | | | <i>Dioscorea sansibarensis</i> | | <i>Eryngium yuccifolium</i> |

[Handwritten signature]

| | | | | | |
|---|------------------------------------|---|---|---|---|
| | <i>Erythrina herbacea</i> | | <i>Habenaria quinqueseta</i> | | <i>Iris hexagona</i> |
| | <i>Erythroxylon querceticola</i> ! | | <i>Habenaria repens</i> | | <i>Isoetes flaccida</i> ! |
| ✓ | <i>Eugenia axillaris</i> | | <i>Hamelia patens</i> | ✓ | <i>Iva microcephala</i> !! |
| | <i>Eugenia uniflora</i> | | <i>Harrisella filiformis</i> ! | | <i>Ixora coccinea</i> |
| | <i>Eulophia alta</i> | | <i>Hedychium coronarium</i> *! | | <i>Jacquemontia curtisii</i> |
| | <i>Eupatorium capillifolium</i> | | <i>Hedyotis procumbens</i> ! | | <i>Jacquemontia pentanthos</i> ! |
| | <i>Eupatorium leptophyllum</i> | | <i>Hedyotis uniflora</i> | | <i>Jasminum multiflorum</i> * |
| | <i>Eupatorium mikanioides</i> !! | | <i>Helenium amarum</i> ! | | <i>Juncus marginatus</i> ! |
| | <i>Eupatorium mohrii</i> !! | ✓ | <i>Helenium pinnatifidum</i> | ✓ | <i>Juncus megacephalus</i> |
| | <i>Eupatorium rotundifolium</i> !! | | <i>Helianthus angustifolius</i> | ✓ | <i>Juncus polycephalus</i> |
| | <i>Eupatorium serotinum</i> | | <i>Helianthus annuus</i> * | | <i>Juncus repens</i> !! |
| | <i>Euphorbia graminea</i> *! | | <i>Helianthus radula</i> | | <i>Juncus roemerianus</i> |
| | <i>Euphorbia polyphylla</i> | | <i>Heliotropium angiospermum</i> *!+ | | <i>Juncus scirpoides</i> * |
| ✓ | <i>Eustachys glauca</i> | | <i>Heliotropium curassavicum</i> *! | | <i>Juncus trigonocarpus</i> |
| ✓ | <i>Eustachys petraea</i> !! | | <i>Heliotropium polyphyllum</i> | ✓ | <i>Justicia angusta</i> ! |
| | <i>Eustoma exaltatum</i> | | <i>Heteropogon contortus</i> ! | | <i>Kalanchoe pinnata</i> ! |
| | <i>Euthamia caroliniana</i> | | <i>Heteropogon melanocarpus</i> | | <i>Kalanchoe tubiflora</i> |
| | <i>Evolvulus alsinoides</i> *! | | <i>Heterotheca subaxillaris</i> | | <i>Kigelia pinnata</i> |
| | <i>Evolvulus sericeus</i> ! | | <i>Hibiscus coccineus</i> * | | <i>Kosteletzkya virginica</i> |
| | <i>Exothea paniculata</i> | | <i>Hibiscus grandiflorus</i> ! | | <i>Krugiodendron ferreum</i> |
| | <i>Ficus altissima</i> * | | <i>Hibiscus poeppigii</i> ! | | <i>Kyllinga brevifolia</i> ! |
| ✓ | <i>Ficus aurea</i> !! | | <i>Hibiscus rosa-sinensis</i> var. <i>schizopetalus</i> | | <i>Lachnanthes carolina</i> *!+ |
| ✓ | <i>Ficus benjamina</i> * C | | <i>Hibiscus tiliaceus</i> | | <i>Lachnocaulon anceps</i> |
| ✓ | <i>Ficus citrifolia</i> !! | | <i>Hieracium megacephalon</i> * | | <i>Lachnocaulon engleri</i> *! |
| | <i>Ficus microcarpa</i> * | | <i>Hippocratea volubilis</i> | | <i>Lactuca floridana</i> *! |
| | <i>Fimbristylis autumnalis</i> ! | | <i>Hydrilla verticillata</i> | | <i>Lactuca graminifolia</i> *! |
| | <i>Fimbristylis caroliniana</i> | | <i>Hydrocotyle bonariensis</i> | | <i>Laguncularia racemosa</i> ! |
| ✓ | <i>Fimbristylis cymosa</i> !! | | <i>Hydrocotyle umbellata</i> | | <i>Lantana camara</i> |
| | <i>Fimbristylis dichotoma</i> *!+ | | <i>Hydrocotyle verticillata</i> | | <i>Lantana depressa</i> var. <i>sanibelensis</i> *! |
| | <i>Fimbristylis miliacea</i> *! | ✓ | <i>Hydrolea corymbosa</i> !! | | <i>Lantana involucrata</i> |
| | <i>Fimbristylis schoenoides</i> | | <i>Hylocereus undatus</i> * | | <i>Lasiacis divaricata</i> ! |
| | <i>Fimbristylis spadicea</i> ! | ✓ | <i>Hymenocallis palmeri</i> | | <i>Lechea sessiliflora</i> *!+ |
| | <i>Flaveria linearis</i> !! | | <i>Hyparrhenia rufa</i> | ✓ | <i>Leersia hexandra</i> !! |
| | <i>Forestiera segregata</i> | | <i>Hypericum brachyphyllum</i> ! | | <i>Lemna obscura</i> ! |
| | <i>Fraxinus caroliniana</i> !! | | <i>Hypericum cistifolium</i> !! | | <i>Lemna valdiviana</i> *! |
| ✓ | <i>Fuirena breviseta</i> !! | | <i>Hypericum crux-andreae</i> ! | ✓ | <i>Lepidium virginicum</i> |
| | <i>Fuirena scirpoidea</i> !! | | <i>Hypericum fasciculatum</i> *! | | <i>Leptochloa fascicularis</i> ! |
| | <i>Furcraea selloa</i> | ✓ | <i>Hypericum hypericoides</i> | | <i>Leucaena leucocephala</i> |
| | <i>Galactia elliottii</i> | | <i>Hypericum mutilum</i> *! | | <i>Liatris garberi</i> |
| | <i>Galactia regularis</i> | | <i>Hypericum punctatum</i> *! | | <i>Liatris gracilis</i> |
| | <i>Galactia striata</i> ! | | <i>Hypericum tetrapetalum</i> | | <i>Liatris graminifolia</i> |
| | <i>Galactia volubilis</i> ! | | <i>Hypoxis juncea</i> | | <i>Liatris pauciflora</i> |
| | <i>Galium hispidulum</i> *! | | <i>Hypoxis wrightii</i> ! | | <i>Liatris spicata</i> |
| ✓ | <i>Galium tinctorium</i> *! | ✓ | <i>Hyptis alata</i> !! | | <i>Licania michauxii</i> |
| | <i>Gaura angustifolia</i> | | <i>Hyptis mutabilis</i> | | <i>Lilium catesbaei</i> !! |
| | <i>Glandularia maritima</i> | | <i>Hyptis pectinata</i> | | <i>Limonium carolinianum</i> * |
| | <i>Gnaphalium falcatum</i> ! | | <i>Hyptis verticillata</i> | | <i>Limnobium spongia</i> * |
| | <i>Gnaphalium obtusifolium</i> | ✓ | <i>Ilex cassine</i> ! !! | | <i>Limnophila sessiliflora</i> |
| | <i>Gnaphalium pennsylvanicum</i> | | <i>Ilex glabra</i> ! | | <i>Linaria canadensis</i> *! |
| | <i>Gnaphalium purpureum</i> | | <i>Imperata brasiliensis</i> !! | | <i>Lindernia crustacea</i> |
| | <i>Gomphrena serrata</i> | | <i>Imperata cylindrica</i> | | <i>Lindernia dubia</i> var. <i>anagallidea</i> |
| | <i>Gouania lupuloides</i> | | <i>Indigofera spicata</i> | | <i>Lindernia grandiflora</i> ! |
| | <i>Gratiola pilosa</i> *! | | <i>Ionopsis utricularioides</i> | | <i>Linum carteri</i> var. <i>smallii</i> |
| ✓ | <i>Gratiola ramosa</i> | ✓ | <i>Ipomoea alba</i> | | <i>Linum floridanum</i> |
| | <i>Grevillea robusta</i> | | <i>Ipomoea batatas</i> | | <i>Linum medium</i> var. <i>texanum</i> ! |
| | <i>Guzmania monostachia</i> | | <i>Ipomoea cordatotriloba</i> | | <i>Liparis nervosa</i> |
| | <i>Gymnopogon brevifolius</i> | | <i>Ipomoea indica</i> var. <i>acuminata</i> | | <i>Livistona chinensis</i> *C |
| | <i>Gymnopogon chapmanianus</i> | ✓ | <i>Ipomoea sagittata</i> | | <i>Lobelia feayana</i> |
| | <i>Habenaria floribunda</i> | | <i>Ipomoea triloba</i> | | <i>Lobelia glandulosa</i> |
| | <i>Habenaria nivea</i> ! | | <i>Iresine diffusa</i> | | <i>Lobelia homophylla</i> |

Hydrocotyle sp.

| | | | | | |
|---|---|---|---|---|--|
| | Lobelia paludosa ! | | Myriophyllum aquaticum | | Paspalum repens |
| | Ludwigia alata! | | Myriophyllum heterophyllum | ✓ | Paspalum setaceum |
| | Ludwigia curtissii | | Myriophyllum pinnatum | | Paspalum urvillei ! |
| | Ludwigia erecta | | Najas guadalupensis | | Paspalum vaginatum *! |
| | Ludwigia maritima !! | | Najas marina ! | | Passiflora pallens ! |
| ✓ | Ludwigia microcarpa !! | | Najas wrightiana | | Passiflora suberosa |
| ✓ | Ludwigia octovalvis | | Nelumbo lutea | | Pecluma ptilodon var. caespitosa * |
| | Ludwigia peruviana | | Neregelia sp. C* | | Pectis glaucescens |
| ✓ | Ludwigia repens ! | ✓ | Nephrolepis biserrata !! | | Pectis prostrata |
| ✓ | Ludwigia suffruticosa | | Nephrolepis cordifolia *! | | Pectis xfloridana*! |
| | Lycium carolinianum | ✓ | Nephrolepis exaltata !! | ✓ | Peltandra virginica ! |
| | Lycopodiella cernua *! | | Nephrolepis falcata forma furcans *! | | Pennisetum purpureum |
| | Lycopus rubellus | | Nephrolepis multiflora! | | Penstemon multiflorus |
| | Lygodium microphyllum | | Nepenthes pubescens *! | | Pentalinon luteum |
| | Lyonia fruticosa | ✓ | Neuraudia reynaudiana | | Pentodon pentandrus! |
| | Lyonia lucida | | Nicotiana tabacum | | Peperomia alata |
| | Lysiloma latisiliquum | ✓ | Nuphar lutea subsp. advena ! | | Peperomia glabella |
| | Lythrum alatum var. lanceolatum !! | | Nymphaea elegans | | Peperomia obtusifolia ! |
| | Lythrum lineare | | Nymphaea lotus | | Peperomia rotundifolia |
| | Macroptilium atropurpureum | | Nymphaea odorata | | Persea americana |
| ✓ | Macroptilium lathyroides | ✓ | Nymphoides aquatica | | Persea borbonia |
| | Magnolia grandiflora | | Ocimum campechianum | ✓ | Persea palustris |
| ✓ | Magnolia virginiana ! | | Ocotea coriacea | | Phanopyrum gymnocarpon !* |
| | Malachra urens | | Oeceoclades maculata | ✓ | Phlebodium aureum !! |
| | Malaxis spicata | | Oenothera humifusa | | Phlox drummondii |
| | Malvastrum corchorifolium * | | Oncidium ensatum * | | Phoenix dactylifera C* |
| | Malvaviscus arboreus var. drummondii ! | | Ophioglossum palmatum ! | | Phoenix sp. * |
| | Mangifera indica | | Ophioglossum petiolatum ! | | Phoradendron leucarpum |
| | Maxillaria crassifolia | | Oplismenus hirtellus !! | | Phragmites australis |
| | Mecardonia acuminata ssp. peninsularis !! | | Opuntia humifusa | | Phyla nodiflora !! |
| | Mecardonia procumbens! | | Osmunda regalis var. spectabilis | | Phyla stoechadifolia*! |
| | Medicago lupulina*! | | Oxalis comiculata ! | | Phyllanthus amarus *! |
| ✓ | Melaleuca quinquevneria | | Oxalis debilis var. corymbosa* | | Phyllanthus carolinensis subsp. saxicola |
| | Melaleuca viminalis | ✓ | Oxypolis filiformis !! | | Phyllanthus tenellus * |
| | Melanthera angustifolia! | | Palafoxia feayi | | Phyllanthus urinaria ! |
| | Melanthera parvifolia | | Pandanus sp. C* | | Physalis angustifolia |
| | Melanthera nivea | | Panicum dichotomiflorum ! | | Physalis pubescens ! |
| | Melilotus albus | | Panicum dichotomiflorum var. bartowense | | Physalis walteri |
| | Melochia pyramidata | ✓ | Panicum hemitomon | | Physostegia purpurea! |
| | Melochia spicata | | Panicum hians! | | Phytolacca americana ! |
| | Melothria pendula !! | | Panicum maximum *! | | Pilea microphylla! |
| | Metopium toxiferum | | Panicum repens !! | | Piloblephis rigida |
| | Micranthemum glomeratum ! | | Panicum rigidulum ! | | Pinguicula lutea |
| | Micranthemum umbrosum *! | | Panicum tenerum ! | | Pinguicula pumila |
| | Microgramma heterophylla ! | ✓ | Panicum virgatum | | Pinus elliotii var. densa |
| | Mikania cordifolia | | Parietaria floridana ! | | Piper aduncum |
| ✓ | Mikania scandens | | Parthenium hysterophorus *! | | Piriqueta caroliniana !! |
| ✓ | Mitreola petiolata !! | ✓ | Parthenocissus quinquefolia | | Piscidia piscipula C* |
| | Mitreola sessilifolia | | Paspalidium geminatum! | | Pisonia aculeata |
| | Momordica charantia * !! | | Paspalum blodgettii | | Pistia stratiotes !! |
| | Monanthochloë littoralis | | Paspalum caespitosum !! | | Pithecellobium unguis-cati |
| | Morus alba | | Paspalum conjugatum! | | Pityopsis graminifolia |
| | Morus rubra | | Paspalum dissectum *! | | Pityrogramma trifoliata |
| | Mucuna pruriens * | | Paspalum distichum | | Plantago major! |
| | Muhlenbergia capillaris | | Paspalum fimbriatum | ✓ | Plantago virginica *! |
| | Murdannia nudiflora | | Paspalum floridanum! | ✓ | Pleopeltis polypodioides var. michauxiana !! |
| | Murdannia spirata | | Paspalum laeve *! | ✓ | Pluchea carolinensis |
| | Musa xparadisiaca | ✓ | Paspalum monostachyum | ✓ | Pluchea odorata |
| ✓ | Myrcianthes fragrans | | Paspalum notatum | ✓ | Pluchea rosea !! |
| ✓ | Myrica cerifera | | Paspalum praecox*! | | Plumbago scandens |

| | | |
|--|--------------------------------------|--|
| Poinsettia cyathophora *! | Rhus copallinum !! | ✓ Saururus cernuus |
| Poinsettia heterophylla | Rhynchelytrum repens | Schefflera actinophylla |
| Polygala balduinii | Rhynchosia minima | ✓ Schinus terebinthifolius |
| Polygala boykinii | Rhynchosia swartzii* | Schizachyrium gracile *! |
| Polygala cruciata | Rhynchospora breviseta | ✓ Schizachyrium rhizomatum |
| ✓ Polygala grandiflora !! | Rhynchospora chapmanii | Schizachyrium sanguineum |
| Polygala incamata | ✓ Rhynchospora colorata !! | Schizaea pennula *! |
| Polygala lutea | Rhynchospora comiculata! | ✓ Schoenolirion albiflorum |
| Polygala nana ! | ✓ Rhynchospora divergens | Schoenus nigricans |
| Polygala polygama ! | Rhynchospora fascicularis ! | Schoepfia chrysophyloides |
| Polygala rugelii | Rhynchospora globularis | Scirpus tabernaemontani ! |
| Polygala setacea | Rhynchospora intermedia | Scleria baldwinii |
| Polygala verticillata var. isocycla*! | ✓ Rhynchospora inundata | Scleria ciliata var. ciliata! |
| Polygonum densiflorum | ✓ Rhynchospora microcarpa! | Scleria georgiana! |
| Polygonum hydropiperoides! | Rhynchospora miliacea !! | Scleria hirtella ! |
| Polygonum punctatum | Rhynchospora nitens | Scleria lithosperma *! |
| Polygonum setaceum | ✓ Rhynchospora odorata ! | Scleria reticularis |
| ✓ Polypremum procumbens !! | ✓ Rhynchospora tracyi !! | Scleria triglomerata! |
| Polyradicion lindenii | ✓ Richardia grandiflora | Scleria verticillata ! |
| Polystachya concreta | Richardia scabra | Scoparia dulcis !! |
| Pongamia pinnata | Ricinus communis ! | Senecio glabellus ! |
| ✓ Pontederia cordata !! | Rivina humilis ! | Senna alata |
| Ponthieva racemosa | Rorippa teres! | Senna ligustrina |
| Portulaca oleracea! | Rotala ramosior | Senna obtusifolia |
| Portulaca pilosa | Rottboellia cochinchinensis | Senna pendula var. glabrata |
| Portulaca rubricaulis | Roystonea regia | ✓ Senecio repens |
| Potamogeton illinoensis ! | Rubus trivialis | Sesbania herbacea |
| Pouzolzia zeylanica *! | Rudbeckia hirta !! | Sesbania vesicaria |
| ✓ Proserpinaca palustris | Ruellia carolinensis | Sesuvium portulacastrum |
| Pseudelephantopus spicatus !!* | Ruellia succulenta | Setaria corrugata |
| Psidium guajava | Ruellia tweediana | Setaria magna |
| ✓ Psilotum nudum !! | Rumex verticillatus | Setaria parviflora !! |
| ✓ Psychotria nervosa | Ruppia maritima ! | Seymeria pectinata ! |
| Psychotria sulzneri | Russelia equisetiformis C* | ✓ Sida acuta |
| Pteridium aquilinum var. caudatum | ✓ Sabal palmetto! | Sida cordifolia |
| Pteridium aquilinum var. pseudocaudatum !! | ✓ Sabatia bartramii! | Sida Elliottii |
| Pteris bahamensis | Sabatia brevifolia | Sida rhombifolia |
| Pteris tripartita | Sabatia calycina | Sida spinosa * |
| Pteris vittata !! | Sabatia grandiflora | Sideroxylon celastrinum *! |
| Pteris xdelchampsii | Sabatia stellaris | Sideroxylon foetidissimum |
| Pterocaulon pycnostachyum | ✓ Saccharum giganteum | Sideroxylon reclinatum ssp. reclinatum ! |
| Ptilimnium capillaceum ! | Saccharum officinarum | Sideroxylon salicifolium |
| Quercus chapmanii *! | Sacciolepis indica !! | Simarouba glauca |
| Quercus geminata | Sacciolepis striata | Sisyrinchium angustifolium |
| Quercus laurifolia | Saccola lanceolata | Sisyrinchium nashii* |
| Quercus minima! | Sageretia minutiflora !+ | Sisyrinchium rosulatum |
| Quercus pumila | Sagittaria filiformis | ✓ Smilax auriculata |
| ✓ Quercus virginiana | Sagittaria graminea! | ✓ Smilax bona-nox ! |
| Quesnelia quesnelioides C* | ✓ Sagittaria graminea var. chapmanii | ✓ Smilax laurifolia !! |
| ✓ Randia aculeata | ✓ Sagittaria lancifolia | Smilax tamnoides *! |
| ✓ Rapanea punctata !! | ✓ Salix caroliniana | Solanum americanum |
| Reimarochloa oligostachya | Salvia lyrata ! | Solanum capsicoides* |
| Rhabdadenia biflora | Salvia occidentalis | Solanum erianthum |
| Rhapis excelsa | Salvinia minima !! | Solanum verbascifolium |
| Rhexia cubensis | Sambucus canadensis | Solanum viarum |
| Rhexia mariana! !! | Samolus ebracteatus | Solidago fistulosa !! |
| Rhexia nashii | Samolus valerandi subsp. parviflorus | ✓ Solidago gigantea |
| Rhexia nuttallii | Sansevieria hyacinthoides* | Solidago odora var. chapmanii ! |
| Rhexia petiolata *! | Sapindus saponaria ! | ✓ Solidago sempervirens |
| Rhizophora mangle | Sarcostemma clausum | Solidago stricta !! |

| | | | | | |
|---|---|---|--------------------------------------|-------------|---|
| | Solidago tortifolia | | Tillandsia pruinosa | | Wolffia columbiana * |
| | Sonchus asper *! | ✓ | Tillandsia recurvata! | | Wolffiella oblonga ! |
| | Sophora tomentosa var. truncata C* | ✓ | Tillandsia setacea !! | | Woodwardia areolata |
| | Sorghastrum secundum *! | ✓ | Tillandsia usneoides | ✓ | Woodwardia virginica |
| | Sorghum arundinaceum * ! | | Tillandsia utriculata | | Ximena americana |
| | Spartina bakeri ! | | Tillandsia variabilis | | Xyris ambigua !! |
| | Spathodea campanulata * | ✓ | Tillandsia xsmalliana | ✓ | Xyris calceicola *! |
| | Spermacoce assurgens !! | | Toumefortia hirsutissima | | Xyris caroliniana *! |
| | Spermacoce floridana | | Tounefortia volubilis | | Xyris difformis var. floridana |
| | Spermacoce prostrata ! | ✓ | Toxicodendron radicans | | Xyris elliotii |
| | Spermacoce terminalis | | Tradescantia spathacea | | Xyris flabelliformis ! |
| ✓ | Spermacoce tetraquetra *! | | Tradescantia zebrina | | Xyris jupicai |
| | Spermacoce verticillata !! | | Trema micranthum | | Xyris smalliana * |
| | Spigelia anthelmia *! | | Trichomanes holopterum | | Youngia japonica ! |
| | Spiranthes brevilabris | | Trichostema dichotomum | | Zanthoxylum fagara |
| | Spiranthes cernua | | Trichostigma octandrum | | Zea mays subsp. mexicana |
| | Spiranthes laciniata ! | | Tridax procumbens | | Zephyranthes simpsonii |
| | Spiranthes longilabris | | Triphora gentianoides | | Zeuxine strateumatica ! |
| ✓ | Spiranthes odorata | | Tripsacum dactyloides | | Zizaniopsis miliacea ! |
| | Spiranthes torta | | Tripsacum floridanum | | Zoysia matrella var. tenuifolia !+ |
| | Spiranthes vernalis ! | | Turbina corymbosa | | |
| | Spirodela polyrhiza*! | | Tumera ulmifolia *! | Bold | = needs to be collected |
| | Sporobolus domingensis | ✓ | Typha domingensis | * | =not on Muss et al. |
| | Sporobolus indicus | | Typha latifolia | ! | =collected by IRC |
| ✓ | Sporobolus indicus var. pyramidalis !! | | Urena lobata !! | !! | =collected by IRC for addendum |
| | Sporobolus junceus ! | | Urochloa fasciculata var. reticulata | + | =collected again by IRC for documentation |
| | Sporobolus pyramidatus | | Urochloa mutica | C | = Cultivated Only |
| | Sporobolus virginicus * | | Urochloa ramosa | | |
| | Stachytarpheta jamaicensis | ✓ | Utricularia comuta | | |
| | Stenandrium dulce | ✓ | Utricularia foliosa | | |
| | Stenochlaena tenuifolia | ✓ | Utricularia gibba | | |
| ✓ | Stenotaphrum secundatum | | Utricularia inflata | | |
| | Stillingia aquatica !! | | Utricularia purpurea | | |
| | Stillingia sylvatica !! | | Utricularia radiata | | |
| | Stylosanthes hamata ! | | Utricularia resupinata ! | | |
| | Suaeda linearis * | | Utricularia simulans | | |
| | Syagrus romanzoffiana * | | Utricularia subulata | | |
| | Syngonium angustatum! | | Vaccinium darrowii | | |
| | Syngonium podophyllum | | Vaccinium myrsinites ! | | |
| | Syzygium cumini | | Vanilla phaeantha | | |
| | Syzygium jambos | | Verbena bonariensis | | |
| ✓ | Tabebuia aurea | | Verbena brasiliensis *! | | |
| | Taxodium ascendens | | Verbena scabra! | | |
| | Taxodium distichum | | Verbesina virginica | | |
| | Tectaria heracleifolia | | Vernonia blodgettii | | |
| | Tephrosia spicata*! | | Vernonia cinerea *! | | |
| | Teucrium canadense | | Viburnum obovatum | | |
| ✓ | Thalia geniculata | | Vicia acutifolia | | |
| | Thelypteris dentata *! | ✓ | Vigna luteola | | |
| | Thelypteris hispidula var. versicolor | | Viola lanceolata | | |
| | Thelypteris interrupta | | Viola palmata *! | | |
| ✓ | Thelypteris kunthii! | | Viola sororia *! | | |
| | Thelypteris ovata! | | Vitis aestivalis | | |
| | Thelypteris palustris var. pubescens !! | ✓ | Vitis cinerea var. floridana | | |
| | Thelypteris reticulata | ✓ | Vitis rotundifolia | | |
| | Thevetia peruviana * | | Vitis shuttleworthii | | |
| ✓ | Tillandsia balbisiana !! | | Vittaria lineata !! | | |
| | Tillandsia fasciculata var. densispica | | Waltheria indica !! | | |
| | Tillandsia flexuosa ! | | Washingtonium robusta * | | |
| ✓ | Tillandsia paucifolia | | Wedelia trilobata !! | | |

| Big Cypress NP Data Sheets | | | |
|--------------------------------|--------------|---------|-------|
| Date: | | | |
| County: | | | |
| Region: | | | |
| Cell # | | Point # | |
| Transect #1 | | | |
| Heading (deg.): | 190 | | |
| Origin coordinates: | 510987 | 2855514 | ± 4.6 |
| End coordinates: | 510935 | 2855268 | ± 4.3 |
| Species on line | Cladonia | | |
| | Paspalum | | |
| | Rhynchospora | | |
| | Taxus | | |
| | Utricularia | | |
| | Schirrhiza | | |
| | Panicum | | |
| | Grass | | |
| | Eleocharis | | |
| | Typha | | |
| | Ludwigia | | |
| | Nymphaea | | |
| | Oxalis | | |
| | Schizanthus | | |
| Quad. 2.5 m Intercept 1 (2.5) | Rhynchospora | | |
| Quad. 2.5 m Intercept 2 (5) | — | | |
| Quad. 2.5 m Intercept 3 (7.5) | — | | |
| Quad. 2.5 m Intercept 4 (10) | Baccharis | | |
| Quad. 2.5 m Intercept 5 (12.5) | — | | |
| Quad. 2.5 m Intercept 6 (15) | Rhynchospora | | |
| Quad. 2.5 m Intercept 7 (17.5) | Cladonia | | |
| Quad. 2.5 m Intercept 8 (20) | — | | |
| Quad. 2.5 m Intercept 9 (22.5) | Schirrhiza | | |

| | | | | | |
|--------------------------------|---------------------|--|--|--|--|
| Quad. 2.5 m Intercept10 (25) | — | | | | |
| Quad. 2.5 m Intercept11 (27.5) | — | | | | |
| Quad. 2.5 m Intercept12 (30) | Clactjama | | | | |
| Quad. 2.5 m Intercept13 (32.5) | — | | | | |
| Quad. 2.5 m Intercept14 (35) | — | | | | |
| Quad. 2.5 m Intercept15 (37.5) | Bolt diff | | | | |
| Quad. 2.5 m Intercept16 (40) | — | | | | |
| Quad. 2.5 m Intercept17 (42.5) | — | | | | |
| Quad. 2.5 m Intercept18 (45) | Schirhiz | | | | |
| Quad. 2.5 m Intercept19 (47.5) | — | | | | |
| Quad. 2.5 m Intercept20 (50) | — | | | | |
| Quad. 2.5 m Intercept21 (2.5) | — | | | | |
| Quad. 2.5 m Intercept22 (5) | Rhymiciz | | | | |
| Quad. 2.5 m Intercept23 (7.5) | Rhymiciz | | | | |
| Quad. 2.5 m Intercept24 (10) | Panivig | | | | |
| Quad. 2.5 m Intercept25 (12.5) | Panivig | | | | |
| Quad. 2.5 m Intercept26 (15) | Taxo asce | | | | |
| Quad. 2.5 m Intercept27 (17.5) | Taxo asce | | | | |
| Quad. 2.5 m Intercept28 (20) | — | | | | |
| Quad. 2.5 m Intercept29 (22.5) | Baco caro Taxo asce | | | | |
| Quad. 2.5 m Intercept30 (25) | — | | | | |
| Quad. 2.5 m Intercept31 (27.5) | — | | | | |
| Quad. 2.5 m Intercept32 (30) | Baco caro | | | | |
| Quad. 2.5 m Intercept33 (32.5) | Ludw repe | | | | |

| | | | | | |
|--------------------------------|-----------|----------|--|--|--|
| quad. 2.5 m Intercept34 (35) | Ludwigeae | Typhdomi | | | |
| quad. 2.5 m Intercept35 (37.5) | Typhdomi | | | | |
| quad. 2.5 m Intercept36 (40) | Bacocarid | | | | |
| quad. 2.5 m Intercept37 (42.5) | — | | | | |
| quad. 2.5 m Intercept38 (45) | — | | | | |
| quad. 2.5 m Intercept39 (47.5) | Taxoasce | | | | |
| quad. 2.5 m Intercept40 (50) | Taxoasce | | | | |
| quad. 2.5 m Intercept41 (2.5) | — | | | | |
| quad. 2.5 m Intercept42 (5) | Bacocarid | | | | |
| quad. 2.5 m Intercept43 (7.5) | Bacocarid | | | | |
| quad. 2.5 m Intercept44 (10) | — | | | | |
| quad. 2.5 m Intercept45 (12.5) | Cladjanu | | | | |
| quad. 2.5 m Intercept46 (15) | — | | | | |
| quad. 2.5 m Intercept47 (17.5) | Cladjanu | | | | |
| quad. 2.5 m Intercept48 (20) | — | | | | |
| quad. 2.5 m Intercept49 (22.5) | Cladjanu | | | | |
| quad. 2.5 m Intercept50 (25) | Cladjanu | | | | |
| quad. 2.5 m Intercept51 (27.5) | — | | | | |
| quad. 2.5 m Intercept52 (30) | Paspmono | | | | |
| quad. 2.5 m Intercept53 (32.5) | Bacocarid | | | | |
| quad. 2.5 m Intercept54 (35) | — | | | | |
| quad. 2.5 m Intercept55 (37.5) | — | | | | |
| quad. 2.5 m Intercept56 (40) | Cladjanu | | | | |
| quad. 2.5 m Intercept57 (42.5) | Taxoasce | Cladjanu | | | |

| | | | | | |
|--------------------------------|----------|----------|--|--|--|
| Quad. 2.5 m Intercept58 (45) | Bacocaro | | | | |
| Quad. 2.5 m Intercept59 (47.5) | Cladjama | | | | |
| Quad. 2.5 m Intercept60 (50) | Cladjama | | | | |
| Quad. 2.5 m Intercept61 (2.5) | Bacocaro | | | | |
| Quad. 2.5 m Intercept62 (5) | Cladjama | Bacocaro | | | |
| Quad. 2.5 m Intercept63 (7.5) | Bacocaro | | | | |
| Quad. 2.5 m Intercept64 (10) | — | | | | |
| Quad. 2.5 m Intercept65 (12.5) | Bacocaro | | | | |
| Quad. 2.5 m Intercept66 (15) | — | | | | |
| Quad. 2.5 m Intercept67 (17.5) | — | | | | |
| Quad. 2.5 m Intercept68 (20) | — | | | | |
| Quad. 2.5 m Intercept69 (22.5) | — | | | | |
| Quad. 2.5 m Intercept70 (25) | Taxbasce | | | | |
| Quad. 2.5 m Intercept71 (27.5) | Bacocaro | | | | |
| Quad. 2.5 m Intercept72 (30) | — | | | | |
| Quad. 2.5 m Intercept73 (32.5) | — | | | | |
| Quad. 2.5 m Intercept74 (35) | — | | | | |
| Quad. 2.5 m Intercept75 (37.5) | Cladjama | | | | |
| Quad. 2.5 m Intercept76 (40) | — | | | | |
| Quad. 2.5 m Intercept77 (42.5) | — | | | | |
| Quad. 2.5 m Intercept78 (45) | Cladjama | | | | |
| Quad. 2.5 m Intercept79 (47.5) | Cladjama | | | | |
| Quad. 2.5 m Intercept80 (50) | — | | | | |
| Quad. 2.5 m Intercept81 (2.5) | — | | | | |

| | | | | | |
|--------------------------------|-----------|--|--|--|--|
| Quad. 2.5 m Intercept82 (5) | — | | | | |
| Quad. 2.5 m Intercept83 (7.5) | — | | | | |
| Quad. 2.5 m Intercept84 (10) | — | | | | |
| Quad. 2.5 m Intercept85 (12.5) | Pasp mono | | | | |
| Quad. 2.5 m Intercept86 (15) | — | | | | |
| Quad. 2.5 m Intercept87 (17.5) | — | | | | |
| Quad. 2.5 m Intercept88 (20) | — | | | | |
| Quad. 2.5 m Intercept89 (22.5) | Pasp mono | | | | |
| Quad. 2.5 m Intercept90 (25) | Pasp mono | | | | |
| Quad. 2.5 m Intercept91 (27.5) | Pasp mono | | | | |
| Quad. 2.5 m Intercept92 (30) | — | | | | |
| Quad. 2.5 m Intercept93 (32.5) | Rhynmix 2 | | | | |
| Quad. 2.5 m Intercept94 (35) | — | | | | |
| Quad. 2.5 m Intercept95 (37.5) | Rhynmix 2 | | | | |
| Quad. 2.5 m Intercept96 (40) | Pasp mono | | | | |
| Quad. 2.5 m Intercept97 (42.5) | — | | | | |
| Quad. 2.5 m Intercept98 (45) | — | | | | |
| Quad. 2.5 m Intercept99 (47.5) | Pasp mono | | | | |
| Quad. 2.5 m Intercept100 (50) | — | | | | |

| Big Cypress NP Data Sheets | | | |
|--------------------------------|--------------|-----------|--------|
| Date: | | | |
| County: | | | |
| Region: | | | |
| Cell # | | Point # | |
| Transect #2 | | | |
| Heading (deg.): | 270° | | |
| Origin coordinates: | | | |
| End coordinates: | 510743 | 2855518 | ±4.4 m |
| Species on line | Taxoasca | Sagilanc | |
| | Rhynmiser2 | Scho labi | |
| | Casparmen | Bolt diff | |
| | Baco caro | Rhyndive | |
| | Utricorn | | |
| | Cludjama | | |
| | Schi rhiz | | |
| | Oxyp fili | | |
| | Hoepion | | |
| | Pani virg | | |
| | Saba bart | | |
| | Dicho cec | | |
| | Rhynstrag | | |
| | Eleocell | | |
| | Till balb | | |
| | Cass fili | | |
| | Scho albi | | |
| | Andragimperi | | |
| | Oxyp fili | | |
| | Iva micr | | |
| Quad. 2.5 m Intercept 1 (2.5) | — | | |
| Quad. 2.5 m Intercept 2 (5) | — | | |
| Quad. 2.5 m Intercept 3 (7.5) | — | | |
| Quad. 2.5 m Intercept 4 (10) | — | | |
| Quad. 2.5 m Intercept 5 (12.5) | Baco caro | | |
| Quad. 2.5 m Intercept 6 (15) | — | | |
| Quad. 2.5 m Intercept 7 (17.5) | — | | |
| Quad. 2.5 m Intercept 8 (20) | Taxoasca | Hoepion | |
| Quad. 2.5 m Intercept 9 (22.5) | — | | |

| | | | | | |
|--------------------------------|-------------------|--|--|--|--|
| Quad. 2.5 m Intercept10 (25) | — | | | | |
| Quad. 2.5 m Intercept11 (27.5) | DASP MARI | | | | |
| Quad. 2.5 m Intercept12 (30) | — | | | | |
| Quad. 2.5 m Intercept13 (32.5) | — | | | | |
| Quad. 2.5 m Intercept14 (35) | — | | | | |
| Quad. 2.5 m Intercept15 (37.5) | — | | | | |
| Quad. 2.5 m Intercept16 (40) | — | | | | |
| Quad. 2.5 m Intercept17 (42.5) | — | | | | |
| Quad. 2.5 m Intercept18 (45) | TAXOASCE | | | | |
| Quad. 2.5 m Intercept19 (47.5) | — | | | | |
| Quad. 2.5 m Intercept20 (50) | — | | | | |
| Quad. 2.5 m Intercept21 (2.5) | — | | | | |
| Quad. 2.5 m Intercept22 (5) | — | | | | |
| Quad. 2.5 m Intercept23 (7.5) | — | | | | |
| Quad. 2.5 m Intercept24 (10) | Taxoasce | | | | |
| Quad. 2.5 m Intercept25 (12.5) | — | | | | |
| Quad. 2.5 m Intercept26 (15) | — | | | | |
| Quad. 2.5 m Intercept27 (17.5) | — | | | | |
| Quad. 2.5 m Intercept28 (20) | Cladjama | | | | |
| Quad. 2.5 m Intercept29 (22.5) | Cladjama BACOCAR | | | | |
| Quad. 2.5 m Intercept30 (25) | — | | | | |
| Quad. 2.5 m Intercept31 (27.5) | Cladjama BUCOCAR | | | | |
| Quad. 2.5 m Intercept32 (30) | Cladjama | | | | |
| Quad. 2.5 m Intercept33 (32.5) | Cladjama TAXOASCE | | | | |

| | | | | | |
|--------------------------------|-----------|-----------|--|--|--|
| Quad. 2.5 m Intercept34 (35) | — | | | | |
| Quad. 2.5 m Intercept35 (37.5) | — | | | | |
| Quad. 2.5 m Intercept36 (40) | — | | | | |
| Quad. 2.5 m Intercept37 (42.5) | — | | | | |
| Quad. 2.5 m Intercept38 (45) | Taxoasce | | | | |
| Quad. 2.5 m Intercept39 (47.5) | — | | | | |
| Quad. 2.5 m Intercept40 (50) | Cladjama | Taxoasce | | | |
| Quad. 2.5 m Intercept41 (2.5) | — | | | | |
| Quad. 2.5 m Intercept42 (5) | Rhyntrac | | | | |
| Quad. 2.5 m Intercept43 (7.5) | Taxoasce | | | | |
| Quad. 2.5 m Intercept44 (10) | Taxoasce | Rhynmicr2 | | | |
| Quad. 2.5 m Intercept45 (12.5) | Taxoasce | | | | |
| Quad. 2.5 m Intercept46 (15) | Eleocell | | | | |
| Quad. 2.5 m Intercept47 (17.5) | cladjama | | | | |
| Quad. 2.5 m Intercept48 (20) | — | | | | |
| Quad. 2.5 m Intercept49 (22.5) | — | | | | |
| Quad. 2.5 m Intercept50 (25) | E180 cell | | | | |
| Quad. 2.5 m Intercept51 (27.5) | cladjama | | | | |
| Quad. 2.5 m Intercept52 (30) | Rhynmicr2 | | | | |
| Quad. 2.5 m Intercept53 (32.5) | Bucocaco | | | | |
| Quad. 2.5 m Intercept54 (35) | — | | | | |
| Quad. 2.5 m Intercept55 (37.5) | Rhynmicr2 | | | | |
| Quad. 2.5 m Intercept56 (40) | cladjama | | | | |
| Quad. 2.5 m Intercept57 (42.5) | — | | | | |

| | | | | | |
|--------------------------------|-----------|-----------|--|--|--|
| Quad. 2.5 m Intercept58 (45) | Cladonia | | | | |
| Quad. 2.5 m Intercept59 (47.5) | Utricorn | Taxus | | | |
| Quad. 2.5 m Intercept60 (50) | — | | | | |
| Quad. 2.5 m Intercept61 (2.5) | — | | | | |
| Quad. 2.5 m Intercept62 (5) | Rhytroc | | | | |
| Quad. 2.5 m Intercept63 (7.5) | Rhytroc | | | | |
| Quad. 2.5 m Intercept64 (10) | — | | | | |
| Quad. 2.5 m Intercept65 (12.5) | — | | | | |
| Quad. 2.5 m Intercept66 (15) | — | | | | |
| Quad. 2.5 m Intercept67 (17.5) | Utricorn | | | | |
| Quad. 2.5 m Intercept68 (20) | Iva micr | | | | |
| Quad. 2.5 m Intercept69 (22.5) | Sagilanc | | | | |
| Quad. 2.5 m Intercept70 (25) | — | | | | |
| Quad. 2.5 m Intercept71 (27.5) | — | | | | |
| Quad. 2.5 m Intercept72 (30) | — | | | | |
| Quad. 2.5 m Intercept73 (32.5) | Sagilanc | paspalum | | | |
| Quad. 2.5 m Intercept74 (35) | Rhynmicr2 | Scholarbi | | | |
| Quad. 2.5 m Intercept75 (37.5) | — | | | | |
| Quad. 2.5 m Intercept76 (40) | Schirhiz | | | | |
| Quad. 2.5 m Intercept77 (42.5) | — | | | | |
| Quad. 2.5 m Intercept78 (45) | — | | | | |
| Quad. 2.5 m Intercept79 (47.5) | — | | | | |
| Quad. 2.5 m Intercept80 (50) | — | | | | |
| Quad. 2.5 m Intercept81 (2.5) | Rhynmicr2 | | | | |

| | | | | | | |
|--------------------------------|------------|----------|--|--|--|--|
| Quad. 2.5 m Intercept82 (5) | — | | | | | |
| Quad. 2.5 m Intercept83 (7.5) | — | | | | | |
| Quad. 2.5 m Intercept84 (10) | Best diff | Paspmono | | | | |
| Quad. 2.5 m Intercept85 (12.5) | Cladjama | | | | | |
| Quad. 2.5 m Intercept86 (15) | — | | | | | |
| Quad. 2.5 m Intercept87 (17.5) | — | | | | | |
| Quad. 2.5 m Intercept88 (20) | — | | | | | |
| Quad. 2.5 m Intercept89 (22.5) | — | | | | | |
| Quad. 2.5 m Intercept90 (25) | — | | | | | |
| Quad. 2.5 m Intercept91 (27.5) | Rhynmicr 2 | | | | | |
| Quad. 2.5 m Intercept92 (30) | Rhynmicr 2 | | | | | |
| Quad. 2.5 m Intercept93 (32.5) | Paspmono | | | | | |
| Quad. 2.5 m Intercept94 (35) | — | | | | | |
| Quad. 2.5 m Intercept95 (37.5) | Iva micr | | | | | |
| Quad. 2.5 m Intercept96 (40) | — | | | | | |
| Quad. 2.5 m Intercept97 (42.5) | — | | | | | |
| Quad. 2.5 m Intercept98 (45) | — | | | | | |
| Quad. 2.5 m Intercept99 (47.5) | Utricorn | | | | | |
| Quad. 2.5 m Intercept100 (50) | — | | | | | |