

Trans. data ent kw
Cell SRH

RefID #34944

K.A. Bradley and M. Abdo. 2003. Observations of vascular plants at Big Cypress National Preserve, cell #AC17, Collier County, Florida. 3 April 2003. The Institute for Regional Conservation, Miami, FL.

| SiteRefID | Site Name |
|-----------|--|
| 47518 | Big Cypress National Preserve Cell #AC17 |
| 47519 | Big Cypress National Preserve |

AC17

| Plants of Big Cypress based on Muss et al. (2002) | | ✓ | Asclepias lanceolata | Caperonia castaneifolia |
|---|------------|------------|--|------------------------------------|
| CELL | Point # 83 | | Asclepias longifolia | Capparis cynophallophora * |
| Date: | 4/3/03 | Observers: | Asclepias tuberosa | Capparis flexuosa |
| | | | Asclepias verticillata | Capraria biflora |
| | | | Asimina reticulata | Cardiospermum corindum |
| | | | Asplenium serratum | Cardiospermum microcarpum |
| | | | Aster adnatus | Carex gigantea! |
| | | ✓ | Aster bracei | Carex longii*! |
| | | ✓ | Aster carolinianus | Carex lupuliformis |
| | | | Aster concolor | Carex vexans ! |
| | | | Aster dumosus | Carica papaya |
| | | | Aster elliottii | Carphephorus corymbosus |
| | | | Aster subulatus | Carphephorus odoratissimus |
| | | | Avicennia germinans | Caryota mitis |
| | | | Axonopus compressus* | ✓ Cassytha filiformis |
| | | | Axonopus fissifolius*! | Casuarina equisetifolia |
| | | | Axonopus furcatus | Casuarina glauca |
| | | | Azolla caroliniana | Catharanthus roseus |
| | | | Baccharis angustifolia | Catopsis berteroniana |
| | | | Baccharis glomeruliflora | Catopsis floribunda |
| | | | Baccharis halimifolia | Celtis laevigata |
| | | ✓ | Bacopa caroliniana | Cenchrus echinatus * |
| | | | Bacopa monnieri | Cenchrus gracillimus*! |
| | | | Bartonia paniculata | Cenchrus incertus |
| | | | Bauhinia purpurea | ✓ Centella asiatica |
| | | | Bauhinia variegata | Centrosema virginianum |
| | | | Bejaria racemosa | Cephalanthus occidentalis |
| | | | Berchemia scandens | Ceratophyllum demersum |
| | | | Bidens alba var. radiata | Ceratopteris thalictroides |
| | | | Bigelowia nudata subsp. australis | Chamaecrista fasciculata |
| | | | Bischofia javanica | Chamaecrista nictitans var. aspera |
| | | ✓ | Blechnum serrulatum | Chamaesyce blodgettii |
| | | | Blechnum pyramidatum | Chamaesyce conferta! |
| | | ✓ | Bletia purpurea | Chamaesyce hirta |
| | | ✓ | Boehmeria cylindrica | Chamaesyce hypericifolia |
| | | | Boerhavia diffusa | Chamaesyce hyssopifolia |
| | | | Boltonia diffusa | Chamaesyce lasiocarpa |
| | | | Bothriochloa ischaemum var. songarica! | Chamaesyce mendezii |
| ✓ | | | Bothriochloa pertusa | Chamaesyce ophthalmica |
| | | | Brassica rapa | Chamaesyce pergamena |
| | | | Buchnera americana | Chamaesyce porteriiana |
| | | | Bucida buceras | Chaptalia tomentosa |
| ✓ | | | Bulbostylis ciliatifolia | Chiococca alba |
| | | | Bulbostylis stenophylla | ✓ Chiococca parvifolia |
| ✓ | | | Burmannia capitata | ✓ Chrysobalanus icaco |
| | | | Burmannia flava | Chrysophyllum oliviforme |
| | | | Bursera simaruba | Chrysopogon pauciflorus |
| | | | Caesalpinia bonduc | Chrysopsis subulata |
| | | | Calliandra haematocephala | Cirsium horridulum |
| | | | Callicarpa americana | ✓ Cirsium nuttallii |
| | | | Calopogon multiflorus! | Cissus verticillata |
| | | | Calopogon tuberosus! | Citharexylum spinosum |
| | | | Calyptanthus pallens! | Citrus aurantium |
| | | | Calystegia sepium subsp. limnophila | Citrus limon |
| ✓ | | | Campanula floridana | Citrus sinensis |
| | | | Campsis radicans | Citrus xparadisi |
| | | | Campylocentrum pachyrrhizum | ✓ Cladium jamaicense |
| | | ✓ | Campyloneurum angustifolium* | Clematis baldwinii |
| | | | Campyloneurum phyllitidis | Clitoria mariana |
| | | | Canna flaccida | Cnidioscolus stimulosus |

| | | | | | |
|---|---|---|--|---|---|
| | <i>Coccoloba diversifolia!</i> | | <i>Dichantheium ensifolium</i> | | <i>Eragrostis hypnoides*!</i> |
| | <i>Codiaeum variegatum var. pictum</i> | | <i>Dichantheium ensifolium var. unciphyllum!</i> | | <i>Eragrostis spectabilis</i> |
| ✓ | <i>Coelorachis rugosa</i> | ✓ | <i>Dichantheium erectifolium</i> | | <i>Erechtites hieracifolia</i> |
| | <i>Coleus pumilus</i> | | <i>Dichantheium laxiflorum *!</i> | | <i>Eremochloa ophiuroides</i> |
| | <i>Colocasia esculenta</i> | | <i>Dichantheium leucothrix *!</i> | | <i>Erigeron quercifolius</i> |
| | <i>Colubrina arborescens</i> | ✓ | <i>Dichantheium ovale</i> | | <i>Erigeron vernus</i> |
| | <i>Commelina diffusa var. diffusa</i> | | <i>Dichantheium portoricense</i> | | <i>Eriobotrya japonica</i> |
| | <i>Commelina erecta</i> | | <i>Dichantheium strigosum var. glabrescens</i> | ✓ | <i>Eriocaulon compressum</i> |
| | <i>Conocarpus erectus</i> | | <i>Dichanthium aristatum*!</i> | | <i>Eriocaulon decangulare</i> |
| | <i>Conoclinium coelestinum</i> | | <i>Dichondra carolinensis</i> | | <i>Eriocaulon ravenelii !</i> |
| | <i>Conyza canadensis var. pusilla</i> | | <i>Dichondra micrantha</i> | | <i>Eriochloa michauxii var. michauxii*</i> |
| | <i>Corchorus hirtus*</i> | | <i>Dicliptera sexangularis</i> | | <i>Erucastrum gallicum</i> |
| | <i>Corchorus siliquosus</i> | | <i>Digitaria ciliaris *!</i> | | <i>Eryngium baldwinii</i> |
| | <i>Cordia globosa</i> | | <i>Digitaria filiformis var. filiformis !</i> | | <i>Eryngium yuccifolium</i> |
| | <i>Coreopsis leavenworthii</i> | | <i>Digitaria longiflora</i> | | <i>Erythrina herbacea</i> |
| | <i>Cornus foemina</i> | | <i>Digitaria violascens!</i> | | <i>Erythrodes querceticola</i> |
| | <i>Crinum americanum</i> | | <i>Diodia virginiana</i> | | <i>Eugenia axillaris</i> |
| | <i>Crotalaria lanceolata</i> | | <i>Dioscorea bulbifera</i> | | <i>Eugenia uniflora</i> |
| | <i>Crotalaria pallida var. obovata</i> | | <i>Dioscorea sansibarensis</i> | | <i>Eulophia alta</i> |
| | <i>Crotalaria pumila*!</i> | | <i>Diospyros virginiana</i> | | <i>Eupatorium capillifolium</i> |
| | <i>Crotalaria rotundifolia</i> | | <i>Dodonaea angustifolia</i> | | <i>Eupatorium leptophyllum</i> |
| | <i>Crotalaria spectabilis</i> | | <i>Drosera brevifolia</i> | | <i>Eupatorium mikanioides</i> |
| | <i>Croton glandulosus var. glandulosus *!</i> | | <i>Drosera capillaris</i> | | <i>Eupatorium mohrii</i> |
| | <i>Croton humilis</i> | | <i>Drymaria cordata*!</i> | | <i>Eupatorium rotundifolium</i> |
| | <i>Ctenitis sloanei</i> | | <i>Drypetes lateriflora</i> | | <i>Eupatorium serotinum</i> |
| | <i>Cuphea carthagenensis</i> | | <i>Dypsis lutescens *</i> | | <i>Euphorbia graminea *!</i> |
| | <i>Cuscuta pentagona</i> | | <i>Dyschoriste angusta</i> | | <i>Euphorbia polyphylla</i> |
| | <i>Cynanchum blodgettii</i> | | <i>Dyschoriste oblongifolia*!</i> | | <i>Eustachys glauca</i> |
| | <i>Cynanchum scoparium</i> | | <i>Echinochloa colona</i> | | <i>Eustachys petraea</i> |
| | <i>Cynodon dactylon!</i> | | <i>Echinochloa crus-galli</i> | | <i>Eustoma exaltatum</i> |
| | <i>Cyperus articulatus</i> | | <i>Echinochloa muricata!</i> | | <i>Euthamia caroliniana</i> |
| | <i>Cyperus compressus</i> | | <i>Echinochloa paludigena</i> | | <i>Evolvulus alsinoides*!</i> |
| | <i>Cyperus croceus</i> | | <i>Echinochloa walteri</i> | | <i>Evolvulus sericeus</i> |
| | <i>Cyperus distinctus</i> | | <i>Echinodorus berteroi</i> | | <i>Exothea paniculata</i> |
| | <i>Cyperus esculentus</i> | | <i>Eclipta prostrata</i> | ✓ | <i>Ficus aurea!</i> |
| | <i>Cyperus flavescens</i> | | <i>Eichhornia crassipes</i> | | <i>Ficus benjamina * C</i> |
| ✓ | <i>Cyperus haspan</i> | | <i>Eleocharis albida</i> | | <i>Ficus citrifolia</i> |
| | <i>Cyperus involucratus</i> | | <i>Eleocharis atropurpurea</i> | | <i>Ficus microcarpa *</i> |
| | <i>Cyperus ligularis</i> | | <i>Eleocharis baldwinii!</i> | | <i>Fimbristylis autumnalis</i> |
| | <i>Cyperus odoratus</i> | ✓ | <i>Eleocharis cellulosa</i> | | <i>Fimbristylis caroliniana</i> |
| | <i>Cyperus planifolius</i> | | <i>Eleocharis elongata</i> | | <i>Fimbristylis cymosa</i> |
| | <i>Cyperus polystachyos!</i> | | <i>Eleocharis flavescens</i> | | <i>Fimbristylis schoenoides</i> |
| | <i>Cyperus pumilus</i> | | <i>Eleocharis geniculata</i> | | <i>Fimbristylis spadicea!</i> |
| | <i>Cyperus retrorsus</i> | | <i>Eleocharis interstincta</i> | | <i>Flaveria linearis</i> |
| | <i>Cyperus surinamensis</i> | | <i>Elephantopus elatus</i> | | <i>Forestiera segregata</i> |
| | <i>Cyperus tetragonus*!</i> | | <i>Eleusine indica</i> | | <i>Fraxinus caroliniana</i> |
| | <i>Cyrtopodium punctatum</i> | | <i>Elionurus tripsacoides</i> | ✓ | <i>Fuirena breviseta</i> |
| | <i>Dactyloctenium aegyptium</i> | | <i>Elytraria carolinensis var. angustifolia</i> | | <i>Fuirena scirpoidea</i> |
| | <i>Dalbergia sissoo</i> | | <i>Emilia fosbergii*!</i> | | <i>Furcraea selloa</i> |
| | <i>Dalea carnea</i> | | <i>Encyclia cochleata</i> | | <i>Galactia elliottii</i> |
| | <i>Dalea carthagenensis var. floridana</i> | ✓ | <i>Encyclia tampensis</i> | | <i>Galactia regularis</i> |
| | <i>Desmodium floridanum</i> | | <i>Epidendrum anceps</i> | | <i>Galactia striata</i> |
| | <i>Desmodium incanum</i> | | <i>Epidendrum floridense</i> | | <i>Galactia volubilis</i> |
| | <i>Desmodium paniculatum</i> | | <i>Epidendrum nocturnum</i> | | <i>Galium hispidulum</i> |
| | <i>Desmodium tortuosum</i> | | <i>Epidendrum rigidum</i> | | <i>Gaura angustifolia</i> |
| | <i>Desmodium triflorum</i> | | <i>Equisetum hyemale var. affine</i> | | <i>Glandularia maritima</i> |
| | <i>Desmodium viridiflorum</i> | | <i>Eragrostis atrovirens!</i> | | <i>Gnaphalium falcatum!</i> |
| | <i>Dichantheium aciculare</i> | | <i>Eragrostis bahiensis</i> | | <i>Gnaphalium obtusifolium</i> |
| ✓ | <i>Dichantheium commutatum</i> | | <i>Eragrostis ciliaris</i> | | <i>Gnaphalium pennsylvanicum</i> |
| | <i>Dichantheium dichotomum</i> | | <i>Eragrostis elliottii</i> | | <i>Gnaphalium purpureum</i> |

| | | | | | |
|---|---|---|---|---|--|
| | Gomphrena serrata | | Iresine diffusa | | Lycopus rubellus |
| | Gouania lupuloides | | Iris hexagona | | Lygodium microphyllum |
| ✓ | Gratiola ramosa | | Isoetes flaccida ! | | Lyonia fruticosa |
| | Grevillea robusta | | Iva microcephala | | Lyonia lucida |
| | Guzmania monostachia | | Ixora coccinea | | Lysiloma latisiliquum |
| | Gymnopogon brevifolius | | Jacquemontia curtisii | | Lythrum alatum var. lanceolatum |
| | Gymnopogon chapmanianus | | Jacquemontia pentanthos | | Lythrum lineare |
| | Habenaria floribunda | | Juncus marginatus | | Macroptilium atropurpureum |
| | Habenaria nivea | | Juncus megacephalus | | Macroptilium lathyroides |
| | Habenaria quinqueseta | ✓ | Juncus polycephalus | | Magnolia grandiflora |
| | Habenaria repens | | Juncus repens | | Magnolia virginiana |
| | Hamelia patens | | Juncus roemerianus | | Malachra urens |
| | Harrisella filiformis | | Juncus trigonocarpus | | Malaxis spicata |
| | Hedyotis procumbens ! | | Justicia angustal | | Malvaiscus arboreus var. drummondii |
| | Hedyotis uniflora | | Kalanchoe pinnata | | Mangifera indica |
| | Helenium amarum | | Kalanchoe tubiflora | | Maxillaria crassifolia |
| ✓ | Helenium pinnatifidum | | Kigelia pinnata | | Mecardonia acuminata subsp. peninsularis |
| | Helianthus angustifolius | | Kosteletzkya virginica | | Mecardonia procumbens! |
| | Helianthus radula | | Krugiodendron ferreum | | Medicago lupulina! |
| | Heliotropium angiospermum * | | Kyllinga brevifolia | | Melaleuca quinquenervia |
| | Heliotropium polyphyllum | | Lachnocaulon anceps | | Melaleuca viminalis |
| | Heteropogon contortus | | Laguncularia racemosa | | Melanthera angustifolia! |
| | Heteropogon melanocarpus | | Lantana camara | | Melanthera parvifolia |
| | Heterotheca subaxillaris | | Lantana depressa var. sanibelensis! | | Melanthera nivea |
| | Hibiscus grandiflorus ! | | Lantana involucrata | | Melilotus albus |
| | Hibiscus poeppigii ! | | Lasiacis divaricata | | Melochia pyramidata |
| | Hibiscus rosa-sinensis var. schizopetalus | | Leersia hexandra | | Melochia spicata |
| | Hibiscus tiliaceus | | Lemna obscura | | Melothria pendula |
| | Hieracium megacephalon * | | Lepidium virginicum | | Metopium toxiferum |
| | Hippocratea volubilis | | Leptochloa fascicularis! | | Micranthemum glomeratum |
| | Hydrilla verticillata | | Leucaena leucocephala | | Microgramma heterophylla ! |
| | Hydrocotyle bonariensis | | Liatris garberi | | Mikania cordifolia |
| | Hydrocotyle umbellata | | Liatris gracilis | | Mikania scandens |
| | Hydrocotyle verticillata | | Liatris graminifolia | | Mitreola petiolata |
| ✓ | Hydrolea corymbosa | | Liatris pauciflora | | Mitreola sessilifolia |
| | Hymenocallis palmeri | | Liatris spicata | | Monanthochloe littoralis |
| | Hyparrhenia rufa | | Licania michauxii | | Morus alba |
| | Hypericum brachyphyllum! | | Lilium catesbaei | | Morus rubra |
| | Hypericum cistifolium | | Limnophila sessiliflora | | Mucuna pruriens * |
| | Hypericum crux-andreae! | | Lindernia crustacea | | Muhlenbergia capillaris |
| | Hypericum hypericoides | | Lindernia dubia var. anagallidea | | Murdannia nudiflora |
| | Hypericum tetrapetalum | | Lindernia grandiflora | | Murdannia spirata |
| | Hypoxis juncea | | Linum carteri var. smallii | | Musa xparadisica |
| | Hypoxis wrightii | | Linum floridanum | | Myrcianthes fragrans |
| | Hyptis alata | | Linum medium var. texanum! | ✓ | Myrica cerifera |
| | Hyptis mutabilis | | Liparis nervosa | ✓ | Myriophyllum aquaticum |
| | Hyptis pectinata | | Lobelia feayana | | Myriophyllum heterophyllum |
| | Hyptis verticillata | | Lobelia glandulosa | | Myriophyllum pinnatum |
| ✓ | Ilex cassine! | | Lobelia homophylla | ✓ | Najas guadalupensis |
| | Ilex glabra | | Lobelia paludosa ! | | Najas marina |
| | Imperata brasiliensis | | Ludwigia alata! | | Najas wrightiana |
| | Imperata cylindrica | | Ludwigia curtissii | | Nelumbo lutea |
| | Indigofera spicata | | Ludwigia erecta | ✓ | Nephrolepis biserrata |
| | Ionopsis utricularioides | | Ludwigia maritima | ✓ | Nephrolepis exaltata |
| | Ipomoea alba | ✓ | Ludwigia microcarpa | | Nephrolepis multiflora! |
| | Ipomoea batatas | | Ludwigia octovalvis | | Neyraudia reynaudiana |
| | Ipomoea cordatotriloba | | Ludwigia peruviana | | Nicotiana tabacum |
| | Ipomoea indica var. acuminata | | Ludwigia repens ! | | Nuphar lutea subsp. advena |
| | Ipomoea sagittata | | Ludwigia suffruticosa | | Nymphaea elegans |
| | Ipomoea triloba | | Lycium carolinianum | | Nymphaea lotus |

| | | | | | |
|---|---|---|---|---|------------------------------------|
| | Nymphaea odorata | | Phyla stoechadriifolia*! | | Pteris bahamensis |
| ✓ | Nymphoides aquatica | | Phyllanthus caroliniensis subsp. saxicola | | Pteris tripartita |
| | Ocimum campechianum | | Phyllanthus urinaria | ✓ | Pteris vittata |
| | Ocotea coriacea | | Physalis angustifolia | | Pteris xdelchampsii |
| | Oeceoclades maculata | | Physalis pubescens | | Pterocaulon pycnostachyum |
| | Oenothera humifusa | | Physalis walteri | | Ptilimnium capillaceum |
| | Ophioglossum palmatum | | Physostegia purpurea! | | Quercus chapmanii*! |
| | Ophioglossum petiolatum | | Phytolacca americana | | Quercus geminata |
| | Oplismenus hirtellus | | Pilea microphylla! | | Quercus laurifolia |
| | Opuntia humifusa | | Piloblephis rigida | | Quercus minima! |
| | Osmunda regalis var. spectabilis | | Pinguicula lutea | | Quercus pumila |
| | Oxalis corniculata | | Pinguicula pumila | ✓ | Quercus virginiana |
| | Oxypolis filiformis | | Pinus elliottii var. densa | | Randia aculeata |
| | Palafoxia feayi | | Piper aduncum | ✓ | Rapanea punctata |
| | Panicum dichotomiflorum | | Piriqueta caroliniana | | Reimarochloa oligostachya |
| | Panicum dichotomiflorum var. bartowense | | Pisonia aculeata | | Rhabdadenia biflora |
| ✓ | Panicum hemitomon | | Pistia stratiotes | | Rhapis excelsa |
| | Panicum hians! | | Pithecellobium unguis-cati | | Rhexia cubensis |
| | Panicum repens | | Pityopsis graminifolia | | Rhexia mariana! |
| | Panicum rigidulum | | Pityrogramma trifoliata | | Rhexia nashii |
| | Panicum tenerum | | Plantago major! | | Rhexia nuttallii |
| | Panicum virgatum | ✓ | Pleopeltis polypodioides var. michauxiana | | Rhizophora mangle |
| | Parietaria floridana | | Pluchea carolinensis | | Rhus copallinum |
| ✓ | Parthenocissus quinquefolia | | Pluchea odorata | | Rhynchelytrum repens |
| ✓ | Paspalidium geminatum! | ✓ | Pluchea rosea | | Rhynchosia minima |
| | Paspalum blodgettii | | Plumbago scandens | | Rhynchosia swartzii* |
| | Paspalum caespitosum | | Poinsettia heterophylla | | Rhynchospora breviseta |
| | Paspalum conjugatum! | | Polygala baldunii | | Rhynchospora chapmanii |
| | Paspalum distichum | | Polygala boykinii | ✓ | Rhynchospora colorata |
| | Paspalum fimbriatum | | Polygala cruciata | | Rhynchospora corniculata! |
| | Paspalum floridanum! | ✓ | Polygala grandiflora | ✓ | Rhynchospora divergens |
| ✓ | Paspalum monostachyum | | Polygala incarnata | | Rhynchospora fascicularis |
| | Paspalum notatum | | Polygala lutea | | Rhynchospora globularis |
| | Paspalum praecox*! | | Polygala nana ! | | Rhynchospora intermedia |
| | Paspalum repens | | Polygala polygama ! | ✓ | Rhynchospora inundata |
| | Paspalum setaceum | | Polygala rugelii | ✓ | Rhynchospora microcarpa! |
| | Paspalum urvillei! | | Polygala setacea | | Rhynchospora miliacea |
| | Passiflora pallens ! | | Polygala verticillata var. isocycla*! | | Rhynchospora nitens |
| | Passiflora suberosa | | Polygonum densiflorum | | Rhynchospora odorata |
| | Pectis glaucescens | ✓ | Polygonum hydropiperoides! | ✓ | Rhynchospora tracyi |
| | Pectis prostrata | | Polygonum punctatum | | Richardia grandiflora |
| | Pectis xfloridana*! | | Polygonum setaceum | | Richardia scabra |
| | Peltandra virginica | | Polypremum procumbens | | Ricinus communis |
| | Pennisetum purpureum | | Polyradicion lindenii | | Rivina humilis |
| | Penstemon multiflorus | | Polystachya concreta | | Rorippa teres! |
| | Pentalinon luteum | | Pongamia pinnata | | Rotala ramosior |
| | Pentodon pentandrus! | ✓ | Pontederia cordata | | Rottboellia cochinchinensis |
| | Peperomia alata | | Ponthieva racemosa | | Roystonea regia |
| | Peperomia glabella | | Portulaca oleracea! | | Rubus trivialis |
| | Peperomia obtusifolia | | Portulaca pilosa | | Rudbeckia hirta |
| | Peperomia rotundifolia | | Portulaca rubricaulis | | Ruellia caroliniensis |
| | Persea americana | | Potamogeton illinoensis | | Ruellia succulenta |
| | Persea borbonia | ✓ | Proserpinaca palustris | | Ruellia tweediana |
| ✓ | Persea palustris | | Pseudelephantopus spicatus * | | Rumex verticillatus |
| | Phanopyrum gymnocarpon !* | | Psidium guajava | | Rupia maritima |
| ✓ | Phlebodium aureum | ✓ | Psilotum nudum | ✓ | Sabal palmetto! |
| | Phlox drummondii | ✓ | Psychotria nervosa | | Sabatia bartramii! |
| | Phoradendron leucarpum | | Psychotria sulzneri | | Sabatia brevifolia |
| | Phragmites australis | | Pteridium aquilinum var. caudatum | | Sabatia calycina |
| | Phyla nodiflora | ✓ | Pteridium aquilinum var. pseudocaudatum | | Sabatia grandiflora |

| | | | | | |
|---|--|---|--|---|---|
| | Sabatia stellaris | | Simarouba glauca | ✓ | Thelypteris kunthii! |
| ✓ | Saccharum giganteum | ✓ | Sisyrinchium angustifolium | | Thelypteris ovata! |
| | Saccharum officinarum | | Sisyrinchium rosulatum | | Thelypteris palustris var. pubescens |
| | Sacciolepis indica | | Smilax auriculata | | Thelypteris reticulata |
| ✓ | Sacciolepis striata | | Smilax bona-nox | ✓ | Tillandsia balbiana |
| | Sacoila lanceolata | ✓ | Smilax laurifolia | ✓ | Tillandsia fasciculata var. densispica |
| | Sageretia minutiflora | | Solanum americanum | | Tillandsia flexuosa ! |
| | Sagittaria filiformis | | Solanum capsicoides* | ✓ | Tillandsia paucifolia |
| ✓ | Sagittaria graminea! | | Solanum erianthum | | Tillandsia pruinosa |
| ✓ | Sagittaria graminea var. chapmanii | | Solanum verbascifolium | ✓ | Tillandsia recurvata! |
| ✓ | Sagittaria lancifolia | | Solanum viarum | ✓ | Tillandsia setacea |
| ✓ | Salix caroliniana | | Solidago fistulosa | ✓ | Tillandsia usneoides |
| | Salvia lyrata | | Solidago gigantea | | Tillandsia utriculata |
| | Salvia occidentalis | | Solidago odora var. chapmanii | | Tillandsia variabilis |
| ✓ | Salvinia minima | | Solidago sempervirens | ✓ | Tillandsia xsmalliana |
| | Sambucus canadensis | | Solidago stricta | | Tournefortia hirsutissima |
| | Samolus ebracteatus | | Solidago tortifolia! | | Tournefortia volubilis |
| | Samolus valerandi subsp. parviflorus | | Spartina bakeri ! | ✓ | Toxicodendron radicans |
| | Sansevieria hyacinthoides* | | Spermacece assurgens | | Tradescantia spathacea |
| ✓ | Sapindus saponaria | | Spermacece floridana | | Tradescantia zebrina |
| | Sarcostemma clausum | | Spermacece prostrata | | Trema micranthum |
| | Saururus cernuus | | Spermacece terminalis | | Trichomanes holopterum |
| | Schefflera actinophylla | | Spermacece tetraquetra * | | Trichostema dichotomum |
| | Schinus terebinthifolius | | Spermacece verticillata | | Trichostigma octandrum |
| | Schizachyrium gracile *! | | Spigelia anthelmia * | | Tridax procumbens |
| ✓ | Schizachyrium rhizomatum | | Spiranthes brevilabris | | Triphora gentianoides |
| | Schizachyrium sanguineum | | Spiranthes cernua | | Tripsacum dactyloides |
| | Schoenolirion albiflorum | | Spiranthes laciniata | | Tripsacum floridanum |
| | Schoenus nigricans | | Spiranthes longilabris | | Turbina corymbosa |
| | Schoepfia chrysophylloides | | Spiranthes odorata | | Typha domingensis |
| | Scirpus tabernaemontani | | Spiranthes torta | | Typha latifolia |
| ✓ | Scleria baldwinii | | Spiranthes vernalis | | Urena lobata |
| | Scleria ciliata var. ciliata! | | Spirodela polyrhiza*! | | Urochloa fasciculata var. reticulata |
| | Scleria georgiana! | | Sporobolus domingensis | | Urochloa mutica |
| | Scleria hirtella ! | | Sporobolus indicus | | Urochloa ramosa |
| | Scleria lithosperma * | | Sporobolus indicus var. pyramidalis | ✓ | Utricularia cornuta |
| | Scleria reticularis | | Sporobolus junceus | ✓ | Utricularia foliosa |
| | Scleria triglomerata! | | Sporobolus pyramidatus | | Utricularia gibba |
| | Scleria verticillata | | Stachytarpheta jamaicensis | | Utricularia inflata |
| | Scoparia dulcis | | Stenandrium dulce | ✓ | Utricularia purpurea |
| | Senecio glabellus | | Stenochlaena tenuifolia | | Utricularia radiata |
| | Senna alata | | Stenotaphrum secundatum | | Utricularia resupinata |
| | Senna ligustrina | ✓ | Stillingia aquatica | | Utricularia simulans |
| | Senna obtusifolia | | Stillingia sylvatica | ✓ | Utricularia subulata |
| | Senna pendula var. glabrata | | Stylosanthes hamata ! | | Vaccinium darrowii |
| | Serenoa repens | | Syagrus romanzoffiana * | | Vaccinium myrsinites |
| | Sesbania herbacea | | Syngonium angustatum! | | Vanilla phaeantha |
| | Sesbania vesicaria | | Syngonium podophyllum | | Verbena bonariensis |
| | Sesuvium portulacastrum | | Syzygium cumini | | Verbena scabra! |
| | Setaria corrugata | | Syzygium jambos | | Verbesina virginica |
| | Setaria magna | | Tabebuia aurea | | Vernonia blodgettii |
| | Setaria parviflora | ✓ | Taxodium ascendens | | Viburnum obovatum |
| | Seymeria pectinata | | Taxodium distichum | | Vicia acutifolia |
| | Sida acuta | | Tectaria heracleifolia | | Vigna luteola |
| | Sida cordifolia | | Tephrosia spicata! | | Viola lanceolata |
| | Sida elliottii | | Teucrium canadense | | Viola sororia *! |
| | Sida rhombifolia | ✓ | Thalia geniculata | | Vitis aestivalis |
| | Sideroxylon foetidissimum | | Thelypteris dentata * | ✓ | Vitis cinerea var. floridana |
| | Sideroxylon reclinatum ssp. reclinatum | | Thelypteris hispida var. versicolor | ✓ | Vitis rotundifolia |
| | Sideroxylon salicifolium | | Thelypteris interrupta | | Vitis shuttleworthii |

| | | | | |
|---|---------------------------------|--|--|--|
| ✓ | Vittaria lineata | | | |
| | Waltheria indica | | | |
| | Wedelia trilobata | | | |
| | Wolffiella oblonga | | | |
| | Woodwardia areolata | | | |
| ✓ | Woodwardia virginica | | | |
| | Ximenia americana | | | |
| | Xyris ambigua | | | |
| | Xyris caroliniana *! | | | |
| ✓ | Xyris difformis var. floridana | | | |
| | Xyris elliotii | | | |
| | Xyris flabelliformis ! | | | |
| | Xyris jupicai | | | |
| | Youngia japonica | | | |
| | Zanthoxylum fagara | | | |
| | Zea mays subsp. mexicana | | | |
| | Zephyranthes simpsonii | | | |
| | Zeuxine strateumatica | | | |
| | Zizaniopsis miliacea | | | |
| | Zoysia tenuifolia | | | |

| |
|-------------------------------------|
| Bold = needs to be collected |
| * =not on Muss et al. |
| ! =collected by IRC |
| C = Cultivated Only |

✓ *Nepenthes cordifolia*

Nymphaea sp.

Big Cypress NP Data Sheets

Date: 4/3/03
 County: Collier
 Region: Mullet Key - interior
 Cell # Point # 83

Transect #1

Heading (deg.): 85°
 Origin coordinates: ~~045~~
 End coordinates: 0489639 2588167

Species on line

| | | |
|------------|------------|---------------------|
| Taxoae | Tillsea | Helipinn |
| Cladjae | Prospale | Helipinn |
| Tillpascum | Boehlyi | Paspum |
| Eleocell | Sagigrande | |
| Phyricer | Subapale | |
| Tillusae | Toxiradi | Woodvii |
| Eriocomp | Smillaur | Helipinn |
| Paulani | Paspale | Phyricer |
| Tillbald | Pluzore | Vitiradi |
| Neplesal | Rhynnic | Phocree |
| Lubrene | Dichomun | Fecore |
| Bleccer | Rhynnic | Utrifidi |
| Selican | Utrifidi | Androsiglow |
| Pontard | Bletpurp | |
| Thelgeni | Panidene | |
| Cypelias | Saccigya | |
| Anthogal | Furder | |
| | Schebald | |

Quad. 2.5 m Intercept 1 (2.5)

Eleocell
Taxoae

Quad. 2.5 m Intercept 2 (5)

Taxoae

Quad. 2.5 m Intercept 3 (7.5)

Taxoae

Quad. 2.5 m Intercept 4 (10)

Eleocell
Taxoae

Quad. 2.5 m Intercept 5 (12.5)

Taxoae

Quad. 2.5 m Intercept 6 (15)

Taxoae

Quad. 2.5 m Intercept 7 (17.5)

Taxoae

Quad. 2.5 m Intercept 8 (20)

Taxoae

| | | | | |
|--------------------------------|--------------------------------|---------|--|--|
| Quad. 2.5 m Intercept9 (22.5) | Eriocoma Tillandsia | Taxone | | |
| Quad. 2.5 m Intercept10 (25) | Tillandsia Taxone | | | |
| Quad. 2.5 m Intercept11 (27.5) | Tillandsia Myrica | Taxone | | |
| Quad. 2.5 m Intercept12 (30) | Taxone | | | |
| Quad. 2.5 m Intercept13 (32.5) | Salicaria Taxone | | | |
| Quad. 2.5 m Intercept14 (35) | Pontederica Taxone | | | |
| Quad. 2.5 m Intercept15 (37.5) | Panicum | | | |
| Quad. 2.5 m Intercept16 (40) | Amorpha Taxone | Taxone | | |
| Quad. 2.5 m Intercept17 (42.5) | Paspalum Panicum | Amorpha | | |
| Quad. 2.5 m Intercept18 (45) | Paspalum | | | |
| Quad. 2.5 m Intercept19 (47.5) | Pontederica Amorpha | | | |
| Quad. 2.5 m Intercept20 (50) | Taxone | | | |
| Quad. 2.5 m Intercept21 (2.5) | Nepenthes Taxone | Amorpha | | |
| Quad. 2.5 m Intercept22 (5) | Myrica Taxone | | | |
| Quad. 2.5 m Intercept23 (7.5) | Salicaria Taxone | | | |
| Quad. 2.5 m Intercept24 (10) | Ludwigia Amorpha | Taxone | | |
| Quad. 2.5 m Intercept25 (12.5) | Panicum Taxone | | | |
| Quad. 2.5 m Intercept26 (15) | Nepenthes Tillandsia | Taxone | | |
| Quad. 2.5 m Intercept27 (17.5) | Baccharis Taxone | | | |
| Quad. 2.5 m Intercept28 (20) | Baccharis Amorpha | Taxone | | |
| Quad. 2.5 m Intercept29 (22.5) | Myrica Amorpha | Taxone | | |
| Quad. 2.5 m Intercept30 (25) | Amorpha Taxone | | | |
| Quad. 2.5 m Intercept31 (27.5) | Amorpha Taxone | | | |

| | | | | | |
|--------------------------------|---------------------------------|----------|--|--|--|
| Quad. 2.5 m Intercept32 (30) | Annoplak Taxoae | Bleccerr | | | |
| Quad. 2.5 m Intercept33 (32.5) | Annoplak Taxoae | | | | |
| Quad. 2.5 m Intercept34 (35) | Annoplak Saka palm | Taxoae | | | |
| Quad. 2.5 m Intercept35 (37.5) | Chryicae Taxoae | Annoplak | | | |
| Quad. 2.5 m Intercept36 (40) | Bleccerr Annoplak | Taxoae | | | |
| Quad. 2.5 m Intercept37 (42.5) | Myricae Taxoae | | | | |
| Quad. 2.5 m Intercept38 (45) | Bleccerr Chryicae | Taxoae | | | |
| Quad. 2.5 m Intercept39 (47.5) | Smillaor Smillaor | Taxoae | | | |
| Quad. 2.5 m Intercept40 (50) | Myricae Taxoae | Smillaor | | | |
| Quad. 2.5 m Intercept41 (2.5) | Chryicae Taxoae | | | | |
| Quad. 2.5 m Intercept42 (5) | Taxoae | | | | |
| Quad. 2.5 m Intercept43 (7.5) | Taxoae | | | | |
| Quad. 2.5 m Intercept44 (10) | Taxoae | | | | |
| Quad. 2.5 m Intercept45 (12.5) | Chryicae Taxoae | | | | |
| Quad. 2.5 m Intercept46 (15) | Taxoae Myricae | | | | |
| Quad. 2.5 m Intercept47 (17.5) | Eriocomp Taxoae | | | | |
| Quad. 2.5 m Intercept48 (20) | Cladonia Taxoae | | | | |
| Quad. 2.5 m Intercept49 (22.5) | Andringsvirg Taxoae | Chryicae | | | |
| Quad. 2.5 m Intercept50 (25) | Taxoae Eleocell | | | | |
| Quad. 2.5 m Intercept51 (27.5) | Taxoae | | | | |
| Quad. 2.5 m Intercept52 (30) | Eleocell Eriocomp | Taxoae | | | |
| Quad. 2.5 m Intercept53 (32.5) | Taxoae | | | | |
| Quad. 2.5 m Intercept54 (35) | Taxoae Myricae | | | | |

| | | | | |
|--------------------------------|-----------------------------------|--------------------|--|--|
| Quad. 2.5 m Intercept55 (37.5) | Taxoae | | | |
| Quad. 2.5 m Intercept56 (40) | Taxoae | | | |
| Quad. 2.5 m Intercept57 (42.5) | Taxoae Utrifolii | | | |
| Quad. 2.5 m Intercept58 (45) | Parpura Taxoae | | | |
| Quad. 2.5 m Intercept59 (47.5) | Rhyninon Taxoae | Tillfascia | | |
| Quad. 2.5 m Intercept60 (50) | Tillfascia Rhyninon | Taxoae Eleocell | | |
| Quad. 2.5 m Intercept61 (2.5) | Cladonia Taxoae | | | |
| Quad. 2.5 m Intercept62 (5) | Rhyninon Taxoae | | | |
| Quad. 2.5 m Intercept63 (7.5) | Taxoae | | | |
| Quad. 2.5 m Intercept64 (10) | Taxoae | | | |
| Quad. 2.5 m Intercept65 (12.5) | Taxoae | | | |
| Quad. 2.5 m Intercept66 (15) | Utrifolii | | | |
| Quad. 2.5 m Intercept67 (17.5) | — | | | |
| Quad. 2.5 m Intercept68 (20) | ✓ | | | |
| Quad. 2.5 m Intercept69 (22.5) | Rhyninon | | | |
| Quad. 2.5 m Intercept70 (25) | Rhyninon | | | |
| Quad. 2.5 m Intercept71 (27.5) | Taxoae | | | |
| Quad. 2.5 m Intercept72 (30) | Eriocomp Taxoae | | | |
| Quad. 2.5 m Intercept73 (32.5) | Eriocomp Taxoae | | | |
| Quad. 2.5 m Intercept74 (35) | Rhyninon Taxoae | | | |
| Quad. 2.5 m Intercept75 (37.5) | Taxoae | | | |
| Quad. 2.5 m Intercept76 (40) | Sacciga Taxoae | | | |
| Quad. 2.5 m Intercept77 (42.5) | Taxoae | | | |

| | | | | |
|--------------------------------|-------------------------------|---------|--|--|
| Quad. 2.5 m Intercept78 (45) | Rhynchospora Taroane | | | |
| Quad. 2.5 m Intercept79 (47.5) | Rhynchospora Taroane | | | |
| Quad. 2.5 m Intercept80 (50) | Taroane Myrica | | | |
| Quad. 2.5 m Intercept81 (2.5) | Rhynchospora Taroane | | | |
| Quad. 2.5 m Intercept82 (5) | Taroane | | | |
| Quad. 2.5 m Intercept83 (7.5) | Rhynchospora Taroane | | | |
| Quad. 2.5 m Intercept84 (10) | Myrica Taroane | | | |
| Quad. 2.5 m Intercept85 (12.5) | Panicum Chrysis | Taroane | | |
| Quad. 2.5 m Intercept86 (15) | Taroane Taroane | | | |
| Quad. 2.5 m Intercept87 (17.5) | Taroane | | | |
| Quad. 2.5 m Intercept88 (20) | Taroane | | | |
| Quad. 2.5 m Intercept89 (22.5) | Taroane | | | |
| Quad. 2.5 m Intercept90 (25) | Rhynchospora Taroane | | | |
| Quad. 2.5 m Intercept91 (27.5) | — | | | |
| Quad. 2.5 m Intercept92 (30) | Paspalum Taroane | | | |
| Quad. 2.5 m Intercept93 (32.5) | Taroane | | | |
| Quad. 2.5 m Intercept94 (35) | Taroane | | | |
| Quad. 2.5 m Intercept95 (37.5) | Taroane | | | |
| Quad. 2.5 m Intercept96 (40) | Paspalum Taroane | | | |
| Quad. 2.5 m Intercept97 (42.5) | Scleria Rhynchospora | Taroane | | |
| Quad. 2.5 m Intercept98 (45) | Rhynchospora Taroane | | | |
| Quad. 2.5 m Intercept99 (47.5) | Taroane | | | |
| Quad. 2.5 m Intercept100 (50) | Taroane | | | |

| Big Cypress NP Data Sheets | | | | | |
|--------------------------------|-----------------|-----------|----|--|--|
| Date: | 4/3/03 | LB/MA | | | |
| County: | Col. | | | | |
| Region: | Mallet Slough | | | | |
| Cell # | | Point # | 83 | | |
| Transect #2 | | | | | |
| Heading (deg.): | 50 | | | | |
| Origin coordinates: | | | | | |
| End coordinates: | 0489394 | 2888403 | | | |
| Species on line | Taxoace | Schinuz | | | |
| | Cladonia | Sisyrinch | | | |
| | Rhyntrae | Myrica | | | |
| | Tillpascen | Chrysaec | | | |
| | Rhyninon | Fuireb | | | |
| | Eleocell | Rhynmter | | | |
| | Aridi | Canafili | | | |
| | Stilagwa | Rhynedo | | | |
| | Tillushe | Coelogo | | | |
| | Eriocomp | | | | |
| | Schekal | | | | |
| | Rhyn | | | | |
| | Tillkall | | | | |
| | Tillpave | | | | |
| | Oxyphili | | | | |
| | Plucrone | | | | |
| | Contrano | | | | |
| | Paspmona | | | | |
| | Bacocaro | | | | |
| Quad. 2.5 m Intercept 1 (2.5) | Taxoace | | | | |
| Quad. 2.5 m Intercept 2 (5) | Rhyntrae | | | | |
| | Taxoace | | | | |
| Quad. 2.5 m Intercept 3 (7.5) | Taxoace | | | | |
| Quad. 2.5 m Intercept 4 (10) | Rhyntrae | | | | |
| | Taxoace | | | | |
| Quad. 2.5 m Intercept 5 (12.5) | — | | | | |
| Quad. 2.5 m Intercept 6 (15) | Eriocomp | | | | |
| | Taxoace | | | | |
| Quad. 2.5 m Intercept 7 (17.5) | — | | | | |
| Quad. 2.5 m Intercept 8 (20) | Taxoace | | | | |

| | | | | |
|--------------------------------|---------------------|--|--|--|
| Quad. 2.5 m intercept9 (22.5) | Tatouan | | | |
| Quad. 2.5 m Intercept10 (25) | Tatouan | | | |
| Quad. 2.5 m Intercept11 (27.5) | Rhyntae | | | |
| Quad. 2.5 m Intercept12 (30) | - | | | |
| Quad. 2.5 m Intercept13 (32.5) | Rhyntae Tatouan | | | |
| Quad. 2.5 m Intercept14 (35) | Eleocell | | | |
| Quad. 2.5 m Intercept15 (37.5) | Rhyntae Tatouan | | | |
| Quad. 2.5 m Intercept16 (40) | Rhyntae | | | |
| Quad. 2.5 m Intercept17 (42.5) | Rhyntae | | | |
| Quad. 2.5 m Intercept18 (45) | - | | | |
| Quad. 2.5 m Intercept19 (47.5) | Rhyntae | | | |
| Quad. 2.5 m Intercept20 (50) | Rhyntae | | | |
| Quad. 2.5 m Intercept21 (2.5) | - | | | |
| Quad. 2.5 m Intercept22 (5) | Tatouan | | | |
| Quad. 2.5 m Intercept23 (7.5) | - | | | |
| Quad. 2.5 m Intercept24 (10) | - | | | |
| Quad. 2.5 m Intercept25 (12.5) | ✓ | | | |
| Quad. 2.5 m Intercept26 (15) | Sclerals Tatouan | | | |
| Quad. 2.5 m Intercept27 (17.5) | Rhyntae | | | |
| Quad. 2.5 m Intercept28 (20) | Rhyntae | | | |
| Quad. 2.5 m Intercept29 (22.5) | Rhyntae | | | |
| Quad. 2.5 m Intercept30 (25) | Sclerals | | | |
| Quad. 2.5 m Intercept31 (27.5) | - | | | |

| | | | | | |
|--------------------------------|----------------------|--|--|--|--|
| Quad. 2.5 m Intercept32 (30) | Cratamo | | | | |
| Quad. 2.5 m Intercept33 (32.5) | Paspmono | | | | |
| Quad. 2.5 m Intercept34 (35) | Paspmono | | | | |
| Quad. 2.5 m Intercept35 (37.5) | Sclerald Tassoane | | | | |
| Quad. 2.5 m Intercept36 (40) | Cladiana Sclerald | | | | |
| Quad. 2.5 m Intercept37 (42.5) | Sclerald | | | | |
| Quad. 2.5 m Intercept38 (45) | — | | | | |
| Quad. 2.5 m Intercept39 (47.5) | Cratamo Rhyntae | | | | |
| Quad. 2.5 m Intercept40 (50) | Sclerald | | | | |
| Quad. 2.5 m Intercept41 (2.5) | Sclerald Tassoane | | | | |
| Quad. 2.5 m Intercept42 (5) | — | | | | |
| Quad. 2.5 m Intercept43 (7.5) | — | | | | |
| Quad. 2.5 m Intercept44 (10) | Sclerald | | | | |
| Quad. 2.5 m Intercept45 (12.5) | — | | | | |
| Quad. 2.5 m Intercept46 (15) | Exyphili | | | | |
| Quad. 2.5 m Intercept47 (17.5) | Sclerald Tassoane | | | | |
| Quad. 2.5 m Intercept48 (20) | Cladiana | | | | |
| Quad. 2.5 m Intercept49 (22.5) | — | | | | |
| Quad. 2.5 m Intercept50 (25) | Rhyntae | | | | |
| Quad. 2.5 m Intercept51 (27.5) | Tassoane | | | | |
| Quad. 2.5 m Intercept52 (30) | Cladiana | | | | |
| Quad. 2.5 m Intercept53 (32.5) | Rhyntae | | | | |
| Quad. 2.5 m Intercept54 (35) | — | | | | |

| | | | | | |
|--------------------------------|-------------------|--|--|--|--|
| Quad. 2.5 m Intercept55 (37.5) | — | | | | |
| Quad. 2.5 m Intercept56 (40) | — | | | | |
| Quad. 2.5 m Intercept57 (42.5) | Taxus | | | | |
| Quad. 2.5 m Intercept58 (45) | — | | | | |
| Quad. 2.5 m Intercept59 (47.5) | — | | | | |
| Quad. 2.5 m Intercept60 (50) | — | | | | |
| Quad. 2.5 m Intercept61 (2.5) | — | | | | |
| Quad. 2.5 m Intercept62 (5) | — | | | | |
| Quad. 2.5 m Intercept63 (7.5) | — | | | | |
| Quad. 2.5 m Intercept64 (10) | Par pino | | | | |
| Quad. 2.5 m Intercept65 (12.5) | Schiniz Taxus | | | | |
| Quad. 2.5 m Intercept66 (15) | — | | | | |
| Quad. 2.5 m Intercept67 (17.5) | Rhyntrae | | | | |
| Quad. 2.5 m Intercept68 (20) | Rhyntrae | | | | |
| Quad. 2.5 m Intercept69 (22.5) | — | | | | |
| Quad. 2.5 m Intercept70 (25) | Rhyntrae | | | | |
| Quad. 2.5 m Intercept71 (27.5) | Rhyntrae | | | | |
| Quad. 2.5 m Intercept72 (30) | Taxus | | | | |
| Quad. 2.5 m Intercept73 (32.5) | Rhyntrae | | | | |
| Quad. 2.5 m Intercept74 (35) | — | | | | |
| Quad. 2.5 m Intercept75 (37.5) | Taxus | | | | |
| Quad. 2.5 m Intercept76 (40) | Taxus Rhyntrae | | | | |
| Quad. 2.5 m Intercept77 (42.5) | — | | | | |



| | | | | | |
|--------------------------------|----------------------|--|--|--|--|
| Quad. 2.5 m Intercept78 (45) | Cladonia | | | | |
| Quad. 2.5 m Intercept79 (47.5) | Rhizotria | | | | |
| Quad. 2.5 m Intercept80 (50) | Cladonia | | | | |
| Quad. 2.5 m Intercept81 (2.5) | Paspalum | | | | |
| Quad. 2.5 m Intercept82 (5) | - | | | | |
| Quad. 2.5 m Intercept83 (7.5) | Cladonia | | | | |
| Quad. 2.5 m Intercept84 (10) | Eleocharis | | | | |
| Quad. 2.5 m Intercept85 (12.5) | Rhizotria | | | | |
| Quad. 2.5 m Intercept86 (15) | Schirrhiz | | | | |
| Quad. 2.5 m Intercept87 (17.5) | Oxydih | | | | |
| Quad. 2.5 m Intercept88 (20) | Rhizotria | | | | |
| Quad. 2.5 m Intercept89 (22.5) | Cladonia | | | | |
| Quad. 2.5 m Intercept90 (25) | Sclerobolus | | | | |
| Quad. 2.5 m Intercept91 (27.5) | - | | | | |
| Quad. 2.5 m Intercept92 (30) | Cladonia Tasmania | | | | |
| Quad. 2.5 m Intercept93 (32.5) | Rhizotria | | | | |
| Quad. 2.5 m Intercept94 (35) | Rhizotria | | | | |
| Quad. 2.5 m Intercept95 (37.5) | - | | | | |
| Quad. 2.5 m Intercept96 (40) | - | | | | |
| Quad. 2.5 m Intercept97 (42.5) | - | | | | |
| Quad. 2.5 m Intercept98 (45) | Rhizotria | | | | |
| Quad. 2.5 m Intercept99 (47.5) | Tasmania | | | | |
| Quad. 2.5 m Intercept100 (50) | Coelocarpus | | | | |