

+DE EV
celent

RefID# 40412

Woodmansee, S.W. and M. Abdo 2003. Observations of vascular plants at Big Cypress National Preserve, cell #AR03, Collier County, Florida. 10 September 2003. The Institute for Regional Conservation, Miami, FL.

SiteRef ID

52654

52655

Location

Big Cypress National Preserve Cell #AR03

Big Cypress National Preserve

transact data entered
208125

WOODMANSEE & ABDO

| Plants of Big Cypress based on Muss et al. (2002) | | | |
|---|--|--|--------------------------------------|
| CELL # | AR 03 | Point # | 603 |
| Date: | 9/10/03 | Observers: | SW, MA |
| | Abrus precatorius ! | Asclepias curassavica | ✓ Campyloneurum phyllitidis |
| | Abutilon permolle | Asclepias incarnata! | Canna flaccida |
| | Acacia pinetorum | Asclepias lanceolata | ✓ Capersonia castaneifolia |
| | Acalypha gracilens | Asclepias longifolia | Capparis cynophallophora * |
| | Acalypha ostryifolia | Asclepias tuberosa | Capparis flexuosa |
| ✓ | Acer rubrum | Asclepias verticillata | Capraria biflora |
| ✓ | Acmella oppositifolia var. repens | Asimina reticulata | Cardiospermum corindum |
| | Acoelorrhaphe wrightii | Asplenium serratum | Cardiospermum microcarpum |
| | Acrostichum danaeifolium! | Aster adnatus | Carex comosa *! |
| | Adiantum capillus-veneris* | Aster bracei | ✓ Carex gigantea! |
| | Adiantum tenerum* | Aster carolinianus | Carex longii*! |
| | Aeschynomene americana | Aster concolor | Carex lupuliformis |
| | Aeschynomene pratensis! | Aster dumosus | Carex vexans ! |
| | Agalinis fasciculata | Aster elliottii | Carica papaya |
| | Agalinis filifolia | Aster subulatus | Carphephorus corymbosus |
| | Agalinis linifolia | Avicennia germinans | Carphephorus odoratissimus |
| | Agalinis maritima | ✓ Axonopus compressus* | Carphephorus subtropicanus* |
| | Ageratina jucunda | Axonopus fissifolius*! | Caryota mitis |
| | Albizia lebbek | ✓ Axonopus furcatus | Cassytha filiformis |
| | Aletris bracteata | Azolla caroliniana | Casuarina equisetifolia |
| | Aletris lutea | Baccharis angustifolia | Casuarina glauca |
| | Alpinia zerumbet | ✓ Baccharis glomeruliflora | Catharanthus roseus |
| | Alternanthera flavescens *! | Baccharis halimifolia | Catopsis berteroniana |
| | Alysicarpus ovalifolius | ✓ Bacopa caroliniana | Catopsis floribunda |
| | Alysicarpus vaginalis | ✓ Bacopa monnieri | Celtis laevigata |
| | Amaranthus australis | Bartonia paniculata | Cenchrus echinatus * |
| | ✓ Amaranthus viridis* | Bauhinia purpurea | Cenchrus gracillimus*! |
| ✓ | Ambrosia artemisiifolia | Bauhinia variegata | Cenchrus incertus |
| | Ammannia latifolia | Bejaria racemosa | ✓ Centella asiatica |
| | Amorpha fruticosa | ✓ Berchemia scandens | Centrosema virginianum |
| | Amorpha herbacea | ✓ Bidens alba var. radiata | ✓ Cephalanthus occidentalis |
| ✓ | Ampelopsis arborea | Bigelovia nudata subsp. australis | Ceratophyllum demersum |
| | Amphicarpum muhlenbergianum | Bischofia javanica | Ceratopteris thalictroides |
| | Amyris elemifera | ✓ Blechnum serrulatum | ✓ Chamaecrista fasciculata |
| | Anagallis pumila *! | Blechnum pyramidatum | ✓ Chamaecrista nictitans var. aspera |
| | Andropogon glomeratus var. glaucopsis* | ✓ Bletia purpurea | ✓ Chamaesyce blodgettii |
| | Andropogon glomeratus var. hirsutior | ✓ Boehmeria cylindrica | Chamaesyce conferta! |
| ✓ | Andropogon glomeratus var. pumilus | Boerhavia diffusa | Chamaesyce hirta |
| | Andropogon gyrans | ✓ Boltonia diffusa | Chamaesyce hypericifolia |
| | Andropogon longiberbis | Bothriochloa ischaemum var. songarica! | Chamaesyce hyssopifolia |
| | Andropogon ternarius | Bothriochloa pertusa | Chamaesyce lasiocarpa |
| | Andropogon virginicus | Brassica rapa | Chamaesyce mendezii |
| | Andropogon virginicus var. decipiens | ✓ Buchnera americana | Chamaesyce ophthalmica |
| ✓ | Andropogon virginicus var. glaucus | Bucida buceras | Chamaesyce pergama |
| | Anemia adiantifolia | Bulbostylis ciliatifolia | Chamaesyce portieriana |
| | Angadenia berteroi | Bulbostylis stenophylla | Chaptalia tomentosa |
| ✓ | Annona glabra | Burmannia capitata | Chiococca alba |
| | Apios americana | Burmannia flava | Chiococca parvifolia |
| | Apteria aphylla *! | Bursera simaruba | ✓ Chrysobalanus icaco |
| | Ardisia escallonioides | Caesalpinia bonduc | Chrysophyllum oliviforme |
| | Argemone mexicana ! | Calliandra haematocephala | Chrysopogon pauciflorus |
| | Aristida beyrichiana ! | ✓ Callicarpa americana | Chrysopsis mariana *! |
| | Aristida patula | Calopogon multiflorus! | Chrysopsis subulata |
| ✓ | Aristida purpurascens | Calopogon tuberosus! | ✓ Cirsium horridulum |
| | Aristida spiciformis | Calyptanthus pallens! | Cirsium nuttallii |
| | Arnoglossum ovatum | Calystegia sepium subsp. limnophila | Cissus verticillata |
| | Arundo donax | Campanula floridana | Citharexylum spinosum |
| | | Campsis radicans | Citrus aurantium |
| | | ✓ Campylocentrum pachyrrhizum | Citrus limon |
| | | Campyloneurum angustifolium* | Citrus sinensis |

| | | | |
|---|---|---|--|
| | <i>Citrus xparadisii</i> | ✓ <i>Desmodium triflorum</i> | <i>Equisetum hyemale</i> var. affine |
| ✓ | <i>Cladium jamaicense</i> | <i>Desmodium viridiflorum</i> | ✓ <i>Eragrostis atrovirens!</i> |
| | <i>Clematis baldwinii</i> | ✓ <i>Dichantherium aciculare</i> | <i>Eragrostis bahiensis</i> |
| | <i>Clitoria mariana</i> | ✓ <i>Dichantherium commutatum</i> | <i>Eragrostis ciliaris</i> |
| | <i>Cnidioscolus stimulosus</i> | ✓ <i>Dichantherium dichotomum</i> | ✓ <i>Eragrostis eliottii</i> |
| | <i>Coccoloba diversifolia!</i> | <i>Dichantherium ensifolium</i> | <i>Eragrostis hypnoides*!</i> |
| | <i>Codiaeum variegatum</i> var. pictum | <i>Dichantherium ensifolium</i> var. unciphyllum! | <i>Eragrostis spectabilis</i> |
| | <i>Coelorachis rugosa</i> | ✓ <i>Dichantherium erectifolium</i> | <i>Erechtites hieracifolia</i> |
| | <i>Coleus pumilus</i> | <i>Dichantherium laxiflorum</i> *! | ✓ <i>Eremochloa ophiuroides</i> |
| | <i>Colocasia esculenta</i> | <i>Dichantherium leucothrix</i> *! | <i>Erigeron quercifolius</i> |
| | <i>Colubrina arborescens</i> | <i>Dichantherium ovale</i> | <i>Erigeron vernus</i> |
| | <i>Commelina diffusa</i> var. diffusa | <i>Dichantherium portoricense</i> | <i>Eriobotrya japonica</i> |
| | <i>Commelina erecta</i> | ✓ <i>Dichantherium strigosum</i> var. glabrescens | <i>Eriocaulon compressum</i> |
| | <i>Conocarpus erectus</i> | <i>Dichanthium aristatum</i> *! | <i>Eriocaulon decangulare</i> |
| ✓ | <i>Conoclinium coelestinum</i> | <i>Dichondra carolinensis</i> | <i>Eriocaulon ravenelii</i> ! |
| | <i>Conyza canadensis</i> var. pusilla | <i>Dichondra micrantha</i> | <i>Eriochloa michauxii</i> var. michauxii* |
| | <i>Corchorus hirtus</i> * | <i>Dicliptera sexangularis</i> | <i>Erucastrum gallicum</i> |
| | <i>Corchorus siliquosus</i> | <i>Digitaria ciliaris</i> *! | ✓ <i>Eryngium baldwinii</i> |
| | <i>Cordia globosa</i> | <i>Digitaria filiformis</i> var. filiformis ! | <i>Eryngium yuccifolium</i> |
| ✓ | <i>Coreopsis leavenworthii</i> | <i>Digitaria longiflora</i> | ✓ <i>Erythrina herbacea</i> |
| | <i>Cornus foemina</i> | <i>Digitaria violascens!</i> | <i>Erythrodos querceticola</i> ! |
| | <i>Crinum americanum</i> | ✓ <i>Diodia virginiana</i> | <i>Eugenia axillaris</i> |
| | <i>Crotalaria lanceolata</i> | <i>Dioscorea bulbifera</i> | <i>Eugenia uniflora</i> |
| | <i>Crotalaria pallida</i> var. obovata | <i>Dioscorea sansibarensis</i> | <i>Eulophia alta</i> |
| | <i>Crotalaria pumila</i> *! | ✓ <i>Diospyros virginiana</i> | <i>Eupatorium capillifolium</i> |
| | <i>Crotalaria rotundifolia</i> | ✓ <i>Dodonaea angustifolia</i> | <i>Eupatorium leptophyllum</i> |
| | <i>Crotalaria spectabilis</i> | <i>Drosera brevifolia</i> | ✓ <i>Eupatorium mikanioides</i> |
| | <i>Croton glandulosus</i> var. glandulosus *! | <i>Drosera capillaris</i> | <i>Eupatorium mohrii</i> |
| | <i>Croton humilis</i> | <i>Drymaria cordata</i> *! | <i>Eupatorium rotundifolium</i> |
| | <i>Ctenitis sloanei</i> | <i>Drypetes lateriflora</i> | <i>Eupatorium serotinum</i> |
| ✓ | <i>Cuphea carthagenensis</i> | <i>Dypsis lutescens</i> * | <i>Euphorbia graminea</i> *! |
| | <i>Cuscuta pentagona</i> | <i>Dyschoriste angusta</i> | <i>Euphorbia polyphylla</i> |
| | <i>Cynanchum blodgettii</i> | <i>Dyschoriste oblongifolia</i> *! | ✓ <i>Eustachys glauca</i> |
| ✓ | <i>Cynanchum scoparium</i> | ✓ <i>Echinochloa colona</i> ! | ✓ <i>Eustachys petraea</i> |
| | <i>Cynodon dactylon!</i> | <i>Echinochloa crus-galli</i> | <i>Eustoma exaltatum</i> |
| | <i>Cyperus articulatus</i> | ✓ <i>Echinochloa muricata!</i> | ✓ <i>Euthamia caroliniana</i> |
| | <i>Cyperus compressus</i> | <i>Echinochloa paludigena</i> | <i>Evolvulus alsinoides</i> *! |
| | <i>Cyperus croceus</i> | <i>Echinochloa walteri</i> | <i>Evolvulus sericeus</i> |
| | <i>Cyperus distinctus</i> | <i>Echinodorus berteroi</i> | <i>Exothea paniculata</i> |
| | <i>Cyperus esculentus</i> | <i>Eclipta prostrata</i> | ✓ <i>Ficus aurea!</i> |
| | <i>Cyperus flavescens</i> | <i>Eichhornia crassipes</i> | <i>Ficus benjamina</i> * C |
| ✓ | <i>Cyperus haspan</i> | <i>Eleocharis albida</i> | ✓ <i>Ficus citrifolia</i> |
| | <i>Cyperus involucreatus</i> | <i>Eleocharis atropurpurea</i> | <i>Ficus microcarpa</i> * |
| | <i>Cyperus ligularis</i> | ✓ <i>Eleocharis baldwinii!</i> | <i>Fimbristylis autumnalis</i> |
| | <i>Cyperus odoratus</i> | <i>Eleocharis cellulosa</i> | <i>Fimbristylis caroliniana</i> |
| | <i>Cyperus planifolius</i> | <i>Eleocharis elongata</i> | ✓ <i>Fimbristylis cymosa</i> |
| | <i>Cyperus polystachyos!</i> | <i>Eleocharis flavescens</i> | ✓ <i>Fimbristylis miliacea</i> *! |
| | <i>Cyperus pumilus</i> | ✓ <i>Eleocharis geniculata</i> | <i>Fimbristylis schoenoides</i> |
| | <i>Cyperus retrorsus</i> | <i>Eleocharis interstincta</i> | <i>Fimbristylis spadicea!</i> |
| ✓ | <i>Cyperus surinamensis</i> | <i>Elephantopus elatus</i> | ✓ <i>Flaveria linearis</i> |
| | <i>Cyperus tetragonus</i> *! | <i>Eleusine indica</i> | <i>Forestiera segregata</i> |
| | <i>Cyrtopodium punctatum</i> | <i>Elionurus tripsacoides</i> | ✓ <i>Fraxinus caroliniana</i> |
| | <i>Dactyloctenium aegyptium</i> | ✓ <i>Elytraria carolinensis</i> var. angustifolia | ✓ <i>Fuirena breviflora</i> |
| | <i>Dalbergia sissoo</i> | <i>Emilia fosbergii</i> *! | ✓ <i>Fuirena scirpoidea</i> |
| ✓ | <i>Dalea carnea</i> | <i>Encyclia cochleata</i> | <i>Furcraea selloa</i> |
| | <i>Dalea carthagenensis</i> var. floridana | <i>Encyclia tampensis</i> | <i>Galactia eliottii</i> |
| | <i>Desmodium floridanum</i> | <i>Epidendrum anceps</i> | <i>Galactia regularis</i> |
| ✓ | <i>Desmodium incanum</i> | <i>Epidendrum floridense</i> | <i>Galactia striata</i> |
| | <i>Desmodium paniculatum</i> | <i>Epidendrum nocturnum</i> | ✓ <i>Galactia volubilis</i> |
| | <i>Desmodium tortuosum</i> | ✓ <i>Epidendrum rigidum</i> | <i>Galium hispidulum</i> *! |

| | | |
|---|-------------------------------------|--|
| Gaura angustifolia | ✓ Imperata brasiliensis | ✓ Lobelia glandulosa |
| Glandularia maritima | Imperata cylindrica | Lobelia homophylla |
| Gnaphalium falcatum! | Indigofera spicata | Lobelia paludosa ! |
| Gnaphalium obtusifolium | Ionopsis utricularioides | Ludwigia alata! |
| Gnaphalium pennsylvanicum | Ipomoea alba | Ludwigia curtisii |
| Gnaphalium purpureum | Ipomoea batatas | Ludwigia erecta |
| Gomphrena serrata | Ipomoea cordatotriloba | ✓ Ludwigia maritima |
| Gouania lupuloides | ✓ Ipomoea indica var. acuminata | ✓ Ludwigia microcarpa |
| Gratiola pilosa *! | ✓ Ipomoea sagittata | ✓ Ludwigia octovalvis |
| Gratiola ramosa | Ipomoea triloba | Ludwigia peruviana |
| Grevillea robusta | Iresine diffusa | ✓ Ludwigia repens ! |
| Guzmania monostachia | Iris hexagona | Ludwigia suffruticosa |
| Gymnopogon brevifolius | Isoetes flaccida ! | Lycium carolinianum |
| Gymnopogon chapmanianus | ✓ Iva microcephala | Lycopus rubellus |
| ✓ Habenaria floribunda | Ixora coccinea | Lygodium microphyllum |
| Habenaria nivea | Jacquemontia curtisii | Lyonia fruticosa |
| Habenaria quinqueseta | ✓ Jacquemontia pentanthos | Lyonia lucida |
| Habenaria repens | ✓ Juncus marginatus | Lysiloma latisiliquum |
| Hamelia patens | ✓ Juncus megalcephalus | ✓ Lythrum alatum var. lanceolatum |
| Harrisella filiformis | Juncus polycephalus | Lythrum lineare |
| Hedyotis procumbens ! | Juncus repens | Macroptilium atropurpureum |
| Hedyotis uniflora | Juncus roemerianus | ✓ Macroptilium lathyroides |
| Helenium amarum | Juncus trigonocarpus | Magnolia grandiflora |
| Helenium pinnatifidum | ✓ Justicia angusta! | Magnolia virginiana |
| Helianthus angustifolius | Kalanchoe pinnata | Malachra urens |
| Helianthus radula | Kalanchoe tubiflora | Malaxis spicata |
| Heliotropium angiospermum * | Kigelia pinnata | Malvaviscus arboreus var. drummondii |
| Heliotropium polyphyllum | Kosteletzkya virginica | Mangifera indica |
| Heteropogon contortus | Krugiodendron ferreum | Maxillaria crassifolia |
| Heteropogon melanocarpus | Kyllinga brevifolia | ✓ Mecardonia acuminata subsp. peninsularis |
| Heterotheca subaxillaris | Lachnanthes carolina *! | Mecardonia procumbens! |
| Hibiscus grandiflorus ! | Lachnocaulon anceps | Medicago lupulina*! |
| Hibiscus poeppigii ! | Lactuca graminifolia *! | Melaleuca quinquenervia |
| Hibiscus rosa-sinensis var. schizopetalus | Laguncularia racemosa | Melaleuca viminalis |
| Hibiscus tiliaceus | Lantana camara | Melanthera angustifolia! |
| Hieracium megalcephalon * | Lantana depressa var. sanibelensis! | Melanthera parvifolia |
| Hippocratea volubilis | Lantana involuocrata | Melanthera nivea |
| Hydrilla verticillata | Lasiacis divaricata | Melilotus albus |
| Hydrocotyle bonariensis | Leersia hexandra | Melochia pyramidata |
| Hydrocotyle umbellata | Lemna obscura | Melochia spicata |
| Hydrocotyle verticillata | Lemna valdiviana *! | ✓ Melothria pendula |
| ✓ Hydrolea corymbosa | Lepidium virginicum | Metopium toxiferum |
| Hymenocallis palmeri | Leptochloa fascicularis! | ✓ Micranthemum glomeratum ! |
| Hyperaenia rufa | Leucaena leucocephala | Microgramma heterophylla ! |
| ✓ Hypericum brachyphyllum! | Liatris garberi | ✓ Mikania cordifolia |
| ✓ Hypericum cistifolium | Liatris gracilis | ✓ Mikania scandens |
| Hypericum crux-andreae! | Liatris graminifolia | ✓ Mitreola petiolata |
| Hypericum fasciculatum *! | Liatris pauciflora | Mitreola sessilifolia |
| ✓ Hypericum hypericoides | Liatris spicata | Monanthochloe littoralis |
| Hypericum mutilum *! | Licania michauxii | Morus alba |
| Hypericum punctatum *! | Lilium catesbaei | Morus rubra |
| ✓ Hypericum tetrapetalum | Limnophila sessiliflora | Mucuna pruriens * |
| Hypoxis juncea | Lindernia crustacea | ✓ Mulleinbergia capillaris |
| Hypoxis wrightii | Lindernia dubia var. anagallidea | Murdannia nudiflora |
| ✓ Hyptis alata | Lindernia grandiflora | Murdannia spirata |
| Hyptis mutabilis | Linum carteri var. smallii | ✓ Musa xparadisiaca |
| Hyptis pectinata | Linum floridanum | Myrcianthes fragrans |
| ✓ Hyptis verticillata | ✓ Linum medium var. texanum! | ✓ Myrica cerifera |
| ✓ Ilex cassine! | Liparis nervosa | Myriophyllum aquaticum |
| Ilex glabra | Lobelia feayana | Myriophyllum heterophyllum |

| | | |
|---|--|---|
| Myriophyllum pinnatum | Pentalinon luteum | Pongamia pinnata |
| ✓ Najas guadalupensis | Pentodon pentandrus! | ✓ Pontederia cordata |
| Najas marina | Peperomia aiata | Ponthieva racemosa |
| Najas wrightiana | Peperomia glabella | Portulaca oleracea! |
| Nelumbo lutea | Peperomia obtusifolia | Portulaca pilosa |
| ✓ Nephrolepis biserrata | Peperomia rotundifolia | Portulaca rubricaulis |
| ✓ Nephrolepis exaltata | Persea americana | Potamogeton illinoensis |
| Nephrolepis multiflora! | Persea borbonia | ✓ Proserpinaca palustris |
| Neyraudia reynaudiana | ✓ Persea palustris | ✓ Pseudelephantopus spicatus * |
| Nicotiana tabacum | Phanopyrum gymnocarpon !* | ✓ Psidium guajava |
| Nuphar lutea subsp. advena | ✓ Phlebodium aureum | Psilotum nudum |
| Nymphaea elegans | Phlox drummondii | ✓ Psychotria nervosa |
| Nymphaea lotus | Phoradendron leucarpum | ✓ Psychotria sulzneri |
| ✓ Nymphaea odorata | Phragmites australis | Pteridium aquilinum var. caudatum |
| Nymphoides aquatica | ✓ Phyla nodiflora | Pteridium aquilinum var. pseudocaudatum |
| Ocimum campechianum | Phyla stoechadrifolia*! | Pteris bahamensis |
| Ocotea coriacea | Phyllanthus caroliniensis subsp. saxicola | ✓ Pteris tripartita |
| Oeceoclades maculata | ✓ Phyllanthus urinaria | ✓ Pteris vittata |
| Oenothera humifusa | Physalis angustifolia | ✓ Pteris xdelchampsii |
| Ophioglossum palmatum | Physalis pubescens | Pterocaulon pycnostachyum |
| Ophioglossum petiolatum ! | Physalis walteri | Ptilimnium capillaceum |
| Oplismenus hirtellus | Physostegia purpurea! | Quercus chapmanii *! |
| Opuntia humifusa | Phytolacca americana | Quercus geminata |
| Osmonda regalis var. spectabilis | Pilea microphylla! | ✓ Quercus laurifolia |
| Oxalis corniculata | Piloblephis rigida | Quercus minima! |
| ✓ Oxypolis filiformis | Pinguicula lutea | Quercus pumila |
| Palafoxia feayi | Pinguicula pumila | ✓ Quercus virginiana |
| Panicum dichotomiflorum | ✓ Pinus elliotii var. densa | Randia aculeata |
| Panicum dichotomiflorum var. bartowense | Piper aduncum | ✓ Rapanea punctata |
| ✓ Panicum hemitomon | Piriqueta caroliniana | Reimarochloa oligostachya |
| ✓ Panicum hians! | Pisonia aculeata | Rhabdadenia biflora |
| ✓ Panicum repens | Pistia stratiotes | Rhapis excelsa |
| ✓ Panicum rigidulum | Pithecellobium unguis-cati | Rhexia cubensis |
| Panicum tenerum | Pityopsis graminifolia | Rhexia mariana! |
| Panicum virgatum | Pityrogramma trifoliata | Rhexia nashii |
| Parietaria floridana | Plantago major! | Rhexia nuttallii |
| ✓ Parthenocissus quinquefolia | ✓ Pleopeltis polyodioides var. michauxiana | Rhizophora mangle |
| ✓ Paspalidium geminatum! | ✓ Pluchea carolinensis | ✓ Rhiz copallinum |
| Paspalum blodgettii | Pluchea odorata | Rhynchelytrum repens |
| Paspalum caespitosum | ✓ Pluchea rosea | ✓ Rhynchosia minima |
| Paspalum conjugatum! | Plumbago scandens | ✓ Rhynchosia swartzii* |
| Paspalum dissectum *! | Poinsettia heterophylla | Rhynchospora breviseta |
| Paspalum distichum | Polygala balduinii | Rhynchospora chapmanii |
| Paspalum fimbriatum | Polygala boykinii | ✓ Rhynchospora colorata |
| Paspalum floridanum! | Polygala cruciata | Rhynchospora comiculata! |
| Paspalum laeve *! | ✓ Polygala grandiflora | ✓ Rhynchospora divergens |
| ✓ Paspalum monostachyum | Polygala incarnata | Rhynchospora fascicularis ! |
| ✓ Paspalum notatum | Polygala lutea | Rhynchospora globularis |
| Paspalum praecox*! | Polygala nana ! | Rhynchospora intermedia |
| Paspalum repens | Polygala polygama ! | ✓ Rhynchospora inundata |
| Paspalum setaceum | Polygala rugelii | ✓ Rhynchospora microcarpa! |
| ✓ Paspalum urville! | Polygala setacea | Rhynchospora miliacea |
| Passiflora pallens ! | Polygala verticillata var. isocycla*! | Rhynchospora nitens |
| ✓ Passiflora suberosa | Polygonum densiflorum | ✓ Rhynchospora odorata |
| Pectis glaucescens | Polygonum hydropiperoides! | Rhynchospora tracyi |
| Pectis prostrata | Polygonum punctatum | Richardia grandiflora |
| Pectis xfloridana*! | Polygonum setaceum | Richardia scabra |
| Peltandra virginica ! | Polypremum procumbens | Ricinus communis |
| Pennisetum purpureum | Polyradicion lindenii | Rivina humilis |
| Penstemon multiflorus | Polystachya concreta | Rorippa teres! |

| | | | |
|---|--|--|--|
| | <i>Rotala ramosior</i> | ✓ <i>Serenoa repens</i> | <i>Stylosanthes hamata</i> ! |
| | <i>Rottboellia cochinchinensis</i> | <i>Sesbania herbacea</i> | <i>Syagrus romanzoffiana</i> * |
| | <i>Roystonea regia</i> | <i>Sesbania vesicaria</i> | <i>Syngonium angustatum</i> ! |
| ✓ | <i>Rubus trivialis</i> | <i>Sesuvium portulacastrum</i> | <i>Syngonium podophyllum</i> |
| | <i>Rudbeckia hirta</i> | <i>Setaria corrugata</i> | <i>Syzygium cumini</i> |
| | <i>Ruellia caroliniensis</i> | <i>Setaria magna</i> | <i>Syzygium jambos</i> |
| ✓ | <i>Ruellia succulenta</i> | ✓ <i>Setaria parviflora</i> | <i>Tabebuia aurea</i> |
| | <i>Ruellia tweediana</i> | <i>Seymeria pectinata</i> | ✓ <i>Taxodium ascendens</i> |
| | <i>Rumex verticillatus</i> | ✓ <i>Sida acuta</i> | <i>Taxodium distichum</i> |
| | <i>Ruppia maritima</i> | <i>Sida cordifolia</i> | <i>Tectaria heracleifolia</i> |
| ✓ | <i>Sabal palmetto</i> ! | <i>Sida elliotii</i> | <i>Tephrosia spicata</i> ! |
| | <i>Sabatia bartramii</i> ! | ✓ <i>Sida rhombifolia</i> | <i>Teucrium canadense</i> |
| | <i>Sabatia brevifolia</i> | <i>Sideroxylon foetidissimum</i> | ✓ <i>Thalia geniculata</i> |
| | <i>Sabatia calycina</i> | ✓ <i>Sideroxylon reclinatum</i> ssp. <i>reclinatum</i> | <i>Thelypteris dentata</i> *! |
| | <i>Sabatia grandiflora</i> | <i>Sideroxylon salicifolium</i> | <i>Thelypteris hispidula</i> var. <i>versicolor</i> |
| | <i>Sabatia stellaris</i> | <i>Simarouba glauca</i> | <i>Thelypteris interrupta</i> |
| | <i>Saccharum giganteum</i> | ✓ <i>Sisyrinchium angustifolium</i> | ✓ <i>Thelypteris kunthii</i> ! |
| | <i>Saccharum officinarum</i> | <i>Sisyrinchium rosulatum</i> | <i>Thelypteris ovata</i> ! |
| | <i>Sacciolepis indica</i> | <i>Smilax auriculata</i> | <i>Thelypteris palustris</i> var. <i>pubescens</i> |
| | <i>Sacciolepis striata</i> | <i>Smilax bona-nox</i> | <i>Thelypteris reticulata</i> |
| | <i>Sacoila lanceolata</i> | ✓ <i>Smilax laurifolia</i> | <i>Tillandsia balbisiana</i> |
| | <i>Sageretia minutiflora</i> | <i>Smilax tamnoides</i> * | ✓ <i>Tillandsia fasciculata</i> var. <i>densispica</i> |
| | <i>Sagittaria filiformis</i> | <i>Solanum americanum</i> | <i>Tillandsia flexuosa</i> ! |
| | <i>Sagittaria graminea</i> ! | <i>Solanum capsicoides</i> * | <i>Tillandsia paucifolia</i> |
| ✓ | <i>Sagittaria graminea</i> var. <i>chapmanii</i> | <i>Solanum erianthum</i> | ✓ <i>Tillandsia pruinosa</i> |
| ✓ | <i>Sagittaria lancifolia</i> | <i>Solanum verbascifolium</i> | <i>Tillandsia recurvata</i> ! |
| ✓ | <i>Salix caroliniana</i> | <i>Solanum vium</i> | ✓ <i>Tillandsia setacea</i> |
| | <i>Salvia lyrata</i> ! | ✓ <i>Solidago fistulosa</i> | ✓ <i>Tillandsia usneoides</i> |
| | <i>Salvia occidentalis</i> | ✓ <i>Solidago gigantea</i> | ✓ <i>Tillandsia utriculata</i> |
| | <i>Salvinia minima</i> | <i>Solidago odora</i> var. <i>chapmanii</i> | ✓ <i>Tillandsia variabilis</i> |
| | <i>Sambucus canadensis</i> | ✓ <i>Solidago sempervirens</i> | <i>Tillandsia xsmalliana</i> |
| | <i>Samolus ebracteatus</i> | <i>Solidago stricta</i> | <i>Toumefortia hirsutissima</i> |
| | <i>Samolus valerandi</i> subsp. <i>parviflorus</i> | ✓ <i>Solidago tortifolia</i> ! | <i>Tournefortia volubilis</i> |
| | <i>Sansevieria hyacinthoides</i> * | <i>Spartina bakeri</i> ! | ✓ <i>Toxicodendron radicans</i> |
| | <i>Sapindus saponaria</i> ! | ✓ <i>Spermacoce assurgens</i> | <i>Tradescantia spathacea</i> |
| ✓ | <i>Sarcostemma clausum</i> | <i>Spermacoce floridana</i> | <i>Tradescantia zebrina</i> |
| | <i>Saururus cernuus</i> | <i>Spermacoce prostrata</i> | <i>Trema micranthum</i> |
| | <i>Scheffera actinophylla</i> | <i>Spermacoce terminalis</i> | <i>Trichomanes holopterum</i> |
| ✓ | <i>Schinus terebinthifolius</i> | <i>Spermacoce tetraquetra</i> * | <i>Trichostema dichotomum</i> |
| | <i>Schizachyrium gracile</i> *! | ✓ <i>Spermacoce verticillata</i> | <i>Trichostigma octandrum</i> |
| ✓ | <i>Schizachyrium rhizomatum</i> | <i>Spigelia anthelmia</i> * | <i>Tridax procumbens</i> |
| | <i>Schizachyrium sanguineum</i> | <i>Spiranthes brevibras</i> | <i>Triphora gentianoides</i> |
| | <i>Schoenolirion albiflorum</i> | <i>Spiranthes cernua</i> | <i>Tripsacum dactyloides</i> |
| | <i>Schoenus nigricans</i> | <i>Spiranthes laciniata</i> | <i>Tripsacum floridanum</i> |
| | <i>Schoepfia chrysophylloides</i> | <i>Spiranthes longibras</i> | <i>Turbina corymbosa</i> |
| | <i>Scirpus tabernaemontani</i> ! | <i>Spiranthes odorata</i> | <i>Typha domingensis</i> |
| | <i>Scleria baldwinii</i> | <i>Spiranthes torta</i> | <i>Typha latifolia</i> |
| | <i>Scleria ciliata</i> var. <i>ciliata</i> ! | <i>Spiranthes vernalis</i> | ✓ <i>Urena lobata</i> |
| | <i>Scleria georgiana</i> ! | <i>Spirodela polyrhiza</i> *! | <i>Urochloa fasciculata</i> var. <i>reticulata</i> |
| ✓ | <i>Scleria hirtella</i> ! | <i>Sporobolus domingensis</i> | <i>Urochloa mutica</i> |
| | <i>Scleria lithosperma</i> * | <i>Sporobolus indicus</i> | <i>Urochloa ramosa</i> |
| | <i>Scleria reticularis</i> | ✓ <i>Sporobolus indicus</i> var. <i>pyramidalis</i> | ✓ <i>Utricularia comuta</i> |
| | <i>Scleria triglomerata</i> ! | <i>Sporobolus junceus</i> | ✓ <i>Utricularia foliosa</i> |
| ✓ | <i>Scleria verticillata</i> | <i>Sporobolus pyramidatus</i> | ✓ <i>Utricularia gibba</i> |
| | <i>Scoparia dulcis</i> | <i>Stachytarpheta jamaicensis</i> | <i>Utricularia inflata</i> |
| | <i>Senecio glabellus</i> | <i>Stenandrium dulce</i> | ✓ <i>Utricularia purpurea</i> |
| ✓ | <i>Senna alata</i> | <i>Stenochlaena tenuifolia</i> | <i>Utricularia radiata</i> |
| | <i>Senna ligustrina</i> | ✓ <i>Stenotaphrum secundatum</i> <i>Stenotaphrum</i> | <i>Utricularia resupinata</i> |
| | <i>Senna obtusifolia</i> | ✓ <i>Stillingia aquatica</i> | <i>Utricularia simulans</i> |
| | <i>Senna pendula</i> var. <i>glabrata</i> | <i>Stillingia sylvatica</i> | <i>Utricularia subulata</i> |

✓ Aster (Symphyotrichum) fontinale

Bequa

| | | | | |
|---|-------------------------------------|--|--|--|
| ✓ | Vaccinium darrowii | | | |
| ✓ | Vaccinium myrsinites | | | |
| | Vanilla phaeantha | | | |
| | Verbena bonariensis | | | |
| | Verbena scabra! | | | |
| | Verbesina virginica | | | |
| | Vernonia blodgettii | | | |
| | Viburnum obovatum | | | |
| | Vicia acutifolia | | | |
| ✓ | Vigna luteola | | | |
| | Viola lanceolata | | | |
| | Viola palmata *! | | | |
| | Viola sororia *! | | | |
| | Vitis aestivalis | | | |
| ✓ | Vitis cinerea var. floridana | | | |
| ✓ | Vitis rotundifolia | | | |
| | Vitis shuttleworthii | | | |
| ✓ | Vittaria lineata | | | |
| ✓ | Waltheria indica | | | |
| | Wedelia trilobata | | | |
| | Wolffiella oblonga ! | | | |
| | Woodwardia areolata | | | |
| ✓ | Woodwardia virginica | | | |
| | Ximenia americana | | | |
| | Xyris ambigua | | | |
| ✓ | Xyris calcicola *! | | | |
| | Xyris caroliniana *! | | | |
| | Xyris difformis var. floridana | | | |
| | Xyris elliotii | | | |
| | Xyris flabelliformis ! | | | |
| | Xyris jupicai | | | |
| | Youngia japonica | | | |
| | Zanthoxylum fagara | | | |
| | Zea mays subsp. mexicana | | | |
| | Zephyranthes simpsonii | | | |
| | Zeuxine strateumatica | | | |
| | Zizaniopsis miliacea | | | |
| ✓ | Zoysia tenuifolia | | | |
| | Bold = needs to be collected | | | |
| | * =not on Muss et al. | | | |
| | ! =collected by IRC | | | |
| | C = Cultivated Only | | | |
| | Stenotaphrum secundatum | | | |
| → | <i>Sonchus</i> sp. | | | |
| ✓ | <i>Suaeda mahagani</i> | | | |
| | 504364 | | | |
| | 2202339 | | | |

| Big Cypress NP Data Sheets | | | |
|--------------------------------|--------------------------|--------------|-------------|
| Date: | 10 th of 2003 | | |
| County: | | | |
| Region: | | | |
| Cell # | Point # 603 | | |
| Transect #1 | | | |
| Heading (deg.): | | | |
| Origin coordinates: | 504740 | 2902579 | ±20.9m |
| End coordinates: | 504856 | 2902391 | ±5.1m |
| Species on line | Eremophi | Rhyncho | Croton |
| Aster | Blotup | Doderinga | Axon |
| | Saba | Cludjama | Panicum |
| | Schiller | Zaysmat | Eragrost |
| | Flavine | Rhynmicez | Axon |
| | Fimb cymo | Ludwimer | Pinuelidens |
| | Buchamer | Saccelay | Parquin |
| | Pluc rose | Rhynodor | |
| | Desminca | Baccglom | |
| | Desmtrif | Myricen | |
| | Bidealbacad | Cisther | |
| | Eragelli | Arctglompeni | |
| | Cham fage | Nyptalot | |
| | Sole herb | Furibrew | |
| | Sper term | Eliobald | |
| | Sparindipura | Prospalm | |
| | Flavine | Taxance | |
| | Pasp nota | Ruel sicc | |
| | Phyl nodi | Bucomara | |
| | Arispurp | Becscam | |
| Quad. 2.5 m Intercept 1 (2.5) | Eremophi | | |
| Quad. 2.5 m Intercept 2 (5) | Eremophi | Fimb cymo | |
| Quad. 2.5 m Intercept 3 (7.5) | Eremophi | Fimb cymo | |
| Quad. 2.5 m Intercept 4 (10) | Eremophi | Fimb cymo | |
| Quad. 2.5 m Intercept 5 (12.5) | Eremophi | Fimb cymo | |
| Quad. 2.5 m Intercept 6 (15) | Fimb cymo | Eragelli | |
| Quad. 2.5 m Intercept 7 (17.5) | Eremophi | | |
| Quad. 2.5 m Intercept 8 (20) | Fimb cymo | | |
| Quad. 2.5 m Intercept 9 (22.5) | Fimb cymo | Eremophi | |

| | | | | |
|--------------------------------|-------------|-----------|-----------|--|
| Quad. 2.5 m Intercept10 (25) | Eremophi | | | |
| Quad. 2.5 m Intercept11 (27.5) | Eremophi | | | |
| Quad. 2.5 m Intercept12 (30) | Arisarup | Fimbrymo | Phylodi | |
| Quad. 2.5 m Intercept13 (32.5) | Scleract | Eremophi | | |
| Quad. 2.5 m Intercept14 (35) | Eremophi | Fimbrymo | | |
| Quad. 2.5 m Intercept15 (37.5) | Scleract | Fimbrymo | | |
| Quad. 2.5 m Intercept16 (40) | Fimbrymo | Eremophi | | |
| Quad. 2.5 m Intercept17 (42.5) | Scleract | Rhynocolo | Eremophi | |
| Quad. 2.5 m Intercept18 (45) | Fimbrymo | | | |
| Quad. 2.5 m Intercept19 (47.5) | Fimbrymo | | | |
| Quad. 2.5 m Intercept20 (50) | Dordeangn | Eremophi | Fimbrymo | |
| Quad. 2.5 m Intercept21 (2.5) | Zoysmatronu | Eremophi | Rhynmiciz | |
| Quad. 2.5 m Intercept22 (5) | Eremophi | | | |
| Quad. 2.5 m Intercept23 (7.5) | Paspota | Eremophi | Centasia | |
| Quad. 2.5 m Intercept24 (10) | Scleract | Eremophi | | |
| Quad. 2.5 m Intercept25 (12.5) | Eremophi | | | |
| Quad. 2.5 m Intercept26 (15) | Eremophi | | | |
| Quad. 2.5 m Intercept27 (17.5) | Scleract | Eremophi | | |
| Quad. 2.5 m Intercept28 (20) | Phylodi | Ludwmic | | |
| Quad. 2.5 m Intercept29 (22.5) | Scleract | Ludwmic | | |
| Quad. 2.5 m Intercept30 (25) | Scleract | Baccglan | | |
| Quad. 2.5 m Intercept31 (27.5) | Centasia | Phylodi | Rhyncolo | |
| Quad. 2.5 m Intercept32 (30) | Eremophi | Scleract | | |
| Quad. 2.5 m Intercept33 (32.5) | Rhyncolo | Rhynodor | Eremophi | |

| | | | | |
|--------------------------------|-----------|----------|-----------|--|
| Quad. 2.5 m Intercept34 (35) | Sclerit | Eremophi | | |
| Quad. 2.5 m Intercept35 (37.5) | Eremophi | | | |
| Quad. 2.5 m Intercept36 (40) | Sabapalm | Eremophi | | |
| Quad. 2.5 m Intercept37 (42.5) | Eremophi | | | |
| Quad. 2.5 m Intercept38 (45) | Fimbecymo | Sabapalm | | |
| Quad. 2.5 m Intercept39 (47.5) | Eremophi | | | |
| Quad. 2.5 m Intercept40 (50) | Eremophi | | | |
| Quad. 2.5 m Intercept41 (2.5) | Rhynodor | Eremophi | | |
| Quad. 2.5 m Intercept42 (5) | Eremophi | Plucrose | Rhymmicr2 | |
| Quad. 2.5 m Intercept43 (7.5) | Sclerit | Eremophi | | |
| Quad. 2.5 m Intercept44 (10) | Eremophi | | | |
| Quad. 2.5 m Intercept45 (12.5) | Rhyncolo | Ludwmicr | | |
| Quad. 2.5 m Intercept46 (15) | Sabapalm | Fuscbrev | | |
| Quad. 2.5 m Intercept47 (17.5) | Rhyncolo | | | |
| Quad. 2.5 m Intercept48 (20) | Centasia | Sclerit | Ph, Inodi | |
| Quad. 2.5 m Intercept49 (22.5) | Sclerit | Rhyncolo | | |
| Quad. 2.5 m Intercept50 (25) | Asterfont | Eremophi | Crotrotu | |
| Quad. 2.5 m Intercept51 (27.5) | Eremophi | | | |
| Quad. 2.5 m Intercept52 (30) | Fimbecymo | | | |
| Quad. 2.5 m Intercept53 (32.5) | Paspnatai | | | |
| Quad. 2.5 m Intercept54 (35) | Paspnata | | | |
| Quad. 2.5 m Intercept55 (37.5) | Paspnata | | | |
| Quad. 2.5 m Intercept56 (40) | Eremophi | | | |
| Quad. 2.5 m Intercept57 (42.5) | - | | | |

Wet

| | | | | |
|--------------------------------|-----------|-----------|--------------|--|
| Quad. 2.5 m Intercept58 (45) | — | | | |
| Quad. 2.5 m Intercept59 (47.5) | Paspnata | | | |
| Quad. 2.5 m Intercept60 (50) | Eremophi | Rhyncho | | |
| Quad. 2.5 m Intercept61 (2.5) | — | | | |
| Quad. 2.5 m Intercept62 (5) | — | | | |
| Quad. 2.5 m Intercept63 (7.5) | — | | | |
| Quad. 2.5 m Intercept64 (10) | Axon furc | | | |
| Quad. 2.5 m Intercept65 (12.5) | — | | | |
| Quad. 2.5 m Intercept66 (15) | — | | | |
| Quad. 2.5 m Intercept67 (17.5) | — | | | |
| Quad. 2.5 m Intercept68 (20) | Eleo geni | | | |
| Quad. 2.5 m Intercept69 (22.5) | — | | | |
| Quad. 2.5 m Intercept70 (25) | — | | | |
| Quad. 2.5 m Intercept71 (27.5) | — | | | |
| Quad. 2.5 m Intercept72 (30) | — | | | |
| Quad. 2.5 m Intercept73 (32.5) | Paspnata | Phylloadi | Spocindiposa | |
| Quad. 2.5 m Intercept74 (35) | Paspnata | | | |
| Quad. 2.5 m Intercept75 (37.5) | Paspnata | Rhyncho | | |
| Quad. 2.5 m Intercept76 (40) | — | | | |
| Quad. 2.5 m Intercept77 (42.5) | — | | | |
| Quad. 2.5 m Intercept78 (45) | Axon furc | | | |
| Quad. 2.5 m Intercept79 (47.5) | — | | | |
| Quad. 2.5 m Intercept80 (50) | — | | | |
| Quad. 2.5 m Intercept81 (2.5) | Eleo geni | | | |

| | | | | |
|--------------------------------|-------------|--------------|--------------|--|
| Quad. 2.5 m Intercept82 (5) | Pani sepe | | | |
| Quad. 2.5 m Intercept83 (7.5) | Axonfuce | | | |
| Quad. 2.5 m Intercept84 (10) | Axoncomp | | | |
| Quad. 2.5 m Intercept85 (12.5) | Axoncomp | | | |
| Quad. 2.5 m Intercept86 (15) | Axoncomp | | | |
| Quad. 2.5 m Intercept87 (17.5) | Centasia | Spocindipya | | |
| Quad. 2.5 m Intercept88 (20) | Spocindipya | | | |
| Quad. 2.5 m Intercept89 (22.5) | Spocindipya | Centasia | | |
| Quad. 2.5 m Intercept90 (25) | Spocindipya | Axoncomp | | |
| Quad. 2.5 m Intercept91 (27.5) | Paspnota | | | |
| Quad. 2.5 m Intercept92 (30) | Paspnota | Myricesi | Pinnellidens | |
| Quad. 2.5 m Intercept93 (32.5) | Paspnota | Pinnellidens | Myricesi | |
| Quad. 2.5 m Intercept94 (35) | Paspnota | Pinnellidens | | |
| Quad. 2.5 m Intercept95 (37.5) | Paspnota | Quercus | | |
| Quad. 2.5 m Intercept96 (40) | Paspnota | Pinnellidens | | |
| Quad. 2.5 m Intercept97 (42.5) | Paspnota | Sch. tere | | |
| Quad. 2.5 m Intercept98 (45) | Paspnota | Desmtrif | | |
| Quad. 2.5 m Intercept99 (47.5) | Paspnota | | | |
| Quad. 2.5 m Intercept100 (50) | Paspnota | | | |

| Big Cypress NP Data Sheets | | | |
|--------------------------------|--------------|----------------|-----------|
| Date: | 7/10/03 | | |
| County: | Collier | | |
| Region: | | | |
| Cell # | | Point # | 603 |
| Transect #2 | | | |
| Heading (deg.): | | | |
| Origin coordinates: | | | |
| End coordinates: | 504869 | 2902598 | E 4.9 m |
| Species on line | Paspota | Macrogom | Sarcclay |
| Hydrocotyle sp. | Sparcassa | Xyri cal | Panicul |
| | Eupacapi | Lupinus | Utrifoli |
| | Rubutriv | Sclerost | Prosperla |
| | Sarcvert | Mecanacumpari | Polyhydr |
| | Centusia | Axoncomp | |
| | Desminca | Fougelli | |
| | Smilbana | Polyprac | |
| | Ruel succ | Linummedi texa | |
| | Schifera | Rhynalve | |
| | Pinnellidens | Jvamier | |
| | Rhynodor | Panicape | |
| | Cype poly | Bacomon | |
| | Sedindipha | Eleocell | |
| | Phylusid | Pasp geni | |
| | Rhyncol | Cape cast | |
| | Cuph cart | Cype huss | |
| | Rudhirt | Bacarwo | |
| | Eleogeni | Stil aqua | |
| | Fimb of autu | Hydreaty | |
| Quad. 2.5 m Intercept 1 (2.5) | Pasp nota | | |
| Quad. 2.5 m Intercept 2 (5) | Pasp nota | | |
| Quad. 2.5 m Intercept 3 (7.5) | Pasp nota | | |
| Quad. 2.5 m Intercept 4 (10) | Ruel Succ | Pasp nota | |
| Quad. 2.5 m Intercept 5 (12.5) | Pasp nota | | |
| Quad. 2.5 m Intercept 6 (15) | Pasp nota | | |
| Quad. 2.5 m Intercept 7 (17.5) | Pasp nota | | |
| Quad. 2.5 m Intercept 8 (20) | Pasp nota | | |
| Quad. 2.5 m Intercept 9 (22.5) | Pasp nota | Pinnellidens | |

| | | | | |
|--------------------------------|--------------|--------------|---------|--|
| Quad. 2.5 m Intercept10 (25) | Paspnata | Schitere | | |
| Quad. 2.5 m Intercept11 (27.5) | Paspnata | Smilbona | | |
| Quad. 2.5 m Intercept12 (30) | Paspnata | Rubintriv | | |
| Quad. 2.5 m Intercept13 (32.5) | Paspnata | | | |
| Quad. 2.5 m Intercept14 (35) | Paspnata | | | |
| Quad. 2.5 m Intercept15 (37.5) | Paspnata | Centasia | | |
| Quad. 2.5 m Intercept16 (40) | Myricia | Paspnata | | |
| Quad. 2.5 m Intercept17 (42.5) | Paspnata | Cyphcart | | |
| Quad. 2.5 m Intercept18 (45) | Rhynodor | Centasia | | |
| Quad. 2.5 m Intercept19 (47.5) | Sporindipusa | Paspnata | | |
| Quad. 2.5 m Intercept20 (50) | Paspnata | | | |
| Quad. 2.5 m Intercept21 (2.5) | Paspnata | | | |
| Quad. 2.5 m Intercept22 (5) | Paspnata | | | |
| Quad. 2.5 m Intercept23 (7.5) | Paspnata | Sporicist | | |
| Quad. 2.5 m Intercept24 (10) | Paspnata | | | |
| Quad. 2.5 m Intercept25 (12.5) | Paspnata | | | |
| Quad. 2.5 m Intercept26 (15) | Rhyncolo | Paspnata | | |
| Quad. 2.5 m Intercept27 (17.5) | Paspnata | Rhyncolo | | |
| Quad. 2.5 m Intercept28 (20) | Paspnata | Pianellidens | Myricia | |
| Quad. 2.5 m Intercept29 (22.5) | Ludwimer | Rhyncolo | | |
| Quad. 2.5 m Intercept30 (25) | Phylucia | | | |
| Quad. 2.5 m Intercept31 (27.5) | Paspnata | i | | |
| Quad. 2.5 m Intercept32 (30) | Paspnata | | | |
| Quad. 2.5 m Intercept33 (32.5) | Paspnata | | | |

| | | | | |
|--------------------------------|-----------|-----------|----------|----------|
| Quad. 2.5 m Intercept34 (35) | Paspnata | Micraglam | | |
| Quad. 2.5 m Intercept35 (37.5) | Eurboeu | Paspnata | | |
| Quad. 2.5 m Intercept36 (40) | Paspnata | | | |
| Quad. 2.5 m Intercept37 (42.5) | Paspnata | | | |
| Quad. 2.5 m Intercept38 (45) | Paspnata | Ludwmicr | | |
| Quad. 2.5 m Intercept39 (47.5) | Schwert | Ludwmicr | Paspnata | Chamfasc |
| Quad. 2.5 m Intercept40 (50) | Paspnata | Rhyncola | | |
| Quad. 2.5 m Intercept41 (2.5) | Paspnata | Rhyncola | | |
| Quad. 2.5 m Intercept42 (5) | Paspnata | Rhynodor | | |
| Quad. 2.5 m Intercept43 (7.5) | Rhynodi | | | |
| Quad. 2.5 m Intercept44 (10) | Axoncomp | | | |
| Quad. 2.5 m Intercept45 (12.5) | Eleogeni | | | |
| Quad. 2.5 m Intercept46 (15) | Axoncomp | Rhyncolo | | |
| Quad. 2.5 m Intercept47 (17.5) | Rhyncolo | | | |
| Quad. 2.5 m Intercept48 (20) | Rhyncolo | | | |
| Quad. 2.5 m Intercept49 (22.5) | Ludwmicr | Axoncomp | | |
| Quad. 2.5 m Intercept50 (25) | Axoncomp | | | |
| Quad. 2.5 m Intercept51 (27.5) | Rhynodite | Ludwmicr | | |
| Quad. 2.5 m Intercept52 (30) | Eragelli | Ludwmicr | | |
| Quad. 2.5 m Intercept53 (32.5) | Ludwmicr | | | |
| Quad. 2.5 m Intercept54 (35) | — | | | |
| Quad. 2.5 m Intercept55 (37.5) | Eleogeni | Eleocell | | |
| Quad. 2.5 m Intercept56 (40) | Bacomon | | | |
| Quad. 2.5 m Intercept57 (42.5) | — | | | |

| | | | | |
|--------------------------------|-----------|-----------|----------|--|
| Quad. 2.5 m Intercept58 (45) | Bacoman | | | |
| Quad. 2.5 m Intercept59 (47.5) | Ludw micr | Rhyncho | Eragelli | |
| Quad. 2.5 m Intercept60 (50) | Ludw micr | | | |
| Quad. 2.5 m Intercept61 (2.5) | Pasp gumi | Ludw micr | | |
| Quad. 2.5 m Intercept62 (5) | Pasp gumi | | | |
| Quad. 2.5 m Intercept63 (7.5) | Pani repe | | | |
| Quad. 2.5 m Intercept64 (10) | Boldtiff | Ivamier | Bacoman | |
| Quad. 2.5 m Intercept65 (12.5) | — | | | |
| Quad. 2.5 m Intercept66 (15) | Eleocell | | | |
| Quad. 2.5 m Intercept67 (17.5) | — | | | |
| Quad. 2.5 m Intercept68 (20) | — | | | |
| Quad. 2.5 m Intercept69 (22.5) | — | | | |
| Quad. 2.5 m Intercept70 (25) | Stilagua | Capecast | | |
| Quad. 2.5 m Intercept71 (27.5) | Hydrocory | | | |
| Quad. 2.5 m Intercept72 (30) | — | | | |
| Quad. 2.5 m Intercept73 (32.5) | Fuicbrev | | | |
| Quad. 2.5 m Intercept74 (35) | Eleocell | | | |
| Quad. 2.5 m Intercept75 (37.5) | — | | | |
| Quad. 2.5 m Intercept76 (40) | Ludw micr | Eleocell | | |
| Quad. 2.5 m Intercept77 (42.5) | — | | | |
| Quad. 2.5 m Intercept78 (45) | — | | | |
| Quad. 2.5 m Intercept79 (47.5) | — | | | |
| Quad. 2.5 m Intercept80 (50) | — | | | |
| Quad. 2.5 m Intercept81 (2.5) | — | | | |

| | | | | |
|--------------------------------|-----------|-----------|----------|--|
| Quad. 2.5 m Intercept82 (5) | — | | | |
| Quad. 2.5 m Intercept83 (7.5) | — | | | |
| Quad. 2.5 m Intercept84 (10) | Cape cast | | | |
| Quad. 2.5 m Intercept85 (12.5) | Ludwrepe | | | |
| Quad. 2.5 m Intercept86 (15) | Phylloidi | | | |
| Quad. 2.5 m Intercept87 (17.5) | — | | | |
| Quad. 2.5 m Intercept88 (20) | — | | | |
| Quad. 2.5 m Intercept89 (22.5) | — | | | |
| Quad. 2.5 m Intercept90 (25) | Ludwrepe | | | |
| Quad. 2.5 m Intercept91 (27.5) | Ludwrepe | | | |
| Quad. 2.5 m Intercept92 (30) | Utrifoli | | | |
| Quad. 2.5 m Intercept93 (32.5) | — | | | |
| Quad. 2.5 m Intercept94 (35) | Barocuco | | | |
| Quad. 2.5 m Intercept95 (37.5) | Hydrocory | | | |
| Quad. 2.5 m Intercept96 (40) | Hydrocory | | | |
| Quad. 2.5 m Intercept97 (42.5) | — | | | |
| Quad. 2.5 m Intercept98 (45) | Panihemi | Ludwrepe | | |
| Quad. 2.5 m Intercept99 (47.5) | Panihemi | Barocuco | Utrifoli | |
| Quad. 2.5 m Intercept100 (50) | Panihemi | Hydrocory | Barocuco | |