

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Abildgaardia ovata</i> (Burm. f.) Kral	native	NAR	NAR	LC (Fimbristylis ovata)	>20,000	LC				
<i>Abutilon abutiloides</i> (Jacq.) Garcke ex Hochr.	native	NAR	NAR		>20,000	LC				
<i>Abutilon hulseanum</i> (Torr. & A. Gray) Torr. ex A. Gray	native	AR	NAR		>20,000	LC				
<i>Abutilon permolle</i> (Willd.) Sweet	native	NAR	NAR		>20,000	LC				
<i>Acalypha alopecuroides</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Acalypha berteriana</i> Müll. Arg.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Acalypha bisetosa</i> Bertero ex Spreng.	endemic	NAR	NAR		>20,000	LC				
<i>Acalypha chamaedrifolia</i> (Lam.) Müll. Arg.	native	NAR	NAR		>20,000	LC				
<i>Acalypha ostryifolia</i> Riddell	native	NAR	NAR		>20,000	LC				
<i>Acalypha poiretii</i> Spreng.	native	NAR	NAR		>20,000	LC				
<i>Acalypha portoricensis</i> Müll. Arg.	native	NAR	AR		8,464	LC		>15		
<i>Acalypha setosa</i> A. Rich.	native	NAR	NAR		>20,000	LC				
<i>Acanthospermum hispidum</i> A. DC.	native	NAR	NAR		>20,000	LC				
<i>Acisanthera quadrata</i> Pers.	native	NAR	NAR		>20,000	LC				
<i>Acmella iodiscaea</i> (A.H. Moore) R.K. Jansen	native	NAR	AR		7,777	LC		>10	widespread, not in decline	
<i>Acnistus arborescens</i> (L.) Schldl.	native	NAR	NAR		>20,000	LC				
<i>Acroceras zizanioides</i> (Kunth) Dandy	native	NAR	NAR		>20,000	LC				
<i>Acrocomia media</i> O.F. Cook	endemic	NAR	AR		Unable to calculate	LC			undercollected	
<i>Adelia ricinella</i> L.	native	NAR	NAR		>20,000	LC				
<i>Adenostemma verbesina</i> (L.) Sch. Bip.	native	NAR	NAR		>20,000	LC				
<i>Aechmea lingulata</i> (L.) Baker	native	NAR	NAR		>20,000	LC				
<i>Aechmea nudicaulis</i> (L.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Aegiphila elata</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Aegiphila martinicensis</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Aeschynomene americana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Aeschynomene portoricensis</i> Urb.	endemic	AR	AR		1,109	EN	B1ab(iii)	<5	in decline, limited	
<i>Aeschynomene rudis</i> Benth.	native	NAR	NAR		>20,000	LC				
<i>Aeschynomene sensitiva</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Aeschynomene villosa</i> Poir.	native	NAR	NAR		>20,000	LC				
<i>Agalinis fasciculata</i> (Elliott) Raf.	native	NAR	NAR		>20,000	LC				
<i>Agalinis purpurea</i> (L.) Pennell	native	AR	NAR		>20,000	LC				
<i>Agave minor</i> Proctor	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Agave missionum</i> Trel.	native	NAR	AR		8,112	VU	B1ab(iii)	<10		
<i>Ageratina resiniflua</i> (Urb.) R.M. King & H. Rob.	endemic	NAR	AR		1,043	VU	B1ab(iii)	<10		
<i>Ageratum conyzoides</i> L.	native	NAR	NAR		>20,000	LC				
<i>Agrostis hyemalis</i> (Walter) Britton, Sterns & Poggenb.	native	NAR	NAR		>20,000	LC				
<i>Aiphanes acanthophylla</i> (Mart.) Burret	native	NAR	NAR		>20,000	LC				
<i>Alchornea latifolia</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Alchorneopsis floribunda</i> (Benth.) Müll. Arg.	native	NAR	NAR		>20,000	LC				
<i>Alectra fluminensis</i> (Vell.) Stearn	native	NAR	NAR		>20,000	LC				
<i>Allophylus crassinervis</i> Radlk.	native	NAR	NAR		>20,000	LC				
<i>Allophylus racemosus</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Allosidastrum pyramidatum</i> (Desp. ex Cav.) Krapov., Fryxell & D.M. Bates	native	NAR	NAR		>20,000	LC				
<i>Allotoonia agglutinata</i> (Jacq.) J.F. Morales & J.K. Williams	native	NAR	NAR		>20,000	LC				
<i>Alternanthera caracasana</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Alternanthera crucis</i> (Moq.) Boldingh	native	NAR	NAR		>20,000	LC				
<i>Alternanthera paronychioides</i> A. St.-Hil.	native	NAR	NAR		>20,000	LC				
<i>Alternanthera pungens</i> Kunth	native	AR	NAR		>20,000	LC			widespread	
<i>Alternanthera sessilis</i> (L.) R. Br. ex DC.	native	NAR	NAR		>20,000	LC				
<i>Alternanthera tenella</i> Colla	native	AR	NAR		>20,000	LC			widespread	

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Amaranthus australis</i> (A. Gray) J.D. Sauer	native	NAR	NAR		>20,000	LC				
<i>Amaranthus blitum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Amaranthus crassipes</i> Schlttdl.	native	NAR	NAR		>20,000	LC				
<i>Amaranthus dubius</i> Mart. ex Thell.	native	NAR	NAR		>20,000	LC				
<i>Amaranthus spinosus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Ambrosia hispida</i> Pursh	native	NAR	NAR		>20,000	LC				
<i>Ammannia auriculata</i> Willd.	native	AR	NAR	LC	>20,000	LC				
<i>Ammannia coccinea</i> Rottb.	native	NAR	NAR		>20,000	LC				
<i>Ammannia latifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Amphilophium paniculatum</i> (L.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Amphitecna latifolia</i> (Mill.) A.H. Gentry	native	NAR	NAR		>20,000	LC				
<i>Amyris balsamifera</i> L.	native	NAR	NAR		>20,000	LC				
<i>Amyris diatrypa</i> Spreng.	native	NAR	NAR		75,532	LC				
<i>Amyris elemifera</i> L.	native	NAR	NAR		>20,000	LC				
<i>Anadenanthera peregrina</i> (L.) Speg.	native	NAR	NAR		>20,000	LC				
<i>Andira inermis</i> (W. Wright) DC.	native	NAR	NAR		>20,000	LC				
<i>Andropogon bicornis</i> L.	native	NAR	NAR		>20,000	LC				
<i>Andropogon fastigiatus</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Andropogon glomeratus</i> (Walter) Britton, Sterns & Poggenb.	native	NAR	NAR		>20,000	LC				
<i>Andropogon leucostachyus</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Andropogon virgatus</i> Desv. ex Ham.	native	NAR	NAR		>20,000	LC				
<i>Andropogon virginicus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Anechites nerium</i> (Aubl.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Aniba bracteata</i> (Nees) Mez	native	AR	NAR		>20,000	LC			widespread	
<i>Aniseia martinicensis</i> (Jacq.) Choisy	native	NAR	NAR		>20,000	LC				
<i>Annona glabra</i> L.	native	NAR	NAR		>20,000	LC				
<i>Annona montana</i> Macfad.	native	NAR	NAR		>20,000	LC				
<i>Anoda acerifolia</i> Cav.	native	NAR	NAR		>20,000	LC				
<i>Anoda cristata</i> (L.) Schlttdl.	native	NAR	NAR		>20,000	LC				
<i>Anredera vesicaria</i> C.F. Gaertn.	native	NAR	NAR		>20,000	LC				
<i>Anthraenantia lanata</i> (Kunth) Benth.	native	NAR	NAR		>20,000	LC				
<i>Anthephora hermaphrodita</i> (L.) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Anthurium crenatum</i> (L.) Kunth	native	NAR	NAR		44,590	LC		>20	widespread; common	
<i>Anthurium dominicense</i> Schott	native	NAR	AR		6,915	LC			widespread	
<i>Anthurium scandens</i> Aubl.) Engl.	native	NAR	NAR		>20,000	LC				
<i>Antidaphne wrightii</i> (Griseb.) Kuijt	native	AR	NAR		>20,000	LC		>10		
<i>Aploleia monandra</i> (Sw.) H.E. Moore	native	NAR	NAR		>20,000	LC				
<i>Apteria aphylla</i> (Nutt.) Barnhart ex Small	native	NAR	NAR		>20,000	LC				
<i>Ardisia glauciflora</i> Urb.	endemic	AR	AR		5,498	VU	B1ab(iii)	<10		
<i>Ardisia luquillensis</i> (Britton) Alain	endemic	AR	AR		3,098	EN	B1ab(iii)	<5		
<i>Ardisia obovata</i> Desv. ex Ham.	native	NAR	NAR		26,183	LC				
<i>Argemone mexicana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Argythamnia candicans</i> Sw.	native	NAR	NAR		117,934	LC		>20		
<i>Argythamnia stahlii</i> Urb.	native	NAR	AR		8,241	VU	B1ab(iii)	<10	undercollected	
<i>Aristida adscensionis</i> L.	native	NAR	NAR		>20,000	LC				
<i>Aristida chaseae</i> Hitchc.	endemic	AR	AR		18	CR	B1ab(iii)	1	Restricted to Cabo Rojo	
<i>Aristida portoricensis</i> Pilg.	native	AR	AR		22	CR	B1ab(iii)	1		
<i>Aristida refracta</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Aristida spiciformis</i> Elliott	native	AR	NAR		>20,000	LC				
<i>Aristida suringarii</i> Henrard	native	AR	AR		Unable to calculate	LC				small % collections georeferenced
<i>Aristolochia bilabiata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Aristolochia oblongata</i> Jacq.	native	NAR	NAR		26,066	LC				
<i>Aristolochia trilobata</i> L.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Arrabidaea chica</i> (Humb. & Bonpl.) Verlot	native	NAR	NAR		>20,000	LC				
<i>Arthrostylidium farctum</i> (Aubl.) Soderstr. & Lourteig	native	NAR	NAR		>20,000	LC				
<i>Arthrostylidium multispicatum</i> Pilg.	native	NAR	AR		8,621	LC				
<i>Arthrostylidium sarmentosum</i> Pilg.	native	NAR	AR		7,420	LC				
<i>Arundinella hispida</i> (Humb. & Bonpl. ex Willd.) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Asclepias curassavica</i> L.	native	NAR	NAR		>20,000	LC				
<i>Asclepias nivea</i> L.	native	NAR	NAR		>20,000	LC				
<i>Astraea lobata</i> (L.) Klotzsch	native	NAR	NAR		>20,000	LC				
<i>Atriplex cristata</i> Humb. & Bonpl. ex Willd.	native	NAR	NAR		>20,000	LC				
<i>Auerodendron pauciflorum</i> Alain	endemic	AR	AR	CR	Unable to calculate	CR	B1ab; C2a (i); D	1	only 21 known trees in PR	
<i>Avicennia germinans</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Axonopus aureus</i> P. Beauv.	native	NAR	NAR		>20,000	LC				
<i>Axonopus compressus</i> (Sw.) P. Beauv.	native	NAR	NAR		>20,000	LC				
<i>Ayenia insulicola</i> Cristóbal	native	NAR	NAR		>20,000	LC				
<i>Baccharis dioica</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Baccharis myrsinites</i> (Lam.) Pers.	native	NAR	NAR		>20,000	LC				
<i>Bacopa innominata</i> (M. Gómez) Alain	native	NAR	NAR		>20,000	LC				
<i>Bacopa monnieri</i> (L.) Pennell	native	NAR	NAR	LC	>20,000	LC				
<i>Bacopa repens</i> (Sw.) Wettst.	native	NAR	NAR		>20,000	LC				
<i>Bacopa stricta</i> (Schrad. ex Link) Wettst.	native	NAR	NAR		>20,000	LC				
<i>Badiera penaea</i> (L.) DC.	native	NAR	NAR		30,422	LC				
<i>Banara portoricensis</i> Krug & Urb.	endemic	AR	AR		95	CR	B1ab(iii)	1		
<i>Banara vanderbiltii</i> Urb.	endemic	AR	AR	CR	Unable to calculate	CR	C2b; D	4	18 recorded individuals	
<i>Barbieria pinnata</i> (Pers.) Baill.	native	NAR	NAR		>20,000	LC				
<i>Barleria solanifolia</i> (L.) Oerst. ex Lindau	native	NAR	NAR		>20,000	LC				
<i>Basiphyllaea corallicola</i> (Small) Ames	native	AR	NAR		122,057	VU	C2ai	~10	population decline	
<i>Bastardia bivalvis</i> (Cav.) Kunth ex Griseb.	native	NAR	NAR		>20,000	LC				
<i>Bastardia viscosa</i> (L.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Bastardiopsis eggersii</i> (Baker f.) Fuertes & Fryxell	native	AR	AR		Unable to calculate	CR	C2	3		
<i>Batis maritima</i> L.	native	NAR	NAR		>20,000	LC				
<i>Begonia decandra</i> Pav. ex A. DC.	endemic	NAR	NAR		138,399	LC		>15	common; not in decline	
<i>Beilschmiedia pendula</i> (Sw.) Hemsl.	native	NAR	NAR		>20,000	LC				
<i>Bernardia dichotoma</i> (Willd.) Müll. Arg.	native	NAR	NAR		>20,000	LC				
<i>Berylsimpsonia vanillosma</i> (C. Wright) B.L. Turner	native	NAR	AR		2,956	LC		>12		
<i>Bidens alba</i> (L.) DC.	native	NAR	NAR		>20,000	LC				
<i>Bidens cynapiifolia</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Bidens pilosa</i> L.	native	NAR	NAR		>20,000	LC				
<i>Bidens reptans</i> (L.) G. Don	native	NAR	NAR		>20,000	LC				
<i>Bidens urbanii</i> Greenm.	native	AR	AR		3,318	VU	B1ab(iii)	<10		
<i>Bletia patula</i> Graham	native	NAR	NAR		>20,000	LC				
<i>Blutaparon vermiculare</i> (L.) Mears	native	NAR	NAR		>20,000	LC				
<i>Bocconia frutescens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Boehmeria cylindrica</i> (L.) Sw.	native	NAR	NAR		>20,000	LC				
<i>Boehmeria repens</i> (Griseb.) Wedd.	native	NAR	NAR		>20,000	LC				
<i>Boerhavia coccinea</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Boerhavia diffusa</i> L.	native	NAR	NAR		>20,000	LC				
<i>Boerhavia erecta</i> L.	native	NAR	NAR		>20,000	LC				
<i>Boerhavia scandens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Bonellia pauciflora</i> (B. Ståhl & F.S. Axelrod) B. Ståhl & Källersjö	endemic	AR	AR		Unable to calculate	CR	B1ab; C2a (i); D	1	known from few individuals	
<i>Bonellia stenophylla</i> (Urb.) B. Ståhl & Källersjö	native	AR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Bonellia umbellata</i> (A. DC.) B. Ståhl & Källersjö	native	NAR	NAR		>20,000	LC				
<i>Bontia daphnoides</i> L.	native	NAR	NAR		>20,000	LC				
<i>Borrchia arborescens</i> (L.) DC.	native	NAR	NAR		>20,000	LC				
<i>Bothriochloa saccharoides</i> (Sw.) Rydb.	native	NAR	NAR		>20,000	LC				
<i>Bouchea prismatica</i> (L.) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Bourreria domingensis</i> (DC.) Griseb.	native	NAR	AR		2,321	LC		>10	widespread	
<i>Bourreria succulenta</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Bourreria virgata</i> (Sw.) G. Don	native	NAR	NAR		>20,000	LC				
<i>Bouteloua americana</i> (L.) Scribn.	native	NAR	NAR		>20,000	LC				
<i>Bouteloua disticha</i> (Kunth) Benth.	native	NAR	NAR		>20,000	LC				
<i>Bouteloua juncea</i> (Desv.) Hitchc.	native	AR	NAR		>20,000	LC				
<i>Bouteloua repens</i> (Kunth) Scribn.	native	NAR	NAR		>20,000	LC				
<i>Brachionidium ciliolatum</i> Garay	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Brachionidium parvum</i> Cogn.	native	AR	NAR		>20,000	NT		<10	widespread; declining populations, with very few individuals	
<i>Brassavola cucullata</i> (L.) R. Br.	native	NAR	NAR		>20,000	LC				
<i>Brassavola nodosa</i> (L.) Lindl.	native	NAR	NAR		>20,000	LC				
<i>Bromelia pinguin</i> L.	native	NAR	NAR		>20,000	LC				
<i>Browallia americana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Brugmansia suaveolens</i> (Humb. & Bonpl. ex Willd.) Bercht. & C. Presl	native	NAR	NAR		>20,000	LC				
<i>Brunellia comocladifolia</i> Humb. & Bonpl.	native	AR	NAR		>20,000	LC			widespread	FWI lists 4 subsp., which are WI endemics; other subsp. found outside
<i>Brunfelsia americana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Brunfelsia densifolia</i> Krug & Urb.	endemic	AR	AR		368	EN	B1ab(iii)	<5		
<i>Brunfelsia lactea</i> Krug & Urb.	endemic	AR	AR		37	LC			not in decline	
<i>Brunfelsia portoricensis</i> Krug & Urb.	endemic	AR	AR	EN	Unable to calculate	EN	B1ab(iii)	<5		
<i>Buchenavia tetraphylla</i> (Aubl.) R.A. Howard	native	NAR	NAR		>20,000	LC				
<i>Buchnera floridana</i> Gand.	native	NAR	NAR		>20,000	LC				
<i>Buchnera longifolia</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Bucida buceras</i> L.	native	NAR	NAR		>20,000	LC				
<i>Bulbophyllum pachyrhachis</i> (A. Rich.) Griseb.	native	NAR	AR		Unable to calculate	NT		>12	widespread, but very rare and under-collected; declining populations	
<i>Bulbostylis antillana</i> (Britton) Fernald	native	AR	AR		2,266	VU	B1ab(iii)	8	uncommon	
<i>Bulbostylis capillaris</i> (L.) C.B. Clarke	native	NAR	NAR		>20,000	LC				
<i>Bulbostylis curassavica</i> (Britton) Kük. ex Ekman	native	AR	NAR		22,291	LC		>10	undercollected	
<i>Bulbostylis pauciflora</i> (Liebm.) C.B. Clarke	native	NAR	AR		6,028	LC		>10		
<i>Bulbostylis stenocarpa</i> Kük.	native	NAR	NAR		>20,000	LC				
<i>Bulbostylis subaphylla</i> C.B. Clarke	native	NAR	NAR		>20,000	LC				
<i>Bulbostylis vestita</i> (Kunth) C.B. Clarke	native	NAR	NAR		>20,000	LC				
<i>Bunchosia glandulifera</i> (Jacq.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Bunchosia glandulosa</i> (Cav.) DC.	native	NAR	NAR		>20,000	LC				
<i>Burmannia capitata</i> (Walter ex J.F. Gmel.) Mart.	native	NAR	NAR		>20,000	LC				
<i>Bursera simaruba</i> (L.) Sarg.	native	NAR	NAR		>20,000	LC				
<i>Buxus portoricensis</i> Alain	endemic	AR	AR		8,229	VU	B1ab(iii)	<10		
<i>Buxus vahlii</i> Baill.	native	AR	AR	CR	6,261	EN	C2ab	<5		
<i>Byrsonima crassifolia</i> (L.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Byrsonima lucida</i> (Mill.) Rich.	native	NAR	NAR		>20,000	LC				
<i>Byrsonima spicata</i> (Cav.) DC.	native	NAR	NAR		>20,000	LC				
<i>Byrsonima wadsworthii</i> Little	endemic	AR	AR		3,105	VU	B1ab(iii)	<10		
<i>Cabomba haynesii</i> Wiersema	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
Caesalpinia major (Medik.) Dandy & Exell	native	NAR	NAR		>20,000	LC				
Caesalpinia monensis Britton	endemic	AR	AR		0	CR	B1ab(iii)	1	Known only from Mona	
Cakile lanceolata (Willd.) O.E. Schulz	native	NAR	NAR		>20,000	LC				
Calliandra haematomma (Bertero ex DC.) Benth.	endemic	NAR	NAR		>20,000	LC				
Callicarpa ampla Schauer	endemic	AR	AR	CR	Unable to calculate	CR	C2ai	3	<50 individuals	
Callisia repens (Jacq.) L.	native	NAR	NAR		>20,000	LC				
Calophyllum antillanum Britton	native	NAR	NAR		>20,000	LC				
Calycophyllum candidissimum (Vahl) DC.	native	NAR	NAR		>20,000	LC				
Calyptanthes acevedoi Alain	endemic	AR	AR		3,952	EN	B1ab(iii)	<5		
Calyptanthes estremenae Alain	endemic	AR	AR		961	EN	B1ab(iii)	<5		
Calyptanthes krugii Kiaersk.	endemic	NAR	AR		3,196	VU	B1ab(iii)	<10		
Calyptanthes luquillensis Alain	endemic	AR	AR	VU	Unable to calculate	EN	B1ab(iii)	<5		
Calyptanthes martorellii Alain	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
Calyptanthes pallens Griseb.	native	NAR	NAR		>20,000	LC				
Calyptanthes peduncularis Alain	endemic	AR	AR		224	EN	B1ab(iii)	<5		
Calyptanthes sintenisii Kiaersk.	native	NAR	NAR		21,385	NT		<20		
Calyptanthes thomasiana O. Berg	native	AR	AR	EN	Unable to calculate	EN	B1ab(iii)	<5		
Calyptanthes triflora Alain	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
Calyptanthes woodburyi Alain	endemic	AR	AR		3,035	EN	B1ab(iii)	<5		
Calyptanthes zuzygium (L.) Sw.	native	NAR	NAR		57,693	LC		<20		
Calyptogyne rivalis (O.F. Cook) León	native	NAR	NAR		>20,000	NT		<10	declining populations	
Camaridium grisebachianum (Nir & Dod) M.A. Blanco	native	AR	AR		Unable to calculate	VU	C2ai	<10	uncommon; population decline	
Campylocentrum fasciola (Lindl.) Cogn.	native	NAR	NAR		>20,000	LC				
Campylocentrum jamaicense (Rchb. f. & Wullschl.) Fawc.	native	AR	NAR		22,264	LC				
Campylocentrum micranthum (Lindl.) Maury	native	NAR	NAR		>20,000	LC				
Campylocentrum pachyrrhizum (Rchb. f.) Rolfe	native	AR	NAR		>20,000	LC			undercollected	
Campylocentrum pygmaeum Cogn.	native	AR	AR		Unable to calculate	EN	B1ab(iii)	3		
Canavalia nitida (Cav.) Piper	native	NAR	NAR		64,601	LC		>15		
Canavalia rosea (Sw.) DC.	native	NAR	NAR		>20,000	LC				
Canella winterana (L.) Gaertn.	native	NAR	NAR		>20,000	LC				
Canna glauca L.	native	NAR	NAR		>20,000	LC				
Canna indica L.	native	NAR	NAR		>20,000	LC				
Canna jaegeriana Urb.	native	NAR	NAR		>20,000	LC				
Caperonia palustris (L.) A. St.-Hil.	native	NAR	NAR		>20,000	LC				
Capparidastrum frondosum (Jacq.) Cornejo & Iltis	native	NAR	NAR		>20,000	LC				
Capraria biflora L.	native	NAR	NAR		>20,000	LC				
Capsicum frutescens L.	native	NAR	NAR		>20,000	LC				
Cardiospermum corindum L.	native	NAR	NAR		>20,000	LC				
Cardiospermum halicacabum L.	native	NAR	NAR		>20,000	LC				
Carex polystachya Sw. ex Wahl.	native	NAR	NAR		>20,000	LC				
Casearia aculeata Jacq.	native	NAR	NAR		>20,000	LC				
Casearia arborea (Rich.) Urb.	native	NAR	NAR		>20,000	LC				
Casearia decandra Jacq.	native	NAR	NAR		>20,000	LC				
Casearia guianensis (Aubl.) Urb.	native	NAR	NAR		>20,000	LC				
Casearia sylvestris Sw.	native	NAR	NAR		>20,000	LC				
Cassipourea guianensis Aubl.	native	NAR	NAR		>20,000	LC				
Cassytha filiformis L.	native	NAR	NAR		>20,000	LC				
Castela erecta Turpin	native	AR	NAR		>20,000	LC				
Catesbaea melanocarpa Krug & Urb.	native	AR	AR		255	CR	D	1	<50 individuals	
Catesbaea parviflora Sw.	native	NAR	NAR		>20,000	LC				
Catopsis floribunda L.B. Sm.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
Catopsis nitida (Hook.) Griseb.	native	NAR	NAR		>20,000	LC				
Catopsis sessiliflora (Ruiz & Pav.) Mez	native	NAR	NAR		>20,000	LC				
Cayaponia americana (Lam.) Cogn.	native	NAR	NAR		>20,000	LC				
Cayaponia racemosa (Mill.) Cogn.	native	NAR	NAR		>20,000	LC				
Cecropia peltata L.	native	NAR	NAR		>20,000	LC				
Cecropia schreberiana Miq.	native	NAR	NAR		>20,000	LC				
Cedrela odorata L.	native	NAR	NAR		>20,000	LC				
Ceiba pentandra (L.) Gaertn.	native	NAR	NAR		>20,000	LC				
Celosia argentea L.	native	NAR	NAR		>20,000	LC				
Celosia nitida Vahl	native	NAR	NAR		>20,000	LC				
Celosia virgata Jacq.	native	NAR	NAR		>20,000	LC				
Celtis iguanaea (Jacq.) Sarg.	native	NAR	NAR		>20,000	LC				
Celtis trinervia Lam.	native	NAR	NAR		>20,000	LC				
Cenchrus brownii Roem. & Schult.	native	NAR	NAR		>20,000	LC				
Cenchrus echinatus L.	native	NAR	NAR		>20,000	LC				
Cenchrus gracillimus Nash	native	NAR	NAR		>20,000	LC				
Cenchrus incertus M.A. Curtis	native	NAR	NAR		>20,000	LC				
Cenchrus myosuroides Kunth	native	NAR	NAR		>20,000	LC				
Cenchrus tribuloides L.	native	NAR	NAR		>20,000	LC				
Centella asiatica (L.) Urb.	native	NAR	NAR		>20,000	LC				
Centrosema plumieri (Turpin ex Pers.) Benth.	native	NAR	NAR		>20,000	LC				
Centrosema pubescens Benth.	native	NAR	NAR		>20,000	LC				
Centrosema virginianum (L.) Benth.	native	NAR	NAR		>20,000	LC				
Ceratophyllum demersum L.	native	NAR	NAR	LC	>20,000	LC				
Cestrum alternifolium (Jacq.) O.E. Schulz	native	NAR	NAR		>20,000	LC				
Cestrum citrifolium Retz.	native	NAR	NAR		>20,000	LC				
Cestrum diurnum L.	native	NAR	NAR		>20,000	LC				
Cestrum macrophyllum Vent.	native	NAR	NAR		>20,000	LC				
Chamaecrista diphylla (L.) Greene	native	NAR	NAR		>20,000	LC				
Chamaecrista glandulosa (L.) Greene	native	NAR	NAR		>20,000	LC				
Chamaecrista lineata (Sw.) Greene	native	NAR	NAR		>20,000	LC				
Chamaecrista nictitans (L.) Moench	native	NAR	NAR		>20,000	LC				
Chamaecrista portoricensis (Urb.) O.F. Cook & G.N. Collins	native	NAR	NAR		38,309	LC		>10	undercollected	
Chamaecrista rotundifolia (Pers.) Greene	native	NAR	NAR		>20,000	LC				
Chamissoa altissima (Jacq.) Kunth	native	NAR	NAR		>20,000	LC				
Chaptalia albicans (Sw.) Vent. ex B.D. Jacks.	native	NAR	NAR		>20,000	LC				
Chaptalia dentata (L.) Cass.	native	NAR	NAR		>20,000	LC				
Chaptalia nutans (L.) Pol.	native	NAR	NAR		>20,000	LC				
Chiococca alba (L.) Hitchc.	native	NAR	NAR		>20,000	LC				
Chiococca micrantha J.R. Johnst.	native	AR	AR		Unable to calculate	LC				
Chionanthus axilliflorus (Griseb.) Stearn	native	AR	NAR		>20,000	LC				
Chionanthus compactus Sw.	native	NAR	NAR		>20,000	LC				
Chionanthus domingensis Lam.	native	NAR	NAR		>20,000	LC				
Chionanthus holdridgii (Camp & Monachino) Stearn	endemic	AR	AR		501	VU	B1ab(iii)	<10		
Chionanthus ligustrinus (Sw.) Pers.	native	NAR	NAR		>20,000	LC				
Chione venosa (Sw.) Urb.	native	NAR	NAR		>20,000	LC				
Chloris barbata Sw.	native	NAR	NAR		>20,000	LC				
Chloris ciliata Sw.	native	NAR	NAR		>20,000	LC				
Chloris radiata (L.) Sw.	native	NAR	NAR		>20,000	LC				
Chloris sagraeana A. Rich.	native	NAR	NAR		>20,000	LC				
Chromolaena borinquensis (Britton) R.M. King & H. Rob.	native	AR	AR		629	EN	B1ab(iii)	<5		

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
Chromolaena corymbosa (Aubl.) R.M. King & H. Rob.	native	NAR	NAR		22,508	LC		>15	widespread, not in decline	
Chromolaena geraniifolia (Urb.) R.M. King & H. Rob.	endemic	NAR	AR		Unable to calculate	EN	B1ab(iii)	<5		
Chromolaena ivifolia (L.) R.M. King & H. Rob.	native	NAR	NAR		>20,000	LC				
Chromolaena odorata (L.) R.M. King & H. Rob.	native	NAR	NAR		>20,000	LC				
Chromolaena oteroi (Monach.) R.M. King & H. Rob.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
Chromolaena sinuata (Lam.) R.M. King & H. Rob.	native	NAR	NAR		>20,000	LC				
Chrysobalanus icaco L.	native	NAR	NAR		>20,000	LC				
Chrysophyllum argenteum Jacq.	native	NAR	NAR		>20,000	LC				
Chrysophyllum bicolor Poir.	native	AR	NAR		>20,000	LC				
Chrysophyllum oliviforme L.	native	NAR	NAR		>20,000	LC				
Chrysophyllum pauciflorum Lam.	native	NAR	AR	VU	3,416	VU	B1ab(iii)	9		
Chusquea abietifolia Griseb.	native	NAR	NAR		>20,000	LC				
Cinnamomum elongatum (Nees) Kosterm.	native	NAR	NAR		>20,000	LC				
Cinnamomum montanum (Sw.) J. Presl	native	NAR	NAR		>20,000	LC				
Cissampelos pareira L.	native	NAR	NAR		>20,000	LC				
Cissus erosa Rich.	native	NAR	NAR		>20,000	LC				
Cissus obovata Vahl	native	NAR	NAR		82,491	LC				
Cissus trifoliata (L.) L.	native	NAR	NAR		>20,000	LC				
Cissus verticillata (L.) Nicolson & C.E. Jarvis	native	NAR	NAR		>20,000	LC				
Citharexylum caudatum L.	native	NAR	NAR		>20,000	LC				
Citharexylum spinosum L.	native	NAR	NAR		>20,000	LC				
Cladium jamaicense Crantz	native	NAR	NAR		>20,000	LC				
Clematis dioica L.	native	NAR	NAR		>20,000	LC				
Clematis flammulastrum Griseb.	native	NAR	NAR		>20,000	LC				
Clematis polygama Jacq.	native	NAR	NAR		>20,000	LC				
Cleome stenophylla Klotzsch	native	NAR	NAR		>20,000	LC				
Cleoserrata serrata (Jacq.) Iltis	native	NAR	NAR		>20,000	LC				
Cleyera albopunctata (Planch. ex Griseb.) Krug & Urb.	native	AR	NAR		>20,000	LC				
Clibadium erosum (Sw.) DC.	native	NAR	AR		15,470	LC		>15	widespread, not in decline	
Clidemia angustilamina Judd & Skean	native	AR	AR		11,190	VU	B1ab(iii)	<10		
Clidemia cymosa (Wendl. ex Spreng.) Alain	endemic	NAR	AR		6,246	LC				
Clidemia domingensis (DC.) Cogn.	native	NAR	AR		Unable to calculate	LC				only known from historical records in Puerto Rico
Clidemia hirta (L.) D. Don	native	NAR	NAR		>20,000	LC				
Clidemia strigillosa (Sw.) DC.	native	NAR	NAR		>20,000	LC				
Clidemia umbrosa (Sw.) Cogn.	native	AR	AR		3,763	EN	B1ab(iii)	<5		
Clinopodium vimineum (L.) Kuntze	native	AR	NAR		>20,000	LC				
Clitoria falcata Lam.	native	NAR	NAR		>20,000	LC				
Clitoria laurifolia Poir. f.	native	NAR	NAR		>20,000	LC				
Clusia clusioides (Griseb.) D'Arcy	native	NAR	NAR		>20,000	LC				
Clusia gundlachii A. Stahl	endemic	NAR	AR		4,522	LC			widely distributed on Puerto Rico, not in decline	
Clusia minor L.	native	NAR	NAR		>20,000	LC				
Clusia rosea Jacq.	native	NAR	NAR		>20,000	LC				
Coccoloba buchii O.C. Schmidt	native	NAR	NAR		>20,000	LC				
Coccoloba costata C. Wright	native	NAR	NAR		>20,000	LC				
Coccoloba diversifolia Jacq.	native	NAR	NAR		>20,000	LC				
Coccoloba krugii Lindau	native	NAR	NAR		>20,000	LC				
Coccoloba microstachya Willd.	native	NAR	NAR		>20,000	LC				
Coccoloba pallida C. Wright ex Griseb.	native	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Coccoloba pubescens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Coccoloba pyriformis</i> Desf.	native	NAR	AR		7,585	LC				
<i>Coccoloba rugosa</i> Desf.	native	AR	AR	EN	3,366	VU	B1ab(iii)	<10		
<i>Coccoloba sintenisii</i> Urb.	endemic	AR	AR		4,054	LC			not in decline	
<i>Coccoloba swartzii</i> Meisn.	endemic	NAR	NAR		>20,000	LC				
<i>Coccoloba tenuifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Coccoloba uvifera</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Coccoloba venosa</i> L.	native	NAR	NAR		>20,000	LC				
<i>Coccothrinax barbadensis</i> (Lodd. ex Mart.) Becc.	native	NAR	NAR		>20,000	LC				
<i>Cochleanthes flabelliformis</i> (Sw.) R.E. Schult. & Garay	native	NAR	NAR		>20,000	LC				
<i>Cojoba arborea</i> (L.) Britton & Rose	native	NAR	NAR		>20,000	LC				
<i>Coleataenia tenera</i> (Beyr. ex Trin.) Soreng	native	NAR	NAR		>20,000	LC				
<i>Coleatenia stenodes</i> (Griseb.) Soreng	native	NAR	NAR		>20,000	LC				
<i>Colleteria seminervis</i> (Urb. & Ekman) David W. Taylor	native	NAR	NAR		>20,000	LC				
<i>Colubrina arborescens</i> (Mill.) Sarg.	native	NAR	NAR		>20,000	LC				
<i>Colubrina elliptica</i> (Sw.) Brizicky	native	NAR	NAR		>20,000	LC				
<i>Colubrina glandulosa</i> Perkins	native	AR	NAR		>20,000	LC			widespread	
<i>Colubrina verrucosa</i> (Urb.) M.C. Johnst.	native	NAR	AR		3,100	NT		<10		distribution and abundance in Hispaniola unknown
<i>Columnnea ambigua</i> (Urb.) B.D. Morley	endemic	NAR	AR		3,707	NT		10	not in decline	
<i>Columnnea scandens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Commelina diffusa</i> Burm. f.	native	NAR	NAR		>20,000	LC				
<i>Commelina erecta</i> L.	native	NAR	NAR		>20,000	LC				
<i>Commelina rufipes</i> Seub.	native	NAR	NAR		>20,000	LC				
<i>Comocladia dodonaea</i> (L.) Urb.	native	NAR	AR		13,389	LC			widespread; undercollected	
<i>Comocladia glabra</i> (Schult.) Spreng.	native	NAR	AR		6,904	LC			common; undercollected	
<i>Comparettia falcata</i> Poepp. & Endl.	native	NAR	NAR		>20,000	LC				
<i>Condylidium iresinoides</i> (Kunth) R.M. King & H. Rob.	native	NAR	NAR		>20,000	LC				
<i>Conocarpus erectus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Consolea moniliformis</i> (L.) A. Berger	native	NAR	AR		18,744	LC		>10	widespread	
<i>Consolea rubescens</i> (Salm-Dyck ex DC.) Lem	native	NAR	NAR		>20,000	LC				
<i>Convolvulus nodiflorus</i> Desr.	native	NAR	NAR		>20,000	LC				
<i>Conyza bonariensis</i> (L.) Cronquist	native	NAR	NAR		>20,000	LC				
<i>Conyza canadensis</i> (L.) Cronquist	native	NAR	NAR		>20,000	LC				
<i>Conyza laevigata</i> (Rich.) Pruski	native	NAR	NAR		>20,000	LC				
<i>Conyza primulifolia</i> (Lam.) Cuatrec. & Lourteig	native	NAR	NAR		>20,000	LC				
<i>Corchorus aestuans</i> L.	native	NAR	NAR		>20,000	LC				
<i>Corchorus hirsutus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Corchorus hirtus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Corchorus siliquosus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cordia alliodora</i> (Ruiz & Pav.) Oken	native	NAR	NAR		>20,000	LC				
<i>Cordia boricuensis</i> Urb.	endemic	NAR	AR		6,578	NT		8		
<i>Cordia collococca</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cordia gerascanthus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cordia laevigata</i> Lam.	native	NAR	NAR		114,029	LC		>30	widespread	
<i>Cordia rickseckeri</i> Millsp.	native	NAR	AR		16,619	LC		>15	widespread	
<i>Cordia sulcata</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Cornutia obovata</i> Urb.	endemic	AR	AR	CR	1,383	CR	C2a D	3	<10 individuals	
<i>Cornutia pyramidata</i> L.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Corymborkis forcipigera</i> (Rchb. f. & Warsz.) L.O. Williams	native	NAR	NAR		>20,000	LC				
<i>Costus guanaiensis</i> Rusby	native	NAR	NAR		>20,000	LC				
<i>Costus spicatus</i> (Jacq.) Sw.	native	AR	NAR		>20,000	LC			widespread	
<i>Coursetia caribaea</i> (Jacq.) Lavin	native	NAR	NAR		>20,000	LC				
<i>Cranichis diphylla</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Cranichis muscosa</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Cranichis ricartii</i> Ackerman	native	AR	AR		Unable to calculate	EN	B1ab(iii)	~5		
<i>Cranichis tenuis</i> Rchb. f.	native	AR	NAR		>20,000	LC			few localities but protected	
<i>Craniolaria annua</i> L.	native	NAR	NAR		>20,000	LC				
<i>Crescentia cujete</i> L.	native	NAR	NAR		>20,000	LC				
<i>Crescentia linearifolia</i> Miers	native	NAR	AR		8,408	LC		>30	widespread	
<i>Crescentia portoricensis</i> Britton	endemic	AR	AR		4,042	EN	B1ab(iii)	2	300-400 mature individuals	
<i>Critonia portoricensis</i> (Urb.) Britton & P. Wilson	endemic	NAR	AR		4,882	LC		>10	widespread in Puerto Rico; not in decline	
<i>Crossopetalum rhacoma</i> Crantz	native	NAR	NAR		>20,000	LC				
<i>Crotalaria incana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Crotalaria lotifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Crotalaria rotundifolia</i> J.F. Gmel.	native	NAR	NAR		>20,000	LC				
<i>Crotalaria stipularia</i> Desv.	native	NAR	NAR		>20,000	LC				
<i>Croton astroites</i> Dryand.	native	NAR	AR		10,103	LC		>15		
<i>Croton betulinus</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Croton discolor</i> Willd.	native	NAR	NAR		>20,000	LC				
<i>Croton flavens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Croton glabellus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Croton glandulosus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Croton humilis</i> L.	native	NAR	NAR		>20,000	LC				
<i>Croton impressus</i> Urb.	native	NAR	NAR		29,862	NT		<10		
<i>Croton microcarpus</i> Ham.	native	NAR	NAR		>20,000	LC				
<i>Croton poecilanthus</i> Urb.	endemic	AR	AR		6,472	VU	B1ab(iii)	3		
<i>Croton stenophyllus</i> Griseb.	native	AR	NAR		>20,000	LC		>10		
<i>Cupania americana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cupania triquetra</i> A. Rich.	native	NAR	AR		9,832	LC				
<i>Cuphea carthagenensis</i> (Jacq.) J.F. Macbr.	native	NAR	NAR		>20,000	LC				
<i>Cuphea micrantha</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Cuphea parsonsia</i> (L.) R. Br. ex Steud.	native	NAR	NAR		>20,000	LC				
<i>Cuphea strigulosa</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Curculigo scorzonrifolia</i> (Lam.) Baker	native?	NAR	NAR		>20,000	LC				
<i>Cuscuta americana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cuscuta campestris</i> Yunck.	native	NAR	NAR		>20,000	LC				
<i>Cuscuta globulosa</i> Benth.	native	AR	NAR		>20,000	LC			widespread	
<i>Cuscuta indecora</i> Choisy	native	NAR	NAR		>20,000	LC				
<i>Cuscuta obtusiflora</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Cuscuta umbellata</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Cybianthus sintenisii</i> (Urb.) G. Agostini	endemic	AR	AR		524	EN	B1ab(iii)	2		
<i>Cyclopogon cranichoides</i> (Griseb.) Schltr.	native	AR	NAR		>20,000	LC			abundant	widespread; few collections
<i>Cyclopogon elatus</i> (Sw.) Schltr.	native	NAR	NAR		>20,000	LC				
<i>Cyclopogon miradorensis</i> Schltr.	native	AR	AR		Unable to calculate	VU	C2ai	>10		
<i>Cynometra portoricensis</i> Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Cynophalla amplissima</i> (Lam.) Iltis & Cornejo	native	NAR	NAR		>20,000	LC				
<i>Cynophalla flexuosa</i> (L.) L.J. Presl	native	NAR	NAR		>20,000	LC				
<i>Cynophalla hastata</i> (Jacq.) J. Presl	native	NAR	NAR		>20,000	LC				
<i>Cyperus aggregatus</i> (Willd.) Endl.	native	NAR	NAR		>20,000	LC				
<i>Cyperus articulatus</i> L.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Cyperus brunneus</i> Sw.	native	NAR	AR		14	LC			widespread	
<i>Cyperus compressus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cyperus confertus</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Cyperus croceus</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Cyperus digitatus</i> Roxb.	native	NAR	NAR		>20,000	LC				
<i>Cyperus distans</i> L. f.	native	NAR	NAR		>20,000	LC				
<i>Cyperus eggersii</i> Boeckeler	native	NAR	NAR		>20,000	LC				
<i>Cyperus elegans</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cyperus flavescens</i> L.	native	NAR	NAR	LC (<i>Pycrus flavescens</i>)	>20,000	LC				
<i>Cyperus floridanus</i> Britton	native	NAR	NAR		>20,000	LC				
<i>Cyperus fuliginosus</i> Chapm.	native	NAR	NAR		>20,000	LC				
<i>Cyperus giganteus</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Cyperus haspan</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cyperus laevigatus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cyperus ligularis</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cyperus mutisii</i> (Kunth) Andersson	native	NAR	NAR		>20,000	LC				
<i>Cyperus nanus</i> Willd.	native	NAR	NAR		>20,000	LC				
<i>Cyperus ochraceus</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Cyperus odoratus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cyperus planifolius</i> Rich.	native	NAR	NAR		>20,000	LC				
<i>Cyperus polystachyos</i> Rottb.	native	NAR	NAR		>20,000	LC				
<i>Cyperus pulquerensis</i> M.T. Strong	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Cyperus sphacelatus</i> Rottb.	native	NAR	NAR		>20,000	LC				
<i>Cyperus squarrosus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cyperus subtenuis</i> (Kük.) M.T. Strong	native	NAR	NAR		>20,000	LC				
<i>Cyperus surinamensis</i> Rottb.	native	NAR	NAR		>20,000	LC				
<i>Cyperus swartzii</i> (A. Dietr.) Boeckeler ex Kük.	native	NAR	NAR		>20,000	LC				
<i>Cyperus tenuis</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Cyperus unifolius</i> Boeckeler	native	NAR	NAR		>20,000	LC				
<i>Cyperus unioides</i> R. Br.	native	NAR	NAR		>20,000	LC				
<i>Cyperus urbanii</i> Boeckeler	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	4		
<i>Cyperus virens</i> Michx	native	NAR	NAR		>20,000	LC				
<i>Cypselea humifusa</i> Turpin	native	NAR	NAR		>20,000	LC				
<i>Cyrilla racemiflora</i> L.	native	NAR	NAR		>20,000	LC				
<i>Cyrtochilum meirax</i> (Rchb. f.) Dalström	native	NAR	NAR		>20,000	LC				
<i>Cyrtopodium punctatum</i> (L.) Lindl.	native	NAR	NAR		>20,000	LC				
<i>Dacryodes excelsa</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Dalbergia ecastaphyllum</i> (L.) Taub.	native	NAR	NAR		>20,000	LC				
<i>Dalbergia monetaria</i> L. f.	native	NAR	NAR		>20,000	LC				
<i>Dalea carthagenensis</i> (Jacq.) J.F. Macbr.	endemic	NAR	NAR		>20,000	LC				
<i>Dalechampia scandens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Daphnopsis americana</i> (Mill.) J.R. Johnst.	native	NAR	NAR		>20,000	LC				
<i>Daphnopsis helleriana</i> Urb.	endemic	AR	AR		67	CR	B1ab(iii)	1		
<i>Daphnopsis philippiana</i> Krug & Urb.	endemic	NAR	AR		10,795	LC				
<i>Datura innoxia</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Dendropanax arboreus</i> (L.) Decne. & Planch.	native	NAR	NAR		>20,000	LC				
<i>Dendropanax laurifolius</i> (Marchal) Decne. & Planch. ex Schneid.	endemic	AR	AR		3,716	NT		>10		
<i>Dendropemon bicolor</i> Krug & Urb.	native	NAR	AR		6,419	NT		10	undercollected	
<i>Dendropemon caribaeus</i> Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Dendropemon emarginatus</i> (Sw.) Steud.	native	NAR	NAR		>20,000	LC				
<i>Dendropemon purpureus</i> (L.) Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Dendrophthora bermejae</i> Kuijt, Carlo, & Aukema	endemic	AR	AR		291	CR	D	1	<50 individuals	
<i>Dendrophthora domingensis</i> (Spreng.) Eichler	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Dendrophthora flagelliformis</i> (Lam.) Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Dendrophthora serpyllifolia</i> (C. Wright ex Griseb.) Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Dendrophyllax monteверdi</i> (Rchb. f.) Ackerman & Nir	native	AR	AR		Unable to calculate	LC			widespread; few collections	
<i>Dendrophyllax porrectus</i> (Rchb. f.) Carlward & Whitten	native	AR	NAR		>20,000	LC			undercollected	widespread; few collections
<i>Desmanthus leptophyllus</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Desmanthus pernambucanus</i> (L.) Thell.	native	NAR	NAR		>20,000	LC				
<i>Desmanthus virgatus</i> (L.) Willd.	native	NAR	NAR		>20,000	LC				
<i>Desmodium adscendens</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				
<i>Desmodium affine</i> Schtdl.	native	NAR	NAR		>20,000	LC				
<i>Desmodium angustifolium</i> (Kunth) DC.	native	NAR	NAR		>20,000	LC				
<i>Desmodium axillare</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				
<i>Desmodium barbatum</i> (L.) Benth.	native	NAR	NAR		>20,000	LC				
<i>Desmodium cubense</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Desmodium glabrum</i> (Mill.) DC.	native	NAR	NAR		>20,000	LC				
<i>Desmodium incanum</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Desmodium intortum</i> (Mill.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Desmodium procumbens</i> (Mill.) Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Desmodium scorpiurus</i> (Sw.) Desv.	native	NAR	NAR		>20,000	LC				
<i>Desmodium tortuosum</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				
<i>Desmodium triflorum</i> (L.) DC.	native	NAR	NAR		>20,000	LC				
<i>Desmodium wydlerianum</i> Urb.	native	NAR	NAR		>20,000	LC				
<i>Dichaea hystericina</i> Rchb. f.	native	AR	NAR		>20,000	LC				widespread; few collections
<i>Dichaea latifolia</i> Lindl.	native	NAR	NAR		>20,000	LC				
<i>Dichaea morrisii</i> Fawc. & Rendle	native	NAR	NAR		>20,000	LC				
<i>Dichantherium aciculare</i> (Desv. ex Poir.) Gould & C.A. Clark	native	NAR	NAR		>20,000	LC				
<i>Dichantherium acuminatum</i> (Sw.) Gould & C.A. Clark	native	NAR	NAR		>20,000	LC				
<i>Dichantherium dichotomum</i> (L.) Gould	native	NAR	NAR		>20,000	LC				
<i>Dichantherium ovale</i> (Elliott) Gould & C.A. Clark	native	NAR	NAR		>20,000	LC				
<i>Dichantherium portoricense</i> (Desv. ex Ham.) B.F. Hansen & Wunderlin	native	NAR	NAR		>20,000	LC				
<i>Dichantherium scoparium</i> (Lam.) Gould	native	NAR	NAR		>20,000	LC				
<i>Dichantherium strigosum</i> (Muhl. ex Elliott) Freckmann	native	NAR	NAR		>20,000	LC				
<i>Dicliptera krugii</i> Urb.	endemic	AR	AR		106	EN	B1ab(iii)	4		
<i>Dicliptera sexangularis</i> (L.) Juss.	native	NAR	NAR		>20,000	LC				
<i>Dieffenbachia seguine</i> (Jacq.) Schott	native	NAR	NAR		>20,000	LC				
<i>Digitaria argillacea</i> (Hitchc. & Chase) Fernald	native	NAR	NAR		>20,000	LC				
<i>Digitaria eggersii</i> (Hack.) Henrard	native	AR	AR		Unable to calculate	CR	C2	2		
<i>Digitaria filiformis</i> (L.) Koeler	native	AR	NAR		>20,000	LC				
<i>Digitaria horizontalis</i> Willd.	native	NAR	NAR		>20,000	LC				
<i>Digitaria insularis</i> (L.) Mez ex Ekman	native	NAR	NAR		>20,000	LC				
<i>Digitaria nuda</i> Schumach.	native	NAR	NAR		>20,000	LC				
<i>Digitaria panicea</i> (Sw.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Digitaria similis</i> Beetle ex Gould	native	NAR	NAR		>20,000	LC				
<i>Digitaria villosa</i> (Walter) Pers.	native	NAR	NAR		>20,000	LC				
<i>Digitaria violascens</i> Link	native	NAR	NAR		>20,000	LC				
<i>Dilomilis montana</i> (Sw.) Summerh.	native	NAR	NAR		>20,000	LC				
<i>Dioclea reflexa</i> Hook. f.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Diodella apiculata</i> (Willd. ex Roem. & Schult.) Delprete	native	NAR	NAR		>20,000	LC				
<i>Diodia sarmentosa</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Diodia serrulata</i> (P. Beauv.) G. Taylor	native	NAR	NAR		>20,000	LC				
<i>Dioscorea chondrocarpa</i> Griseb.	native	AR	AR		Unable to calculate	LC			widespread	
<i>Dioscorea pilosiuscula</i> Bertero ex Spreng.	native	NAR	NAR		>20,000	LC				
<i>Dioscorea polygonoides</i> Humb. & Bonpl. ex Willd.	native	NAR	NAR		>20,000	LC				
<i>Diospyros revoluta</i> Poir.	native	AR	AR		157	VU	B1ab(iii)	10		
<i>Diospyros sintenisii</i> (Krug & Urb.) Standl.	endemic	AR	AR		3,443	VU	B1ab(iii)	6	locally common	
<i>Ditaxis fasciculata</i> Vahl ex A. Juss.	native	NAR	AR		10,640	LC		>15	locally common	
<i>Dittia myricoides</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Dodonaea viscosa</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Dolichopus brevipedicellatus</i> Garcke	native	NAR	NAR		>20,000	LC				
<i>Domingoa haematochila</i> (Rchb. f.) Carabia	native	NAR	NAR		31,793	LC		~10		
<i>Dorstenia contrajerva</i> L.	native	NAR	NAR		>20,000	LC				
<i>Doyerea emetocathartica</i> Grosourdy	native	NAR	NAR		>20,000	LC				
<i>Dracontium asperum</i> K. Koch	native	NAR	NAR		>20,000	LC				
<i>Drosera capillaris</i> Poir.	native	NAR	NAR		>20,000	LC			critically endangered in Puerto Rico	
<i>Drypetes alba</i> Poit.	native	NAR	NAR		>20,000	LC				
<i>Drypetes glauca</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Drypetes ilicifolia</i> Krug & Urb.	native	AR	AR		3,893	VU	B1ab(iii)	<10		
<i>Drypetes lateriflora</i> (Sw.) Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Duranta erecta</i> L.	native	NAR	NAR		>20,000	LC				
<i>Echinochloa polystachya</i> (Kunth) Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Echinodorus berteroi</i> (Spreng.) Fassett	native	NAR	NAR		>20,000	LC				
<i>Eclipta prostrata</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Elaeodendron xylocarpum</i> (Vent.) DC.	native	NAR	NAR		>20,000	LC				
<i>Eleocharis cellulosa</i> Torr.	native	NAR	NAR		>20,000	LC				
<i>Eleocharis debilis</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Eleocharis elegans</i> (Kunth) Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Eleocharis fallax</i> Weath.	native	NAR	NAR		>20,000	LC				
<i>Eleocharis flavescens</i> (Poir.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Eleocharis geniculata</i> (L.) Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Eleocharis interstincta</i> (Vahl) Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Eleocharis montana</i> (Kunth) Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Eleocharis mutata</i> (L.) Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Eleocharis oligantha</i> C.B. Clarke	native	NAR	AR		5,944	LC			not in decline	
<i>Eleocharis pachystyla</i> (C. Wright) C.B. Clarke	native	NAR	NAR		>20,000	LC				
<i>Eleocharis retroflexa</i> (Poir.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Eleocharis rostellata</i> (Torr.) Torr.	native	NAR	NAR		>20,000	LC				
<i>Elephantopus mollis</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Eleutheranthera ruderalis</i> (Sw.) Sch. Bip.	native	NAR	NAR		>20,000	LC				
<i>Elleanthus cordidactylus</i> Ackerman	native	NAR	NAR		>20,000	LC				
<i>Eltropectris calcarata</i> (Sw.) Garay & H.R. Sweet	native	NAR	NAR		>20,000	LC				
<i>Encyclia gravida</i> (Lindl.) Schltr.	native	NAR	NAR		>20,000	LC				
<i>Enicostema verticillatum</i> (L.) Engl. ex Gilg	native	NAR	NAR		>20,000	LC				
<i>Entada polystachya</i> (L.) DC.	native	NAR	NAR		>20,000	LC				
<i>Enydra sessilis</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				
<i>Epidendrum ackermanii</i> Hågsater	endemic	AR	AR		6,798	VU	B1ab(iii)	5	population decline, over-harvesting	
<i>Epidendrum anceps</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Epidendrum angustilobum</i> Fawc. & Rendle	native	AR	NAR		20,523	LC			widespread	

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Epidendrum antillanum</i> Ackerman & Hagsater	native	AR	NAR		>20,000	LC			widespread	
<i>Epidendrum boricuarum</i> Hagsater & L. Sánchez	native	AR	NAR		1,737	LC			abundant	
<i>Epidendrum boricuomutelianum</i> Hagsater & L. Sánchez	endemic	AR	AR		Unable to calculate	CR	C2aii	3	<250 mature individuals	
<i>Epidendrum ciliare</i> L.	native	NAR	NAR		>20,000	LC				
<i>Epidendrum jamaicense</i> Lindl.	native	AR	NAR		>20,000	LC			widespread	
<i>Epidendrum miserrimum</i> Rchb. f.	native	AR	NAR		>20,000	LC			widespread, scattered populations	
<i>Epidendrum nocturnum</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Epidendrum portoricense</i> Hagsater & Ackerman	native	AR	NAR		>20,000	LC			widespread, scattered populations	
<i>Epidendrum ramosum</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Epidendrum rigidum</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Epidendrum vincentinum</i> Lindl.	native	AR	NAR		>20,000	LC			widespread, scattered populations	
<i>Eragrostis eliottii</i> S. Watson	native	NAR	NAR		>20,000	LC				
<i>Eragrostis glutinosa</i> (Sw.) Trin.	native	NAR	AR		Unable to calculate	LC			widespread	
<i>Eragrostis hypnoides</i> (Lam.) Britton, Sterns & Poggenb.	native	NAR	NAR		>20,000	LC				
<i>Eragrostis pectinacea</i> (Michx.) Nees ex Steud.	native	NAR	NAR		>20,000	LC				
<i>Eragrostis urbaniana</i> Hitchc.	native	AR	NAR		>20,000	LC				
<i>Erechtites hieraciifolius</i> (L.) Raf. ex DC.	native	NAR	NAR		>20,000	LC				
<i>Erechtites valerianifolia</i> (Link ex Spreng.) DC.	native	NAR	NAR		>20,000	LC				
<i>Erigeron bellioides</i> DC.	native	AR	NAR		>20,000	LC			widespread	
<i>Erigeron cuneifolius</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Erigeron jamaicensis</i> L.	native	AR	NAR		>20,000	LC			widespread	
<i>Eriochloa polystachya</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Eriochloa punctata</i> (L.) Desv. ex Ham	native	NAR	NAR		>20,000	LC				
<i>Eriochrysis cayennensis</i> P. Beauv.	native	NAR	NAR		>20,000	LC				
<i>Eriosema crinitum</i> (Kunth) G. Don	native	NAR	NAR		>20,000	LC				
<i>Erithalis fruticosa</i> L.	native	NAR	NAR		>20,000	LC				
<i>Erithalis odorifera</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Ernodea littoralis</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Eryngium foetidum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Erythrina berteriana</i> Urb.	native	NAR	NAR		>20,000	LC				
<i>Erythrina eggersii</i> Krukoff & Moldenke	native	NAR	AR	EN	1,264	EN	B1ab(iii)	<5		
<i>Erythroxyllum areolatum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Erythroxyllum brevipes</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Erythroxyllum rotundifolium</i> Lunan	native	NAR	NAR		>20,000	LC				
<i>Erythroxyllum rufum</i> Cav.	native	NAR	NAR		>20,000	LC				
<i>Erythroxyllum urbanii</i> O.E. Schulz	native	NAR	AR		12,147	NT		<12		
<i>Eubrachion ambiguus</i> (Hook. & Arn.) Engl.	native	NAR	NAR		>20,000	LC				
<i>Eugenia axillaris</i> (Sw.) Willd.	native	NAR	NAR		>20,000	LC				
<i>Eugenia bellonis</i> Krug & Urb. ex Urb.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1	Known only from historical collections; possibly extinct	
<i>Eugenia biflora</i> (L.) DC.	native	NAR	NAR		>20,000	LC				
<i>Eugenia boqueronensis</i> Britton	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
<i>Eugenia borinquensis</i> Britton	endemic	AR	AR		4,871	VU	B1ab(iii)	<10		
<i>Eugenia confusa</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Eugenia cordata</i> (Sw.) DC.	native	NAR	AR		5,089	LC		>20		
<i>Eugenia domingensis</i> O. Berg	native	NAR	NAR		>20,000	LC				
<i>Eugenia eggersii</i> Kiaersk.	endemic	NAR	AR		1,188	LC		<10	common, no decline	
<i>Eugenia foetida</i> Pers.	native	NAR	NAR		>20,000	LC				
<i>Eugenia glabrata</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Eugenia haematocarpa</i> Alain	endemic	AR	AR	EN	Unable to calculate	EN	B1ab(iii)	<5		
<i>Eugenia laevis</i> O. Berg	native	NAR	NAR		>20,000	LC				
<i>Eugenia ligustrina</i> (Sw.) Willd.	native	NAR	NAR		>20,000	LC				
<i>Eugenia monticola</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				
<i>Eugenia padronii</i> Alain	endemic	AR	AR		4,574	EN	B1ab(iii)	<5		
<i>Eugenia procera</i> (Sw.) Poir.	native	NAR	NAR		>20,000	LC				
<i>Eugenia pseudopsidium</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Eugenia rhombea</i> (O. Berg) Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Eugenia serrasuela</i> Krug & Urb.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Eugenia sessiliflora</i> Vahl	native	NAR	AR		4,138	NT		~10	locally common	
<i>Eugenia stahlia</i> (Kiaersk.) Krug & Urb.	endemic	AR	AR		2,954	VU	B1ab(iii)	<10		
<i>Eugenia stewardsonii</i> Britton	endemic	AR	AR		448	VU	B1ab(iii)	<10		
<i>Eugenia underwoodii</i> Britton	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Eugenia woodburyana</i> Alain	endemic	AR	AR	CR	5,259	CR	D	3	<250 individuals	
<i>Eulophia alta</i> (L.) Fawc. & Rendle	native	NAR	NAR		>20,000	LC				
<i>Euphorbia articulata</i> Aubl.	native	NAR	AR		9,330	LC		>20		
<i>Euphorbia berteroa</i> Balb.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia blodgettii</i> Engelm. ex Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia cowellii</i> (Millsp.) Oudejans	native	AR	NAR		38,398	LC			undercollected	
<i>Euphorbia cyathophora</i> Murray	native	NAR	NAR		>20,000	LC				
<i>Euphorbia heterophylla</i> L.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia hirta</i> L.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia hypericifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia hyssopifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia lasiocarpa</i> Klotzsch	native	NAR	NAR		>20,000	LC				
<i>Euphorbia mesembryanthemifolia</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia nutans</i> Lag.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia oerstediana</i> (Klotzsch & Garcke) Boiss.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia ophthalmica</i> Pers.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia orbifolia</i> (Alain) Oudejans	endemic	AR	AR		55	CR	B1ab(iii)	1		
<i>Euphorbia pergamena</i> Small	native	AR	NAR		>20,000	LC			widespread	
<i>Euphorbia petiolaris</i> Sims	native	NAR	NAR		>20,000	LC				
<i>Euphorbia prostrata</i> Aiton	native	NAR	NAR		>20,000	LC				
<i>Euphorbia serpens</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Euphorbia tithymaloides</i> L.	native	NAR	NAR		>20,000	LC				
<i>Euphorbia turpinii</i> Boiss.	native	NAR	NAR		>20,000	LC				
<i>Euploca antillana</i> (Urb.) Diane & Hilger	native	AR	AR		Unable to calculate	EN	C2a	2		Only one specimen from Isla de la Juventud, Cuba, 1904
<i>Euploca fruticosa</i> (L.) J.I.M. Melo & Semir	native	NAR	NAR		>20,000	LC				
<i>Euploca lagoensis</i> (Warm.) Diane & Hilger	native	NAR	NAR		>20,000	LC				
<i>Euploca microphylla</i> (Sw. ex Wikstr.) Feuillet	native	NAR	NAR		>20,000	LC				
<i>Euploca procumbens</i> (Mill.) Diane & Hilger	native	NAR	NAR		>20,000	LC				
<i>Euploca ternata</i> (Vahl) J.I.M. Melo & Semir	native	NAR	NAR		>20,000	LC				
<i>Eurystyles ananassocomus</i> (Rchb. f.) Schltr.	native	AR	AR		Unable to calculate	CR	B1ab(iii)	1	Type collection from Jamaica, rare there; possibly extinct from Puerto Rico	
<i>Eustachys petraea</i> (Sw.) Desv.	native	NAR	NAR		>20,000	LC				
<i>Evolvulus alsinoides</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Evolvulus convolvuloides</i> (Willd. ex Schult.) Stearn	native	NAR	NAR		>20,000	LC				
<i>Evolvulus nummularius</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Evolvulus tenuis</i> Mart. ex Choisy	native	AR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Exostema caribaeum</i> (Jacq.) Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Exostema ellipticum</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Exothea paniculata</i> (Juss.) Radlk.	native	NAR	NAR		>20,000	LC				
<i>Faramea occidentalis</i> (L.) A. Rich.	native	NAR	NAR		>20,000	LC				
<i>Fevillea cordifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Ficus americana</i> Aubl.	native	NAR	NAR		>20,000	LC				
<i>Ficus citrifolia</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Ficus crassinervia</i> Desf. ex Willd.	native	NAR	NAR		>20,000	LC				
<i>Ficus trigonata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Fimbristylis complanata</i> (Retz.) Link	native	NAR	NAR	LC	>20,000	LC				
<i>Fimbristylis cymosa</i> R. Br.	native	NAR	NAR		>20,000	LC				
<i>Fimbristylis dichotoma</i> (L.) Vahl	native	NAR	NAR		>20,000	LC				
<i>Fimbristylis ferruginea</i> (L.) Vahl	native	NAR	NAR	LC	>20,000	LC				
<i>Fimbristylis spadiacea</i> (L.) Vahl	native	NAR	NAR		>20,000	LC				
<i>Flaveria bidentis</i> (L.) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Flaveria trinervia</i> (Spreng.) C. Mohr	native	NAR	NAR		>20,000	LC				
<i>Fleischmannia microstemum</i> (Cass.) R.M. King & H. Rob.	native	NAR	NAR		>20,000	LC				
<i>Flueggea acidoton</i> (L.) G.L. Webster	native	NAR	NAR		>20,000	LC				
<i>Forchhammeria brevipes</i> Urb.	native	AR	NAR		21,348	EN	C2ab	<5	uncommon; very restricted; very few individuals	
<i>Forestiera eggersiana</i> Krug & Urb.	native	NAR	AR		1,707	NT		~10	locally common	
<i>Forestiera rhamnifolia</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Forestiera segregata</i> (Jacq.) Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Fuirena robusta</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Fuirena umbellata</i> Rottb.	native	NAR	NAR	LC	>20,000	LC				
<i>Furcraea tuberosa</i> W.T. Aiton	native	NAR	NAR		>20,000	LC				
<i>Galactia dubia</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Galactia longifolia</i> (Jacq.) Benth.	native	NAR	NAR		>20,000	LC				
<i>Galactia striata</i> (Jacq.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Gamochoaeta americana</i> (Mill.) Wedd.	native	NAR	NAR		>20,000	LC				
<i>Gamochoaeta coarctata</i> (Willd.) Kerguelen	native	NAR	NAR		>20,000	LC				
<i>Garcinia hessii</i> (Britton) Alain	endemic	AR	AR		784	EN	B1ab(iii)	2		
<i>Garcinia portoricensis</i> (Urb.) Alain	endemic	AR	AR		5,533	VU	B1ab(iii)	<10		
<i>Gaussia attenuata</i> (O.F. Cook) Becc.	native	AR	AR	VU	6,016	VU	B1ab(iii)	<10		
<i>Genipa americana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Geophila repens</i> (L.) I.M. Johnst.	native	NAR	NAR		>20,000	LC				
<i>Gesneria citrina</i> Urb.	endemic	NAR	AR		1,185	EN	B1ab(iii)	<5		
<i>Gesneria cuneifolia</i> (DC.) Fritsch	endemic	NAR	AR		457	NT		10	not in decline	
<i>Gesneria pauciflora</i> Urb.	endemic	AR	AR		3	CR	B1ab(iii)	1		
<i>Gesneria pedunculosa</i> (DC.) Fritsch	endemic	NAR	AR		7,692	LC		>15		
<i>Gesneria reticulata</i> (Griseb.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Gesneria viridiflora</i> (Decne.) Kuntze	endemic	AR	AR		14,476	VU	B1ab(iii)	<10		
<i>Gibasis geniculata</i> (Jacq.) Rohweder	native	NAR	NAR		>20,000	LC				
<i>Ginoria rohrii</i> (Vahl) Koehne	native	NAR	AR		1,330	NT		~10		
<i>Gnaphalium domingense</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Goetzea elegans</i> Wydler	endemic	AR	AR	EN	11,314	EN	C2a	8	<2500 individuals	
<i>Gonocalyx concolor</i> Nevlng	endemic	AR	AR		1,630	CR	C2b	2		
<i>Gonocalyx portoricensis</i> (Urb.) A.C. Sm.	endemic	AR	AR		8	EN	B1ab(iii)	2		
<i>Gonolobus stephanotrichus</i> Griseb.	native	AR	NAR		>20,000	LC			widespread	
<i>Gonzalagunia hirsuta</i> (Jacq.) K. Schum.	native	NAR	NAR		>20,000	LC				
<i>Gouania lupuloides</i> (L.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Gouania polygama</i> (Jacq.) Urb.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Govenia utriculata</i> (Sw.) Lindl.	native	AR	NAR		>20,000	LC			widespread, scattered ephemeral populations	
<i>Graffenrieda ottoschulzii</i> (Urb. & Ekman) Urb.	native	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
<i>Guaiacum officinale</i> L.	native	NAR	NAR	EN	>20,000	VU	C2a	<50	overharvested	
<i>Guaiacum sanctum</i> L.	native	NAR	NAR	EN	>20,000	VU	C2a	<30	overharvested	
<i>Guapira discolor</i> (Spreng.) Little	native	NAR	NAR		>20,000	LC				
<i>Guapira fragrans</i> (Dum. Cours.) Little	native	NAR	NAR		>20,000	LC				
<i>Guapira obtusata</i> (Jacq.) Little	native	NAR	NAR		>20,000	LC				
<i>Guarea glabra</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Guarea guidonia</i> (L.) Sleumer	native	NAR	NAR		>20,000	LC				
<i>Guatteria blainii</i> (Griseb.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Guatteria carbaea</i> Urb.	native	AR	AR		8,665	VU	B1ab(iii)	10	common, but limited distribution	
<i>Guazuma ulmifolia</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Guettarda elliptica</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Guettarda krugii</i> Urb.	native	NAR	NAR		28,502	LC				
<i>Guettarda odorata</i> (Jacq.) Lam.	native	NAR	NAR		>20,000	LC				
<i>Guettarda ovalifolia</i> Urb.	native	NAR	NAR		>20,000	LC				
<i>Guettarda pungens</i> Urb.	native	NAR	NAR		>20,000	LC				
<i>Guettarda scabra</i> (L.) Lam.	native	NAR	NAR		>20,000	LC				
<i>Guettarda valenzuelana</i> A. Rich.	native	NAR	NAR		>20,000	LC				
<i>Guilandina bonduc</i> L.	native	NAR	NAR		>20,000	LC				
<i>Guilandina ciliata</i> Bergius ex Wikstr.	native	NAR	NAR		>20,000	LC				
<i>Guilandina culebrae</i> Britton & P. Wilson	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Guilandina portoricensis</i> Britton & P. Wilson	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Gundlachia corymbosa</i> (Urb.) Britton ex Bold.	native	NAR	NAR		61,564	LC		>10	widespread	
<i>Guzmania berteroniana</i> (Schult. & Schult. f.) Mez	native	NAR	NAR		>20,000	LC				
<i>Guzmania lingulata</i> (L.) Mez	native	NAR	NAR		>20,000	LC				
<i>Guzmania monostachia</i> (L.) Rusby ex Mez	native	NAR	NAR		>20,000	LC				
<i>Gyminda latifolia</i> (Sw.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Gymnanthes lucida</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Gymnopogon foliosus</i> (Willd.) Nees	native	NAR	NAR		>20,000	LC				
<i>Gymnosiphon niveus</i> (Griseb.) Urb.	native	AR	NAR		>20,000	LC			widespread	
<i>Gymnosiphon sphaerocarpus</i> Urb.	native	AR	AR		3,693	NT		<10	rare; undercollected	
<i>Gynerium sagittatum</i> (Aubl.) P. Beauv.	native	NAR	NAR		>20,000	LC				
<i>Habenaria alata</i> Hook.	native	NAR	NAR		>20,000	LC				
<i>Habenaria amalfitana</i> F. Lehm. & Kraenzl.	native	AR	NAR		>20,000	LC			widespread, scattered populations	
<i>Habenaria distans</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Habenaria eustachya</i> Rchb. f.	native	NAR	NAR		>20,000	LC				
<i>Habenaria monorrhiza</i> (Sw.) Rchb. f.	native	NAR	NAR		>20,000	LC				
<i>Habenaria repens</i> Nutt.	native	NAR	NAR		>20,000	LC				
<i>Haenianthus salicifolius</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Halodule wrightii</i> Asch.	native	NAR	NAR	LC	>20,000	LC				
<i>Halophila baillonis</i> Asch. ex Dickie	native	AR	NAR	VU	>20,000	LC			widespread	
<i>Halophila decipiens</i> Ostenf.	native	NAR	NAR	LC	>20,000	LC				
<i>Halophila engelmannii</i> Asch.	native	AR	NAR	NT	>20,000	LC			widespread	
<i>Hamelia axillaris</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Hamelia patens</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Hapalorchis lineatus</i> (Lindl.) Schltr.	native	NAR	NAR		>20,000	LC				
<i>Harrisia portoricensis</i> Britton	endemic	AR	AR		302	EN	B1ab(iii)	3		
<i>Hebeclinium macrophyllum</i> (L.) DC.	native	NAR	NAR		>20,000	LC				
<i>Hedyosmum arborescens</i> Sw.	native	NAR	NAR		20,316	LC		>10	widespread	

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Helantherum bolivianum</i> (Rusby) Lehtonen & Myllys	native	NAR	NAR		>20,000	LC				
<i>Heliconia bihai</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Heliconia caribaea</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Helicteres jamaicensis</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Heliotropium angiospermum</i> Murray	native	NAR	NAR		>20,000	LC				
<i>Heliotropium curassavicum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Heliotropium indicum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Hemiscola aculeata</i> (L.) Raf.	native	AR	NAR		>20,000	LC			widespread, undercollected	
<i>Henriettea fascicularis</i> (Sw.) Gómez	native	NAR	NAR		>20,000	LC				
<i>Henriettea macfadyenii</i> (Triana) Alain	native	AR	AR		2,408	EN	B1ab(iii)	<5		
<i>Henriettea membranifolia</i> (Cogn.) Alain	endemic	AR	AR	CR	Unable to calculate	CR	B1ab(iii)	1	Known only from historical collections; possibly extinct	
<i>Henriettea squamulosa</i> (Cogn.) Judd	endemic	NAR	AR		3,171	LC				
<i>Herissantia crispa</i> (L.) Brizicky	native	NAR	NAR		>20,000	LC				
<i>Hernandia sonora</i> L.	native	NAR	NAR		>20,000	LC				
<i>Heteranthera limosa</i> (Sw.) Willd.	native	NAR	NAR		>20,000	LC				
<i>Heteranthera reniformis</i> Ruiz & Pav.	native	NAR	NAR		>20,000	LC				
<i>Heteropterys laurifolia</i> (L.) A. Juss.	native	NAR	NAR		>20,000	LC				
<i>Heteropterys purpurea</i> (L.) Kunth	native	NAR	AR		14,494	LC		>100		
<i>Heteropterys wyderana</i> A. Juss.	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
<i>Hibiscus bifurcatus</i> Cav.	native	NAR	NAR		>20,000	LC				
<i>Hibiscus clypeatus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Hibiscus furcellatus</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Hibiscus phoeniceus</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Hibiscus trilobus</i> Aubl.	native	NAR	NAR		>20,000	LC				
<i>Hieronyma clusioides</i> (Tul.) Griseb.	native	NAR	AR	DD (Hyeronima clusioides)	6,331	LC				
<i>Hillia parasitica</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Hippobroma longiflora</i> (L.) G. Don	native	NAR	NAR		>20,000	LC				
<i>Hippocratea volubilis</i> L.	native	NAR	NAR		>20,000	LC				
<i>Hippomane mancinella</i> L.	native	NAR	NAR		>20,000	LC				
<i>Hirtella rugosa</i> Pers.	native	NAR	AR		10,226	LC		>10	Not in decline	
<i>Hirtella triandra</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Hohenbergia antillana</i> Mez	native	NAR	AR		7,199	VU	B1ab(iii)	10	undercollected	
<i>Hohenbergia portoricensis</i> Mez	endemic	AR	AR		3,008	NT		<10	undercollected	
<i>Homalium racemosum</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Homolepis glutinosa</i> (Sw.) Zuloaga & Soderstr.	native	NAR	NAR		>20,000	LC				
<i>Hura crepitans</i> L.	native	NAR	NAR		>20,000	LC				
<i>Hybanthus linearifolius</i> (Vahl) Urb.	native	NAR	NAR		>20,000	LC				
<i>Hydrocleys nymphoides</i> (Humb. & Bonpl. ex Willd.) Buchenau	native	NAR	NAR		>20,000	LC				
<i>Hydrocotyle bonariensis</i> Lam.	native	AR	NAR		>20,000	LC			widespread	
<i>Hydrocotyle hirsuta</i> Sw.	native	NAR	NAR		26,201	LC		>10	widespread; undercollected	
<i>Hydrocotyle pusilla</i> A. Rich.	native	NAR	NAR		>20,000	LC				
<i>Hydrocotyle umbellata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Hydrocotyle verticillata</i> Thunb.	native	NAR	NAR		>20,000	LC				
<i>Hygrophila costata</i> Nees & T. Nees	native	NAR	NAR		>20,000	LC				
<i>Hylocereus triangularis</i> (L.) Britton & Rose	native	NAR	NAR		>20,000	LC				
<i>Hylocereus trigonus</i> (Haw.) Saff.	native	NAR	NAR		>20,000	LC				
<i>Hymenachne amplexicaulis</i> (Rudge) Nees	native	NAR	NAR		>20,000	LC				
<i>Hymenaea courbaril</i> L.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Hymenocallis latifolia</i> (Mill.) M. Roem.	native	NAR	NAR		>20,000	LC				
<i>Hypelate trifoliata</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Hyperbaena domingensis</i> (DC.) Benth.	native	NAR	NAR		>20,000	LC				
<i>Hyperbaena laurifolia</i> (Poir.) Urb.	native	NAR	AR		11,526	NT		<20		
<i>Hypericum diosmoides</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Hypericum hypericoides</i> (L.) Crantz	native	NAR	NAR		>20,000	LC				
<i>Hypoxis decumbens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Hypoxis wrightii</i> (Baker) Brackett	native	NAR	NAR		>20,000	LC				
<i>Hyptis americana</i> (Poir.) Briq.	native	NAR	NAR		>20,000	LC				
<i>Hyptis atrorubens</i> Poit.	native	NAR	NAR		>20,000	LC				
<i>Hyptis capitata</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Hyptis escobilla</i> Urb.	native	NAR	AR		6,438	LC		>10		
<i>Hyptis iantanifolia</i> Poit.	native	NAR	NAR		>20,000	LC				
<i>Hyptis pectinata</i> (L.) Poit.	native	NAR	NAR		>20,000	LC				
<i>Hyptis spicigera</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Hyptis suaveolens</i> (L.) Poit.	native	NAR	NAR		>20,000	LC				
<i>Hyptis verticillata</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Ichnanthus nemorosus</i> (Sw.) Döll.	native	NAR	NAR		>20,000	LC				
<i>Ichnanthus pallens</i> (Sw.) Munro ex Benth.	native	NAR	NAR		>20,000	LC				
<i>Ilex cookii</i> Britton & P. Wilson	endemic	AR	AR	CR	Unable to calculate	CR	B1ab(iii)	1		
<i>Ilex dioica</i> (Vahl) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Ilex guianensis</i> (Aubl.) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Ilex krugiana</i> Loes.	native	NAR	NAR		24,754	LC			widespread	
<i>Ilex macfadyenii</i> (Walp.) Rehder	native	NAR	NAR		>20,000	LC				
<i>Ilex nitida</i> (Vahl) Maxim.	native	NAR	NAR		>20,000	LC				
<i>Ilex obcordata</i> Sw.	native	NAR	NAR	EN (<i>Ilex sintenisii</i>)	>20,000	LC				
<i>Ilex sideroxyloides</i> (Sw.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Ilex urbaniana</i> Loes.	native	AR	AR		Unable to calculate	VU	B1ab(iii)	<10		
<i>Imperata brasiliensis</i> Trin.	native	NAR	NAR		>20,000	LC				
<i>Imperata contracta</i> (Kunth) Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Indigofera micheliana</i> Rose	native	NAR	NAR		>20,000	LC				
<i>Indigofera suffruticosa</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Inga laurina</i> (Sw.) Willd.	native	NAR	NAR		>20,000	LC				
<i>Inga vera</i> Willd.	native	NAR	NAR		>20,000	LC				
<i>Ionopsis satyrioides</i> (Sw.) Rchb. f.	native	NAR	NAR		>20,000	LC				
<i>Ionopsis utricularioides</i> (Sw.) Lindl.	native	NAR	NAR		>20,000	LC				
<i>Ipomoea alba</i> L.	native	NAR	NAR		>20,000	LC				
<i>Ipomoea calantha</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Ipomoea eggertii</i> (House) D.F. Austin	native	AR	AR		Unable to calculate	VU	B1ab(iii)	10		
<i>Ipomoea hederifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Ipomoea imperati</i> (Vahl) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Ipomoea indica</i> (Burm. f.) Merr.	native	NAR	NAR		>20,000	LC				
<i>Ipomoea meyeri</i> (Spreng.) G. Don	native	NAR	NAR		>20,000	LC				
<i>Ipomoea microdactyla</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Ipomoea pes-caprae</i> (L.) R. Br.	native	NAR	NAR		>20,000	LC				
<i>Ipomoea repanda</i> Jacq.	native	NAR	AR		4,318	LC		>12	widespread	
<i>Ipomoea setifera</i> Poir.	native	NAR	NAR		>20,000	LC				
<i>Ipomoea stuedelii</i> Millsp.	native	NAR	AR		7,908	LC		>10	widely distributed in Puerto Rico	
<i>Ipomoea tiliacea</i> (Willd.) Choisy	native	NAR	NAR		>20,000	LC				
<i>Ipomoea triloba</i> L.	native	NAR	NAR		>20,000	LC				
<i>Ipomoea violacea</i> L.	native	NAR	NAR		>20,000	LC				
<i>Iresine angustifolia</i> Euphrasén	native	NAR	NAR		>20,000	LC				
<i>Iresine diffusa</i> Humb. & Bonpl. ex Willd.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Isachne angustifolia</i> Nash	native	NAR	AR		7,301	NT		~10		abundance in Lesser Antilles unknown
<i>Isachne polygonoides</i> (Lam.) Döll.	native	NAR	NAR		>20,000	LC				
<i>Isochilus linearis</i> (Jacq.) R. Br.	native	NAR	NAR		>20,000	LC				
<i>Ixophorus unisetus</i> (J. Presl) Schltld.	native	NAR	NAR		>20,000	LC				
<i>Ixora ferrea</i> (Jacq.) Benth.	native	NAR	NAR		>20,000	LC				
<i>Jacquemontia cayensis</i> Britton	native	AR	NAR		>20,000	LC			widespread	
<i>Jacquemontia cumanaensis</i> (Kunth) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Jacquemontia havanensis</i> (Jacq.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Jacquemontia ovalifolia</i> (Vahl) Hallier f.	native	NAR	NAR		>20,000	LC				
<i>Jacquemontia pentanthos</i> (Jacq.) G. Don	native	NAR	NAR		>20,000	LC				
<i>Jacquemontia solanifolia</i> (L.) Hallier f.	native	NAR	NAR		33,020	LC		>15	widespread	
<i>Jacquemontia tamnifolia</i> (L.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Jacquemontia verticillata</i> (L.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Jacquinia arborea</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Jacquinia berteroi</i> Spreng.	native	NAR	NAR		59,658	LC				
<i>Jacquiella globosa</i> (Jacq.) Schltr.	native	NAR	NAR		>20,000	LC				
<i>Jacquiella teretifolia</i> (Sw.) Britton & P. Wilson	native	NAR	NAR		>20,000	LC				
<i>Jaltomata antillana</i> (Krug & Urb.) D'Arcy	native	AR	NAR		>20,000	LC				
<i>Jatropha gossypifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Jatropha hermandiifolia</i> Vent.	native	NAR	NAR		31,998	LC		>10	common	
<i>Jatropha multifida</i> L.	native	NAR	NAR		>20,000	LC				
<i>Juglans jamaicensis</i> C. DC.	native	NAR	AR	VU	17,511	VU	B1ab(iii)	<10		
<i>Juncus tenuis</i> Willd.	native	AR	AR		1,639	LC			widespread	
<i>Justicia carthaginensis</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Justicia comata</i> (L.) Lam.	native	NAR	NAR		>20,000	LC				
<i>Justicia culebritae</i> Urb.	native	AR	AR		Unable to calculate	CR	B1ab(iii)	1	Known only from Culebrita Island. Questionable occurrence on Virgin Gorda.	
<i>Justicia martinsoniana</i> R.A. Howard	endemic	NAR	AR		4,128	LC		8	fairly abundant	
<i>Justicia mirabiloides</i> Lam.	native	NAR	AR		15,950	LC		>12	widespread	
<i>Justicia periplocifolia</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Kallstroemia maxima</i> (L.) Hook. & Arn.	native	NAR	NAR		>20,000	LC				
<i>Kallstroemia pubescens</i> (G. Don) Dandy	native	NAR	NAR		>20,000	LC				
<i>Koanophyllon dolicholepis</i> (Urb.) R.M. King & H. Rob.	endemic	NAR	AR		989	LC		8	widespread, undercollected; not in decline	
<i>Koanophyllon droserolepis</i> (B.L. Rob.) R.M. King & H. Rob.	endemic	AR	AR		Unable to calculate	VU	B1ab(iii)	2	undercollected	
<i>Koanophyllon polyodon</i> (Urb.) R.M. King & H. Rob.	endemic	NAR	AR		3,920	VU	B1ab(iii)	<10		
<i>Krameria ixine</i> L.	native	NAR	NAR		>20,000	LC				
<i>Krugiodendron ferreum</i> (Vahl) Urb.	native	NAR	NAR		>20,000	LC				
<i>Kyllinga brevifolia</i> Rottb.	native	NAR	NAR		>20,000	LC				
<i>Kyllinga odorata</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Kyllinga pumila</i> Michx.	native	NAR	NAR		>20,000	LC				
<i>Kyllinga tibialis</i> Poit. ex Ledeb.	native	NAR	NAR		>20,000	LC				
<i>Kyllinga vaginata</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Laetia procera</i> (Poepp.) Eichler	native	NAR	NAR		>20,000	LC				
<i>Lagenocarpus guianensis</i> Nees	native	NAR	NAR		>20,000	LC				
<i>Laguncularia racemosa</i> (L.) Gaertn. f.	native	NAR	NAR		>20,000	LC				
<i>Landoltia punctata</i> (G. Mey.) Les & D.J. Crawford	native	AR	NAR	LC	>20,000	LC			widespread	
<i>Lantana camara</i> L.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Lantana exarata</i> Urb. & Ekman	native	NAR	AR		17,163	LC				
<i>Lantana flava</i> Medik.	native	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
<i>Lantana fucata</i> Lindl.	native	NAR	NAR		>20,000	LC				
<i>Lantana glandulosissima</i> Hayek	native	AR	NAR		>20,000	LC			widespread	
<i>Lantana horrida</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Lantana involucrata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Lantana reticulata</i> Pers.	native	NAR	NAR		>20,000	LC				
<i>Lantana strigosa</i> (Griseb.) Urb.	native	AR	AR		Unable to calculate	EN	C2a	2		
<i>Lantana trifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Laplacea portoricensis</i> (Krug & Urb.) Dyer	native	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Laportea aestuans</i> (L.) Chew	native	NAR	NAR		>20,000	LC				
<i>Lasiacis divaricata</i> (L.) Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Lasiacis grisebachii</i> (Nash) Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Lasiacis ligulata</i> Hitchc. & Chase	native	NAR	NAR		>20,000	LC				
<i>Lasiacis ruscifolia</i> (Kunth) Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Lasiacis sloanei</i> (Griseb.) Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Lasiacis sorghoidea</i> (Desv. ex Ham.) Hitchc. & Chase	native	NAR	NAR		>20,000	LC				
<i>Lasianthus lanceolatus</i> (Griseb.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Leersia hexandra</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Leersia monandra</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Lemna aequinoctialis</i> Welw.	native	NAR	NAR	LC	>20,000	LC				
<i>Lemna minuta</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Lemna valdiviana</i> Phil.	native	NAR	NAR		>20,000	LC				
<i>Leochilus puertoricensis</i> M.W. Chase	native	AR	AR		1,079	LC			widespread, scattered populations	
<i>Lepanthes caritensis</i> Tremblay & Ackerman	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	4		
<i>Lepanthes dodiana</i> Stimson	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	~5		
<i>Lepanthes eltoroensis</i> Stimson	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1	population decline	
<i>Lepanthes rubripetala</i> Stimson	endemic	AR	AR		1,008	NT		<10		
<i>Lepanthes rupestris</i> Stimson	endemic	AR	AR		2,929	LC				
<i>Lepanthes selenitapala</i> Rchb. f.	endemic	AR	AR		1,911	EN	B1ab(iii)	2	declining populations	
<i>Lepanthes stimsonii</i> Luer	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	2		
<i>Lepanthes veleziiana</i> Stimson	endemic	AR	AR		1,407	LC			Uncommon, but locally abundant and widespread on island	
<i>Lepanthes woodburyana</i> Stimson	endemic	AR	AR		1,649	LC			Uncommon, but locally abundant and widespread on island	
<i>Lepanthopsis melanantha</i> (Rchb. f.) Ames	native	AR	AR		Unable to calculate	VU	C1aii	10	declining populations	
<i>Lepidaploa borinquensis</i> (Urb.) H. Rob.	endemic	NAR	AR		10,220	LC		>10	widely distributed among montane regions in PR	
<i>Lepidaploa glabra</i> (Willd.) H. Rob.	native	NAR	AR		10,220	LC		>30	widespread, not in decline	
<i>Lepidaploa proctorii</i> (Urbatsch) H. Rob.	endemic	AR	AR		13	CR	B1ab(iii)	1		
<i>Lepidaploa sericea</i> (Rich.) H. Rob.	native	NAR	NAR		31,739	LC		>30	widespread, undercollected	
<i>Lepidium pinnatisectum</i> (O.E. Schulz ex Urb.) C.L. Hitchc	native	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Lepidium virginicum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Leptocereus grantianus</i> Britton	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Leptocereus quadricostatus</i> (Bello) Britton & Rose	native	AR	AR	CR	7,580	CR	D	2	<50 individuals	
<i>Leptochloa fusca</i> (L.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Leptochloa panicea</i> (Retz.) Ohwi	native	NAR	NAR		>20,000	LC				
<i>Leptochloa panicoides</i> (J. Presl) Hitchc.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Leptochloa scabra</i> Nees	native	NAR	NAR		>20,000	LC				
<i>Leptochloa virgata</i> (L.) P. Beauv.	native	NAR	NAR		>20,000	LC				
<i>Libidibia coriaria</i> (Jacq.) Schldtl.	native	NAR	NAR		>20,000	LC				
<i>Licaria brittoniana</i> C.K. Allen & L.E. Greg.	endemic	AR	AR		200	EN	B1ab(iii)	3		
<i>Licaria parvifolia</i> (Lam.) Kosterm.	native	NAR	AR		8,295	LC		>15		
<i>Licaria triandra</i> (Sw.) Kosterm.	native	NAR	NAR		>20,000	LC				
<i>Limnobiium laevigatum</i> (Humb. & Bonpl. ex Willd.) Heine	native	NAR	NAR		>20,000	LC				
<i>Lindernia diffusa</i> (L.) Wettst.	native	NAR	NAR		>20,000	LC				
<i>Lindernia dubia</i> (L.) Pennell	native	NAR	NAR		>20,000	LC				
<i>Liparis nervosa</i> (Thunb.) Lindl.	native	NAR	NAR		>20,000	LC				
<i>Liparis saundersiana</i> Rchb. f.	native	AR	NAR		>20,000	NT		<10	Uncommon on Puerto Rico, Hispaniola, and Jamaica	undercollected
<i>Liparis vexillifera</i> (Lex.) Cogn.	native	NAR	NAR		>20,000	LC				
<i>Lipocarpha micrantha</i> (Vahl) G.C. Tucker	native	NAR	NAR		>20,000	LC				
<i>Lippia alba</i> (Mill.) N.E. Br. ex Britton & P. Wilson	native	NAR	NAR		>20,000	LC				
<i>Lippia micromera</i> Schauer	native	NAR	NAR		>20,000	LC				
<i>Lisianthus laxiflorus</i> Urb.	endemic	NAR	AR		Unable to calculate	VU	B1ab(iii)	<10		
<i>Lithachne pauciflora</i> (Sw.) P. Beauv.	native	NAR	NAR		>20,000	LC				
<i>Lithophila muscoides</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Lobelia assurgens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Lobelia cliffortiana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Lobelia portoricensis</i> (Vatke) Urb.	endemic	NAR	AR		3,390	LC		10	fairly abundant	
<i>Lobelia rotundifolia</i> Juss. ex A. DC.	native	NAR	NAR		>20,000	LC				
<i>Lobelia vivaldii</i> Lammers & Proctor	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1	Restricted to cliff edges in Eastern and Northern Mona	
<i>Lonchocarpus glaucifolius</i> Urb.	native	NAR	AR		9,056	LC		>10		
<i>Lonchocarpus heptaphyllus</i> (Poir.) DC.	native	NAR	NAR		>20,000	LC				
<i>Lonchocarpus sericeus</i> (Poir.) Kunth ex DC.	native	NAR	NAR		36,880	LC		>20		
<i>Lucya tetrandra</i> (L.) K. Schum.	native	NAR	AR		8,582	LC				distribution and abundance in Cuba and Hispaniola unknown
<i>Ludwigia erecta</i> (L.) H. Hara	native	NAR	NAR		>20,000	LC				
<i>Ludwigia leptocarpa</i> (Nutt.) H. Hara	native	NAR	NAR		>20,000	LC				
<i>Ludwigia octovalvis</i> (Jacq.) P.H. Raven	native	NAR	NAR		>20,000	LC				
<i>Ludwigia palustris</i> (L.) Elliott	native	NAR	NAR		>20,000	LC				
<i>Ludwigia peruviana</i> (L.) H. Hara	native	NAR	NAR		>20,000	LC				
<i>Lunania ekmanii</i> Urb.	native	AR	NAR		>20,000	LC				
<i>Lycianthes virgata</i> (Lam.) Bitter	native	NAR	NAR		>20,000	LC				
<i>Lycium americanum</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Lyonia rubiginosa</i> (Pers.) G. Don	native	AR	AR		Unable to calculate	EN	B1ab(iii)	2		
<i>Lyonia stahlii</i> Urb.	native	AR	NAR		>20,000	LC		>10		
<i>Lyonia truncata</i> Urb.	endemic	AR	AR		13,281	VU	B1ab(iii)	<10		
<i>Machaerina restioides</i> (Sw.) Vahl	native	NAR	NAR		>20,000	LC				
<i>Machaerium lunatum</i> (L. f.) Ducke	native	NAR	NAR		>20,000	LC				
<i>Machaonia portoricensis</i> Baill.	endemic	NAR	AR		14,735	NT		<10		
<i>Maclura tinctoria</i> (L.) D. Don ex Steud.	native	NAR	NAR		>20,000	LC				
<i>Macroptilium lathyroides</i> (L.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Magnolia portoricensis</i> Bello	endemic	AR	AR		1,522	LC		<30		
<i>Magnolia splendens</i> Urb.	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	<5	undercollected, overharvested	
<i>Malachra alceifolia</i> Jacq.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Malachra capitata</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Malachra fasciata</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Malachra radiata</i> (L.) L.	native	AR	NAR		>20,000	LC				
<i>Malachra urens</i> Poit. ex Ledeb. & Adlerstam	native	NAR	NAR		>20,000	LC				
<i>Malaxis major</i> (Rchb. f.) León ex A.D. Hawkes	native	AR	AR		1,288	VU	C1aii	3		
<i>Malaxis spicata</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Malpighia coccigera</i> L.	native	NAR	NAR		>20,000	LC				
<i>Malpighia fucata</i> Ker Gawl.	native	AR	AR		7,425	VU	B1ab(iii)	<5		
<i>Malpighia glabra</i> L.	native	NAR	NAR		>20,000	LC				
<i>Malpighia infestissima</i> Rich. ex Nied.	native	AR	NAR		49,341	LC		<10		
<i>Malpighia linearis</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Malpighia setosa</i> Spreng.	native	AR	NAR		26,142	NT		5		
<i>Malpighia woodburyana</i> Vivaldi	native	NAR	AR		7,843	VU	B1ab(iii)	<10		
<i>Malvastrum americanum</i> (L.) Torr.	native	NAR	NAR		>20,000	LC				
<i>Malvastrum corchorifolium</i> (Desr.) Britton ex Small	native	NAR	NAR		>20,000	LC				
<i>Malvastrum coromandelianum</i> (L.) Garcke	native	NAR	NAR		>20,000	LC				
<i>Mammea americana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Mammillaria nivosa</i> Link ex Pfeiff.	native	NAR	NAR		46,620	LC		12		
<i>Manilkara bidentata</i> (A. DC.) A. Chev.	native	NAR	NAR		>20,000	LC				
<i>Manilkara jaimiqui</i> (C. Wright ex Griseb.) Dubard	native	AR	NAR		>20,000	LC				
<i>Manilkara pleeana</i> (Pierre ex Baill.) Cronquist	native	AR	AR	VU	1,396	VU	B1ab(iii)	<10		
<i>Manilkara valenzuelana</i> (A. Rich.) T.D. Penn.	native	NAR	AR		Unable to calculate	LC				
<i>Mappia racemosa</i> Jacq.	native	NAR	AR	VU	137	VU	A1cd	15	overharvested	
<i>Marcgravia rectiflora</i> Triana & Planch.	native	NAR	NAR		>20,000	LC				
<i>Marcgravia sintenisii</i> Urb.	endemic	NAR	AR		7,275	NT		<100		
<i>Margaritaria nobilis</i> L. f.	native	NAR	NAR		>20,000	LC				
<i>Margaritopsis microdon</i> (DC.) C.M. Taylor	native	NAR	NAR		>20,000	LC				
<i>Margaritopsis nutans</i> (Sw.) C.M. Taylor	native	NAR	NAR		>20,000	LC				
<i>Marlierea sintenisii</i> Kiaersk.	endemic	AR	AR	VU	1,067	EN	B1ab(iii)	<5		
<i>Marsdenia elliptica</i> Decne.	endemic	AR	AR		1,874	EN	B1ab(iii)	4		
<i>Marsdenia woodburyana</i> Acev.-Rodr.	endemic	AR	AR		745	CR	C2ai	2		
<i>Marsypianthes chamaedrys</i> (Vahl) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Martynia annua</i> L.	native	NAR	NAR		>20,000	LC				
<i>Matayba domingensis</i> (DC.) Radlk.	native	NAR	NAR		>20,000	LC				
<i>Matelea maritima</i> (Jacq.) Woodson	native	NAR	NAR		>20,000	LC				
<i>Matelea sintenisii</i> (Schltr.) Woodson	endemic	NAR	AR		1,199	VU	B1ab(iii)	8		
<i>Matelea variifolia</i> (Schltr.) Woodson	endemic	NAR	AR		1,538	NT		<10	not in decline; undercollected	
<i>Maytenus cymosa</i> Krug & Urb.	native	NAR	AR	EN	1,430	VU	B1ab(iii)	<10		
<i>Maytenus elongata</i> (Urb.) Britton	native	AR	AR		17,482	VU	B1ab(iii)	8	undercollected	
<i>Maytenus laevigatus</i> (Vahl) Griseb. ex Eggers	native	NAR	NAR		>20,000	LC				
<i>Maytenus ponceana</i> Britton	endemic	AR	AR	VU	Unable to calculate	EN	B1ab(iii)	4		
<i>Mecardonia procumbens</i> (Mill.) Small	native	NAR	NAR		>20,000	LC				
<i>Mecranium latifolium</i> (Cogn.) Skee	native	NAR	NAR		>20,000	LC				
<i>Melampodium divaricatum</i> (Rich.) DC.	native	NAR	NAR		>20,000	LC				
<i>Melanthera nivea</i> (L.) Small	native	NAR	NAR		>20,000	LC				
<i>Meliosma herbertii</i> Rolfe	native	NAR	NAR		>20,000	LC				
<i>Meliosma obtusifolia</i> (Bello) Krug & Urb.	endemic	AR	AR		2,873	VU	B1ab(iii)	<10		
<i>Melocactus intortus</i> (Mill.) Urb.	native	NAR	AR		8,790	LC		>20	widespread, undercollected	
<i>Melochia nodiflora</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Melochia pyramidata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Melochia spicata</i> (L.) Fryxell	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
Melochia tomentosa L.	native	NAR	NAR		>20,000	LC				
Melothria pendula L.	native	NAR	NAR		>20,000	LC				
Mentzelia aspera L.	native	NAR	NAR		>20,000	LC				
Merremia aegyptia (L.) Urb.	native	NAR	NAR		>20,000	LC				
Merremia cissoides (Lam.) Hallier f.	native	NAR	NAR		>20,000	LC				
Merremia dissecta (Jacq.) Hallier f.	native	NAR	NAR		>20,000	LC				
Merremia quinquefolia (L.) Hallier f.	native	NAR	NAR		>20,000	LC				
Merremia umbellata (L.) Hallier f.	native	NAR	NAR		>20,000	LC				
Mesadenus lucayanus (Britton) Schltr.	native	NAR	NAR		>20,000	LC				
Metastelma decipiens Schltr.	native	NAR	NAR		36,342	LC		>16	locally common	
Metastelma leptocladum (Decne.) Schltr.	native	NAR	NAR		>20,000	LC				
Metastelma lineare Bello	native	NAR	NAR		>20,000	LC				
Metastelma monense Britton	endemic	AR	AR		167	EN	B1ab(iii)	2		
Metastelma parviflorum (Sw.) R. Br. ex Schult.	native	NAR	NAR		>20,000	LC				
Metopium toxiferum (L.) Krug & Urb.	native	NAR	NAR		>20,000	LC				
Miconia affinis DC.	native	NAR	NAR		>20,000	LC				
Miconia calycina Cogn.	native	NAR	NAR		68,169	LC				
Miconia foveolata Cogn.	endemic	AR	AR		902	VU	B1ab(iii)	<10		
Miconia impetiolaris (Sw.) D. Don	native	NAR	NAR		>20,000	LC				
Miconia laevigata (L.) D. Don.	native	NAR	NAR		>20,000	LC				
Miconia mirabilis (Aubl.) L.O. Williams	native	NAR	NAR		>20,000	LC				
Miconia pachyphylla Cogn.	endemic	AR	AR		2,780	EN	B1ab(iii)	<5		
Miconia prasina (Sw.) DC.	native	NAR	NAR		>20,000	LC				
Miconia punctata (Desr.) D. Don	native	NAR	NAR		>20,000	LC				
Miconia pycnoneura Urb.	endemic	AR	AR		211	EN	B1ab(iii)	<5		
Miconia pyramidalis (Desr.) DC.	native	NAR	AR		1,675	LC		>10		distribution and abundance in Hispaniola and Cuba unknown
Miconia racemosa (Aubl.) DC.	native	NAR	NAR		>20,000	LC				
Miconia rubiginosa (Bonpl.) DC.	native	NAR	NAR		>20,000	LC				
Miconia serrulata (DC.) Naudin	native	NAR	NAR		>20,000	LC				
Miconia sintenisii Cogn.	endemic	NAR	AR		5,565	LC				
Miconia splendens (Sw.) Griseb.	native	NAR	NAR		>20,000	LC				
Miconia tetrandra (Sw.) D. Don ex G. Don	native	NAR	NAR		22,676	LC				
Miconia theaezans (Bonpl.) Cogn.	native	NAR	NAR		>20,000	LC				
Miconia thomasiana DC.	native	NAR	AR		13,479	LC				
Micranthemum callitrichoides (Griseb.) C. Wright	native	AR	NAR		>20,000	LC			widespread; undercollected	
Micranthemum umbrosum (J.F. Gmel.) S.F. Blake	native	NAR	NAR		>20,000	LC				
Microchilus familiaris Ormerod	native	AR	AR		Unable to calculate	LC			widespread, undercollected	
Microchilus hirtellus (Sw.) D. Dietr.	native	NAR	AR		5,840	LC			widespread, scattered populations	
Microchilus plantagineus (L.) D. Dietr.	native	NAR	NAR		>20,000	LC				
Micropholis garciniifolia Pierre	endemic	AR	AR	NT	50	EN	B1ab(iii)	2		
Micropholis guyanensis (A. DC.) Pierre	native	NAR	NAR		>20,000	LC				
Microstachys corniculata (Vahl) Griseb.	native	NAR	NAR		>20,000	LC				
Microtea debilis Sw.	native	NAR	NAR		>20,000	LC				
Microtea portoricensis Urb.	native	AR	AR		Unable to calculate	VU	B1ab(iii)	<5		
Mikania congesta DC.	native	NAR	NAR		>20,000	LC				
Mikania cordifolia (L. f.) Willd.	native	NAR	NAR		>20,000	LC				
Mikania fragilis Urb.	endemic	NAR	AR		7,003	LC			widespread on PR	
Mikania micrantha Kunth	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Mikania odoratissima</i> Urb.	endemic	NAR	AR		3,882	LC			undercollected; not in decline	
<i>Mikania pachyphylla</i> Urb.	endemic	AR	AR		2,946	EN	B1ab(iii)	2	restricted elevation	
<i>Mikania porosa</i> Urb.	endemic	NAR	AR		5,299	VU	B1ab(iii)	<10		
<i>Mikania stevensiana</i> Britton	endemic	AR	AR		10	CR	B1ab(iii)	1	Known only from Maricao; restricted elevation	
<i>Mimosa ceratonia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Mimosa diplotricha</i> C. Wright ex Sauvalle	native	NAR	NAR		>20,000	LC				
<i>Mimosa pudica</i> L.	native	NAR	NAR		>20,000	LC				
<i>Mimosa quadrivalvis</i> L.	endemic	AR	NAR		>20,000	LC				FWI lists 3 subsp., only <i>Mimosa quadrivalvis</i> L. var. <i>urbaniana</i> Barneby is endemic, others are widespread
<i>Mitracarpus hirtus</i> (L.) DC.	native	NAR	NAR		>20,000	LC				
<i>Mitracarpus maxwelliae</i> Britton & P. Wilson	endemic	AR	AR		24	CR	B1ab(iii)	1	<500 individuals	
<i>Mitracarpus polycladus</i> Urb.	native	AR	AR		76	EN	B1ab(iii)	3		
<i>Mitracarpus portoricensis</i> (Urb.) Urb.	endemic	NAR	NAR		>20,000	LC				
<i>Mitreola petiolata</i> (J.F. Gmel.) Torr. & A. Gray	native	NAR	NAR		>20,000	LC				
<i>Mnesithea granularis</i> (L.) de Koning & Sosef	native	NAR	NAR		>20,000	LC				
<i>Mollugo verticillata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Morisonia americana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Mormolyca pudica</i> (Camevali & J.L. Tapia) M.A. Blanco	native	AR	NAR		23,142	LC			widespread	
<i>Mosiera longipes</i> (O. Berg) Small	native	AR	AR		14,486	VU	B1ab(iii)	<10		
<i>Mosiera xerophytica</i> (Britton) Salywon	native	AR	AR		806	EN	B1ab(iii)	<5		
<i>Mouriri domingensis</i> (Tussac) Spach	native	NAR	AR		8,809	VU	B1ab(iii)	<10		
<i>Mouriri helleri</i> Britton	native	NAR	NAR		48,965	LC				
<i>Mucuna pruriens</i> (L.) DC.	native	NAR	NAR		>20,000	LC				
<i>Mucuna sloanei</i> Fawc. & Rendle	native	NAR	NAR		>20,000	LC				
<i>Mucuna urens</i> (L.) Medik.	native	NAR	NAR		>20,000	LC				
<i>Muhlenbergia capillaris</i> (Lam.) Trin.	native	NAR	NAR		>20,000	LC				
<i>Myrcia amazonica</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Myrcia deflexa</i> (Poir.) DC.	native	NAR	NAR		>20,000	LC				
<i>Myrcia fenzliana</i> O. Berg	native	NAR	NAR		>20,000	LC				
<i>Myrcia guianensis</i> (Aubl.) DC.	native	NAR	NAR		>20,000	LC				
<i>Myrcia margaretae</i> (Alain) Alain	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Myrcia paganii</i> Krug & Urb.	endemic	AR	AR		70	EN	B1ab(iii)	<5		
<i>Myrcia portoricensis</i> (Britton) Cedeño-Mald. & Breckon ex F.S. Axelrod	endemic	AR	AR	EN (<i>Calyptanthes portoricensis</i>)	14	EN	B1ab(iii)	<5		
<i>Myrcia splendens</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				
<i>Myrcianthes fragrans</i> (Sw.) McVaugh	native	NAR	NAR		>20,000	LC				
<i>Myrciaria borinquena</i> Alain	endemic	AR	AR		9,051	VU	B1ab(iii)	<5		
<i>Myrciaria floribunda</i> (H. West ex Willd.) O. Berg	native	NAR	NAR		>20,000	LC				
<i>Myrciaria myrtifolia</i> Alain	endemic	AR	AR		1,634	EN	B1ab(iii)	<5		
<i>Myrica cerifera</i> L.	native	NAR	NAR		>20,000	LC				
<i>Myrica holdridgeana</i> Lundell	endemic	AR	AR		89	EN	B1ab(iii)	<5		
<i>Myriopus maculatus</i> (Jacq.) Feuillet	native	NAR	NAR		>20,000	LC				
<i>Myriopus microphyllus</i> (Bertero ex Spreng.) Feuillet	native	NAR	AR		5,948	LC		>15		
<i>Myriopus volubilis</i> (L.) Small	native	NAR	NAR		>20,000	LC				
<i>Myrsine coriacea</i> (Sw.) R. Br. ex Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Myrsine floridana</i> A. DC.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Myrsine guianensis</i> (Aubl.) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Najas guadalupensis</i> (Spreng.) Magnus	native	NAR	NAR		>20,000	LC				
<i>Najas marina</i> L.	native	NAR	NAR	LC	>20,000	LC				
<i>Nama jamaicense</i> L.	native	NAR	NAR		>20,000	LC				
<i>Nashia inaguensis</i> Millsp.	native	AR	AR		16,034	VU	B1ab(iii)	<10		Several records, including some with coordinates are for cultivated specimens
<i>Nectandra coriacea</i> (Sw.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Nectandra hihua</i> (Ruiz & Pav.) Rohwer	native	NAR	NAR		>20,000	LC				
<i>Nectandra krugii</i> Mez	native	AR	AR	EN	4,923	EN	B1ab(iii)	<5	Timber exploitation	
<i>Nectandra membranacea</i> (Sw.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Nectandra patens</i> (Sw.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Nectandra turbacensis</i> (Kunth) Nees	native	NAR	NAR		>20,000	LC				
<i>Neea buxifolia</i> (Hook. f.) Heimerl	native	NAR	AR		13,786	NT		<20		
<i>Neorudolphia volubilis</i> (Willd.) Britton	endemic	NAR	AR		5,814	LC		>10		
<i>Nepsera aquatica</i> (Aubl.) Naudin	native	NAR	NAR		>20,000	LC				
<i>Neptunia oleracea</i> Lour.	native	NAR	NAR	LC	>20,000	LC				
<i>Neptunia plena</i> (L.) Benth.	native	NAR	NAR		>20,000	LC				
<i>Neurolaena lobata</i> (L.) R. Br. ex Cass.	native	NAR	NAR		>20,000	LC				
<i>Nidema ottonis</i> (Rchb. f.) Britton & Millsp.	native	NAR	NAR		>20,000	LC				
<i>Notopleura guadalupensis</i> (DC.) C.M. Taylor	native	NAR	NAR		>20,000	LC				
<i>Notopleura uliginosa</i> (Sw.) Bremek.	native	NAR	NAR		>20,000	LC				
<i>Nymphaea amazonum</i> Mart. & Zucc.	native	NAR	NAR		>20,000	LC				
<i>Nymphaea ampla</i> (Salisb.) DC.	native	NAR	NAR		>20,000	LC				
<i>Nymphaea conardii</i> Wiersema	native	NAR	NAR		>20,000	LC				
<i>Nymphaea odorata</i> Aiton	native	NAR	NAR		>20,000	LC				
<i>Nymphaea pulchella</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Nymphaea rudgeana</i> G. Mey.	native	NAR	NAR		>20,000	LC				
<i>Nymphoides indica</i> (L.) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Ochroma pyramidale</i> (Cav. ex Lam.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Ocimum campechianum</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Ocotea cuneata</i> (Griseb.) M. Gómez	native	NAR	NAR		>20,000	LC				
<i>Ocotea floribunda</i> (Sw.) Mez	native	NAR	NAR		>20,000	LC				
<i>Ocotea foeniculacea</i> Mez	native	AR	NAR		>20,000	LC				
<i>Ocotea leucoxydon</i> (Sw.) Laness.	native	NAR	NAR		>20,000	LC				
<i>Ocotea moschata</i> (Meisn.) Mez	endemic	NAR	AR		Unable to calculate	VU	B1ab(iii)	<10	range reduction	
<i>Ocotea portoricensis</i> Mez	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	<5	range reduction	
<i>Ocotea spathulata</i> Mez	native	AR	NAR		65,899	LC				small % collections georeferenced
<i>Ocotea wrightii</i> (Meisn.) Mez	native	AR	AR		791	NT		<10		abundance in Cuba and Hispaniola unknown
<i>Oldenlandia uniflora</i> L.	native	NAR	NAR		>20,000	LC				
<i>Oldenlandiopsis callitrichoides</i> (Griseb.) Terrell & W.H. Lewis	native	NAR	NAR		>20,000	LC				
<i>Olyra latifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Oncidium altissimum</i> (Jacq.) Sw.	native	NAR	NAR		>20,000	LC				
<i>Oplismenus compositus</i> (L.) P. Beauv.	native	NAR	NAR		>20,000	LC				
<i>Oplismenus hirtellus</i> (L.) P. Beauv.	native	NAR	NAR		>20,000	LC				
<i>Oplonia microphylla</i> (Lam.) Stearn	native	NAR	NAR		>20,000	LC				
<i>Oplonia spinosa</i> (Jacq.) Raf.	native	NAR	NAR		>20,000	LC				
<i>Opuntia antillana</i> Britton & Rose	native	NAR	NAR		>20,000	LC				
<i>Opuntia borinquensis</i> Britton & Rose	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Opuntia repens</i> Bello	native	NAR	NAR		>20,000	LC				
<i>Opuntia stricta</i> (Haw.) Haw.	native	NAR	NAR		>20,000	LC				
<i>Opuntia triacantha</i> (Willd.) Sweet	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Ormosia krugii</i> Urb.	native	NAR	NAR		>20,000	LC				
<i>Ornithidium coccineum</i> (Jacq.) Salisb.	native	NAR	NAR		>20,000	LC				
<i>Oryza latifolia</i> Desv.	native	NAR	NAR		>20,000	LC				
<i>Ossaea krugiana</i> Cogn.	endemic	AR	AR		22	EN	B1ab(iii)	<5		
<i>Ossaea krugii</i> (Cogn.) Michelangeli & Bécquer	endemic	AR	AR		3,390	LC		<50	not in decline	
<i>Ottoschulzia rhodoxylon</i> (Urb.) Urb.	native	NAR	AR		4,577	EN	C2a	<5	few reproductive individuals known	
<i>Ouratea litoralis</i> Urb.	native	NAR	AR		1,575	NT		<20		
<i>Ouratea striata</i> (Tiegh.) Urb.	native	AR	NAR		>20,000	LC				
<i>Oxalis barrelieri</i> L.	native	NAR	NAR		>20,000	LC				
<i>Oxalis corniculata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Oxalis latifolia</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Oxalis rugeliana</i> Urb.	native	AR	AR		Unable to calculate	VU	B1ab(iii)	<10		
<i>Oxandra lanceolata</i> (Sw.) Baill.	native	NAR	NAR		>20,000	LC				
<i>Oxandra laurifolia</i> (Sw.) A. Rich.	native	NAR	NAR		>20,000	LC				
<i>Oxycaryum cubense</i> (Poepp. & Kunth) Palla	native	NAR	NAR		>20,000	LC				
<i>Oxypetalum cordifolium</i> (Vent.) Schltr.	native	NAR	NAR		>20,000	LC				
<i>Palicourea alpina</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				
<i>Palicourea crocea</i> (Sw.) Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Palicourea croceoides</i> Ham.	native	NAR	NAR		>20,000	LC				
<i>Palicourea guianensis</i> Aubl.	native	NAR	NAR		>20,000	LC				
<i>Panicum aquaticum</i> Poir.	native	NAR	NAR		>20,000	LC				
<i>Panicum dichotomiflorum</i> Michx.	native	NAR	NAR		>20,000	LC				
<i>Panicum diffusum</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Panicum elephantipes</i> Nees ex Trin.	native	NAR	NAR		>20,000	LC				
<i>Panicum ghiesbreghtii</i> E. Fourn.	native	NAR	NAR		>20,000	LC				
<i>Panicum parvifolium</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Panicum rigidulum</i> Bosc ex Nees	native	NAR	NAR		>20,000	LC				
<i>Panicum stevensianum</i> Hitchc. & Chase	native	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
<i>Panicum trichanthum</i> Nees	native	NAR	NAR		>20,000	LC				
<i>Panicum trichidiachne</i> Döll.	native	NAR	NAR		>20,000	LC				
<i>Panicum trichoides</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Panicum venezuelae</i> Hack.	native	NAR	NAR		>20,000	LC				
<i>Pappophorum pappiferum</i> (Lam.) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Parathesis crenulata</i> (Vent.) Hook. f. ex Hemsl.	native	NAR	NAR		>20,000	LC				
<i>Parkinsonia aculeata</i> L.	native?	NAR	NAR		>20,000	LC				
<i>Parthenium hysterophorus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Paspalidium geminatum</i> (Forssk.) Stapf	native	NAR	NAR		>20,000	LC				
<i>Paspalidium pradanum</i> (León ex Hitchc.) Davidse & R.W. Pohl	native	NAR	AR		Unable to calculate	LC		>10		distribution and abundance in Cuba and Hispaniola unknown
<i>Paspalum arundinaceum</i> Poir.	native	NAR	NAR		>20,000	LC				
<i>Paspalum bakeri</i> Hack.	native	NAR	NAR		>20,000	LC				
<i>Paspalum blodgettii</i> Chapm.	native	NAR	NAR		>20,000	LC				
<i>Paspalum boscianum</i> Flügge	native	NAR	NAR		>20,000	LC				
<i>Paspalum caespitosum</i> Flügge	native	NAR	NAR		>20,000	LC				
<i>Paspalum clavuliferum</i> C. Wright	native	NAR	NAR		>20,000	LC				
<i>Paspalum conjugatum</i> P.J. Bergius	native	NAR	NAR		>20,000	LC				
<i>Paspalum decumbens</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Paspalum densum</i> Poir.	native	NAR	NAR		>20,000	LC				
<i>Paspalum dispar</i> Chase	native	NAR	AR		11,834	VU	B1ab(iii)	<10		
<i>Paspalum distichum</i> L.	native	NAR	AR		8,149	LC			widespread	
<i>Paspalum fimbriatum</i> Willd. ex Flügge	native	NAR	NAR		>20,000	LC				
<i>Paspalum laxum</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Paspalum maritimum</i> Trin.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Paspalum millegrana</i> Schrad.	native	NAR	NAR		>20,000	LC				
<i>Paspalum minus</i> E. Fourn.	native	NAR	NAR		>20,000	LC				
<i>Paspalum molle</i> Poir.	native	NAR	AR		15,978	LC				
<i>Paspalum notatum</i> Flügge	native	NAR	NAR		>20,000	LC				
<i>Paspalum orbiculatum</i> Poir.	native	NAR	NAR		>20,000	LC				
<i>Paspalum paniculatum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Paspalum parviflorum</i> Rhode ex Flügge	native	NAR	NAR		>20,000	LC				
<i>Paspalum pleostachyum</i> Döll.	native	NAR	NAR		40,631	LC				
<i>Paspalum plicatulum</i> Michx.	native	NAR	NAR		>20,000	LC				
<i>Paspalum pulchellum</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Paspalum rupestre</i> Trin.	native	NAR	NAR		>20,000	LC				
<i>Paspalum sauetii</i> Chase	native	NAR	NAR		>20,000	LC				
<i>Paspalum setaceum</i> Michx.	native	NAR	NAR		>20,000	LC				
<i>Paspalum vaginatum</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Paspalum virgatum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Passiflora berteroa</i> Balb. ex DC.	native	AR	NAR		>20,000	LC				
<i>Passiflora bilobata</i> Juss.	native	NAR	NAR		>20,000	LC				
<i>Passiflora foetida</i> L.	native	NAR	NAR		>20,000	LC				
<i>Passiflora laurifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Passiflora maliformis</i> L.	native	NAR	NAR		>20,000	LC				
<i>Passiflora multiflora</i> L.	native	NAR	NAR		>20,000	LC				
<i>Passiflora murucuja</i> L.	native	NAR	AR		Unable to calculate	LC		<10		status in Cuba unclear
<i>Passiflora rubra</i> L.	native	NAR	NAR		>20,000	LC				
<i>Passiflora serrato-digitata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Passiflora sexflora</i> Juss.	native	NAR	NAR		>20,000	LC				
<i>Passiflora suberosa</i> L.	native	NAR	NAR		>20,000	LC				
<i>Passiflora tulae</i> Urb.	endemic	NAR	AR		4,150	NT		>10		
<i>Paullinia pinnata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Pavonia corymbosa</i> (Sw.) Willd.	native	NAR	NAR		>20,000	LC				
<i>Pavonia fruticosa</i> (Mill.) Fawc. & Rendle	native	NAR	NAR		>20,000	LC				
<i>Pavonia paludicola</i> Nicolson ex Fryxell	native	NAR	NAR		>20,000	LC				
<i>Pavonia paniculata</i> Cav.	native	NAR	NAR		>20,000	LC				
<i>Pavonia spinifex</i> (L.) Cav.	native	NAR	NAR		>20,000	LC				
<i>Pectis carthusianorum</i> Less.	native	AR	AR		183	LC		>12	widespread, undercollected	
<i>Pectis ciliaris</i> L.	native	AR	NAR		>20,000	LC			widespread	
<i>Pectis elongata</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Pectis humifusa</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Pectis linearis</i> La Llave	native	AR	NAR		>20,000	LC			widespread	
<i>Pectis linifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Pectis prostrata</i> Cav.	native	NAR	NAR		>20,000	LC				
<i>Pectis tenuicaulis</i> Urb.	native	AR	NAR		>20,000	LC				
<i>Pentalinon luteum</i> (L.) B.F. Hansen & Wunderlin	native	NAR	NAR		>20,000	LC				
<i>Peperomia alata</i> Ruiz & Pav.	native	NAR	NAR		>20,000	LC				
<i>Peperomia cogniauxii</i> Urb.	native	NAR	AR		1,596	VU	B1ab(iii)	<10		distribution and abundance in Hispaniola unknown
<i>Peperomia dendrophila</i> Schldt. & Cham.	native	AR	NAR		>20,000	LC				
<i>Peperomia distachya</i> (L.) A. Dietr.	native	NAR	NAR		>20,000	LC				
<i>Peperomia emarginella</i> (Sw. ex Wikstr.) C. DC.	native	NAR	NAR		>20,000	LC				
<i>Peperomia glabella</i> (Sw.) A. Dietr.	native	NAR	NAR		>20,000	LC				
<i>Peperomia hernandiifolia</i> (Vahl) A. Dietr.	native	NAR	NAR		>20,000	LC				
<i>Peperomia humilis</i> (Vahl) A. Dietr.	native	NAR	NAR		>20,000	LC				
<i>Peperomia maculosa</i> (L.) W. Hook.	native	NAR	NAR		>20,000	LC				
<i>Peperomia magnoliifolia</i> (Jacq.) A. Dietr.	native	NAR	NAR		>20,000	LC				
<i>Peperomia megalopoda</i> Trel.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1	Known only from the type	

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Peperomia myrtifolia</i> (Vahl) A. Dietr.	native	NAR	NAR		>20,000	LC				
<i>Peperomia obtusifolia</i> (L.) A. Dietr.	native	NAR	NAR		>20,000	LC				
<i>Peperomia parvulifolia</i> Trel.	native	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
<i>Peperomia pellucida</i> (L.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Peperomia portoricensis</i> Urb.	native	AR	NAR		>20,000	LC				
<i>Peperomia quadrifolia</i> (L.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Peperomia rhombea</i> Ruiz & Pav.	native	NAR	NAR		>20,000	LC				
<i>Peperomia robustior</i> (Dahlst.) Urb.	endemic	AR	AR		Unable to calculate	LC				
<i>Peperomia rotundifolia</i> (L.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Peperomia serpens</i> (Sw.) Loud.	native	NAR	NAR		>20,000	LC				
<i>Peperomia tenella</i> (Sw.) A. Dietr.	native	NAR	NAR		>20,000	LC				
<i>Peperomia tetraphylla</i> (G. Forst.) Hook. & Arn.	native	NAR	NAR		>20,000	LC				
<i>Peperomia urocarpa</i> Fisch. & C.A. Mey.	native	NAR	NAR		>20,000	LC				
<i>Peperomia wheeleri</i> Britton	native	AR	AR		0	CR	B1ab(iii)	1	Known only from Culebra Island	
<i>Peperomia yabucoana</i> Urb. & C. DC.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1	Not collected since 1922, possibly extinct	
<i>Persea krugii</i> Mez	native	NAR	NAR		>20,000	LC				
<i>Persea urbaniana</i> Mez	native	AR	AR		5,323	NT		<10		abundance in Lesser Antilles unknown
<i>Petitia domingensis</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Petiveria alliacea</i> L.	native	NAR	NAR		>20,000	LC				
<i>Pfaffia aurata</i> (Mart.) Borsch	native	AR	NAR		>20,000	LC			widespread	
<i>Pharus lappulaceus</i> Aubl.	native	NAR	NAR		>20,000	LC				
<i>Pharus latifolius</i> L.	native	NAR	NAR		>20,000	LC				
<i>Pharus parvifolius</i> Nash	native	NAR	NAR		>20,000	LC				
<i>Phialanthus grandifolius</i> Alain	endemic	AR	AR		372	EN	B1ab(iii)	<5		
<i>Phialanthus myrtilloides</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Philodendron consanguineum</i> Schott	native	NAR	NAR		>20,000	LC				
<i>Philodendron giganteum</i> Schott	native	NAR	NAR		>20,000	LC				
<i>Philodendron hederaceum</i> (Jacq.) Schott	native	NAR	NAR		>20,000	LC				
<i>Philodendron lingulatum</i> (L.) K. Koch	native	NAR	AR		16,471	NT		9	undercollected; population reduction	
<i>Phlebotaenia cowellii</i> Britton	endemic	NAR	AR		5,452	EN	C1	<10		
<i>Phoradendron anceps</i> (Spreng.) M. Gómez	native	NAR	NAR		>20,000	LC				
<i>Phoradendron berterioanum</i> (DC.) Nutt.	native	NAR	NAR		>20,000	LC				
<i>Phoradendron dipterum</i> Eichler	native	NAR	NAR		>20,000	LC				
<i>Phoradendron hexastichum</i> (DC.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Phoradendron mucronatum</i> (DC.) Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Phoradendron piperoides</i> (Kunth) Trel.	native	NAR	NAR		>20,000	LC				
<i>Phoradendron quadrangulare</i> (Kunth) Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Phoradendron racemosum</i> (Aubl.) Krug & Urb.	native	NAR	NAR		>20,000	LC				
<i>Phoradendron rubrum</i> (L.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Phoradendron trinervium</i> (Lam.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Phragmites australis</i> (Cav.) Steud.	native	NAR	NAR		>20,000	LC				
<i>Phyla lanceolata</i> (Michx.) Greene	native	NAR	NAR		>20,000	LC				
<i>Phyla nodiflora</i> (L.) Greene	native	NAR	NAR		>20,000	LC				
<i>Phyla scaberrima</i> (Juss. ex Pers.) Moldenke	native	NAR	NAR		>20,000	LC				
<i>Phyla stoechadifolia</i> (L.) Small	native	NAR	NAR		>20,000	LC				
<i>Phyla strigulosa</i> (M. Martens & Galeotti) Moldenke	native	AR	NAR		>20,000	LC			widespread	
<i>Phyllanthus acuminatus</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Phyllanthus amarus</i> Schumach. & Thonn.	native	NAR	NAR		>20,000	LC				
<i>Phyllanthus cuneifolius</i> (Britton) Croizat	native	NAR	AR		9,793	VU	B1ab(iii)	<10		

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Phyllanthus epiphyllanthus</i> L.	native	NAR	NAR		>20,000	LC				
<i>Phyllanthus juglandifolius</i> Willd.	native	NAR	NAR		>20,000	LC				
<i>Phyllanthus niruri</i> L.	native	NAR	NAR		>20,000	LC				
<i>Phyllanthus pentaphyllus</i> C. Wright ex Griseb.	native	NAR	NAR		>20,000	LC				
<i>Phyllanthus stipulatus</i> (Raf.) G.L. Webster	native	NAR	NAR		>20,000	LC				
<i>Physalis angulata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Physalis cordata</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Physalis pubescens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Phytolacca icosandra</i> L.	native?	NAR	NAR		>20,000	LC				
<i>Phytolacca rivinoides</i> Kunth & C.D. Bouché	native	NAR	NAR		>20,000	LC				
<i>Picramnia pentandra</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Picrasma excelsa</i> (Sw.) Planch.	native	NAR	NAR	VU	>20,000	VU	A1cd	10	overharvested	
<i>Pictetia aculeata</i> (Vahl) Urb.	native	NAR	NAR		>20,000	LC				
<i>Pilea hemiarioides</i> (Sw.) Lindl.	native	NAR	NAR		>20,000	LC				
<i>Pilea inaequalis</i> (Juss. ex Poir.) Wedd.	native	NAR	NAR		>20,000	LC				
<i>Pilea krugii</i> Urb.	endemic	AR	AR		4,517	EN	B1ab(iii)	<5		
<i>Pilea leptophylla</i> Urb.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Pilea margarettae</i> Britton	native	AR	AR		941	EN	B1ab(iii)	<5		
<i>Pilea microphylla</i> (L.) Liebm.	native	NAR	NAR		>20,000	LC				
<i>Pilea multicaulis</i> Urb.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Pilea nummularifolia</i> (Sw.) Wedd.	native	NAR	NAR		>20,000	LC				
<i>Pilea parietaria</i> (L.) Blume	native	NAR	NAR		>20,000	LC				
<i>Pilea rivoriae</i> Wedd.	native	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Pilea sanctae-crucis</i> Liebm.	native	AR	AR		2	EN	B1ab(iii)	<5		
<i>Pilea semidentata</i> (Juss. ex Poir.) Wedd.	native	NAR	AR		9,808	LC				
<i>Pilea tenerrima</i> Miq.	native	NAR	NAR		>20,000	LC				
<i>Pilea yunquensis</i> (Urb.) Britton & P. Wilson	endemic	NAR	AR		1,685	NT		<20		
<i>Pilocarpus racemosus</i> Vahl	native	NAR	NAR		>20,000	LC				
									widespread, threatened by invasive <i>Hypogeococcus pungens</i>	
<i>Pilosocereus royenii</i> (L.) Byles & Rowley	native	NAR	AR		8,931	LC		>20		
<i>Pimenta racemosa</i> (Mill.) J.W. Moore	native	NAR	NAR		>20,000	LC				
<i>Pinochia corymbosa</i> (Jacq.) M.E. Endress & B.F. Hansen	endemic	NAR	NAR		28,797	LC				
<i>Pinzona coriacea</i> Mart. & Zucc.	native	NAR	NAR		>20,000	LC				
<i>Piper aduncum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Piper amalago</i> L.	native	NAR	NAR		>20,000	LC				
<i>Piper blattarum</i> Spreng.	native	AR	AR		8,599	VU	B1ab(iii)	<10	Possibly extinct in VI	
<i>Piper dilatatum</i> Rich.	native	NAR	NAR		>20,000	LC				
<i>Piper glabrescens</i> (Miq.) C. DC.	native	NAR	NAR		>20,000	LC				
<i>Piper hispidum</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Piper jacquemontianum</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Piper marginatum</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Piper peltatum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Piper swartzianum</i> (Miq.) C. DC.	native	NAR	NAR		>20,000	LC				
<i>Piper tuberculatum</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Piper umbellatum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Piptocarpha tetrantha</i> Urb.	endemic	NAR	AR		4,183	VU	B1ab(iii)	<10		
<i>Piptocoma acevedoi</i> Pruski	endemic	AR	AR		925	EN	B1ab(iii)	2		
<i>Piptocoma antiillana</i> Urb.	native	NAR	NAR		43,525	LC		>15	widespread	
<i>Piriqueta cistoides</i> (L.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Piriqueta racemosa</i> (Jacq.) Sweet	native	NAR	NAR		>20,000	LC				
<i>Piriqueta viscosa</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Piscidia carthagenensis</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Pisonia aculeata</i> L.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Pisonia albida</i> (Heimerl) Britton ex Standl.	native	NAR	NAR		>20,000	LC				
<i>Pisonia subcordata</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Pisonia taina</i> Trejo	endemic	AR	AR		0	EN	B1ab(iii)	<5		
<i>Pistia stratiotes</i> L.	native	NAR	NAR	LC	>20,000	LC				
<i>Pitcairnia angustifolia</i> Sol. ex Aiton	native	NAR	NAR		>20,000	LC				
<i>Pithecellobium unguis-cati</i> (L.) Benth.	native	NAR	NAR		>20,000	LC				
<i>Pleodendron macranthum</i> (Baill.) Tiegh.	endemic	AR	AR	CR	Unable to calculate	CR	B1ab(iii)	1		
<i>Pleurothallis angustifolia</i> Lindl.	native	NAR	NAR		>20,000	LC				
<i>Pleurothallis appendiculata</i> Cogn.	native	AR	AR		Unable to calculate	VU	C1aii	3	uncommon	
<i>Pleurothallis aristata</i> Hook.	native	NAR	NAR		>20,000	LC				
<i>Pleurothallis domingensis</i> Cogn.	native	NAR	NAR		>20,000	LC				
<i>Pleurothallis gelida</i> Lindl.	native	NAR	NAR		>20,000	LC				
<i>Pleurothallis obovata</i> (Lindl.) Lindl.	native	AR	NAR		>20,000	LC			widespread, common	
<i>Pleurothallis pruinosa</i> Lindl.	native	NAR	NAR		>20,000	LC				
<i>Pleurothallis pubescens</i> Lindl.	native	AR	NAR		>20,000	LC			widespread, common	
<i>Pleurothallis quadrifida</i> (Lex.) Lindl.	native	NAR	NAR		>20,000	LC				
<i>Pleurothallis ruscifolia</i> (Jacq.) R. Br.	native	NAR	NAR		>20,000	LC				
<i>Pluchea carolinensis</i> (Jacq.) G. Don	native	NAR	NAR		>20,000	LC				
<i>Pluchea odorata</i> (L.) Cass.	native	NAR	NAR		>20,000	LC				
<i>Plumeria alba</i> L.	native	NAR	NAR		>20,000	LC				
<i>Plumeria krugii</i> Urb.	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
<i>Plumeria obtusa</i> L.	native	NAR	NAR		>20,000	LC				
<i>Podocarpus coriaceus</i> Rich. & A. Rich.	native	AR	AR	NT	3,489	LC				
<i>Poitea florida</i> (Vahl) Lavin	native	NAR	NAR		36,128	LC		>15		
<i>Poitea paucifolia</i> (DC.) Lavin	native	NAR	NAR		>20,000	LC				
<i>Poitea punicea</i> (Urb.) Lavin	endemic	NAR	AR		7,744	VU	B1ab(iii)	<10		
<i>Polygala crucianelloides</i> DC.	native	NAR	AR		1,214	VU	B1ab(iii)	<10		
<i>Polygala hecatantha</i> Urb.	native	AR	NAR		38,780	LC			not in decline	
<i>Polygala longicaulis</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Polygala paniculata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Polygonum acuminatum</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Polygonum glabrum</i> Willd.	native	NAR	NAR		>20,000	LC				
<i>Polygonum hydropiperoides</i> Michx.	native	NAR	NAR		>20,000	LC				
<i>Polygonum punctatum</i> Elliott	native	NAR	NAR		>20,000	LC				
<i>Polygonum segetum</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Polypremum procumbens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Polystachya concreta</i> (Jacq.) Garay & H.R. Sweet	native	NAR	NAR		>20,000	LC				
<i>Polystachya foliosa</i> (Hook.) Rchb. f.	native	NAR	NAR		>20,000	LC				
<i>Ponthieva racemosa</i> (Walter) C. Mohr.	native	NAR	NAR		>20,000	LC				
<i>Ponthieva ventricosa</i> (Griseb.) Fawc. & Rendle	native	NAR	AR		1,330	LC			widespread, common	
<i>Porophyllum leiocarpum</i> (Urb.) Rydb.	endemic	NAR	AR		7,537	VU	B1ab(iii)	<10	undercollected	
<i>Porophyllum ruderale</i> (Jacq.) Cass.	native	NAR	NAR		>20,000	LC				
<i>Portulaca caulerpoides</i> Britton & P. Wilson	endemic	AR	AR		1,608	VU	B1ab(iii)	<10		
<i>Portulaca halimoides</i> L.	native	NAR	NAR		>20,000	LC				
<i>Portulaca oleracea</i> L.	native	NAR	NAR		>20,000	LC				
<i>Portulaca pilosa</i> L.	native	NAR	NAR		>20,000	LC				
<i>Portulaca quadrifida</i> L.	native	NAR	NAR		>20,000	LC				
<i>Portulaca rubricaulis</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Portulaca teretifolia</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Potamogeton foliosus</i> Raf.	native	NAR	NAR		>20,000	LC				
<i>Potamogeton illinoensis</i> Morong	native	NAR	NAR		>20,000	LC				
<i>Potamogeton nodosus</i> Poir.	native	NAR	NAR	LC	>20,000	LC				
<i>Pouteria dictyoneura</i> (Griseb.) Radlk.	native	NAR	NAR		>20,000	LC				
<i>Pouteria hotteana</i> (Urb. & Ekman) Baheni	native	AR	AR	EN	5,456	EN	B1ab(iii)	2		

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Pouteria multiflora</i> (A. DC.) Eyma	native	NAR	NAR		>20,000	LC				
<i>Pouzolzia occidentalis</i> (Liebm.) Wedd.	native	NAR	NAR		>20,000	LC				
<i>Prescottia oligantha</i> (Sw.) Lindl.	native	NAR	NAR		>20,000	LC				
<i>Prescottia stachyodes</i> (Sw.) Lindl.	native	NAR	NAR		>20,000	LC				
<i>Prestoea montana</i> (R. Graham) G. Nicholson	native	NAR	NAR		>20,000	LC				
<i>Pristimera celastroides</i> (Kunth) A.C. Sm.	native	NAR	NAR		>20,000	LC				
<i>Priva lappulacea</i> (L.) Pers.	native	NAR	NAR		>20,000	LC				
<i>Priva portoricensis</i> Urb.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Prockia crucis</i> L.	native	NAR	NAR		>20,000	LC				
<i>Prosthechea cochleata</i> (L.) W.E. Higgins	native	NAR	NAR		>20,000	LC				
<i>Prosthechea pygmaea</i> (Hook.) W.E. Higgins	native	NAR	NAR		>20,000	LC				
<i>Prunus myrtifolia</i> (L.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Prunus occidentalis</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Pseudabutilon umbellatum</i> (L.) Fryxell	native	NAR	NAR		>20,000	LC				
<i>Pseudelephantopus spicatus</i> (B. Juss. ex Aubl.) C.F. Baker	native	NAR	NAR		>20,000	LC				
<i>Pseudelephantopus spiralis</i> (Less.) Cronquist	native	NAR	NAR		>20,000	LC				
<i>Pseudolmedia spuria</i> (Sw.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Pseudophoenix sargentii</i> H. Wendl. ex Sarg.	native	NAR	NAR		>20,000	LC				
<i>Psidium amplexicaule</i> Pers.	native	AR	NAR		>20,000	LC				
<i>Psidium calyptanthoides</i> Alain	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Psidium guajava</i> L.	native	NAR	NAR		>20,000	LC				
<i>Psidium sintenisii</i> (Kiaersk.) Alain	endemic	AR	AR	CR	Unable to calculate	EN	B1ab(iii)	<5		
<i>Psiguria ottoniana</i> (Schltdl.) C. Jeffrey	native	AR	NAR		>20,000	LC		>15		
<i>Psiguria pedata</i> (L.) R.A. Howard	native	AR	NAR		28,294	LC		>15	widespread, undercollected	
<i>Psiguria trifoliata</i> (L.) Alain	native	AR	AR		Unable to calculate	LC		>15		
<i>Psilochilus macrophyllus</i> (Lindl.) Ames	native	NAR	NAR		>20,000	LC				
<i>Psychilis kraenzlinii</i> (Bello) Saulea	endemic	NAR	AR		6,128	VU	B1ab(iii)	9	declining populations, over-collected	
<i>Psychilis krugii</i> (Bello) Saulea	endemic	AR	AR		730	NT		3	abundant, not declining	
<i>Psychilis macconnelliae</i> Saulea	native	NAR	NAR		118,064	LC		8	abundant, not declining	
<i>Psychilis monensis</i> Saulea	endemic	AR	AR		180	NT		1	abundant, not declining	
<i>Psychotria berteriana</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Psychotria brachiata</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Psychotria deflexa</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Psychotria domingensis</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Psychotria glabrata</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Psychotria grandis</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Psychotria hoffmannseggiana</i> (Willd. ex Schult.) Müll. Arg.	native	NAR	NAR		>20,000	LC				
<i>Psychotria ligustrifolia</i> (Northr.) Millsp.	native	NAR	NAR		>20,000	LC				
<i>Psychotria maleolens</i> Urb.	endemic	AR	AR		2,511	EN	B1ab(iii)	<5		
<i>Psychotria maricaensis</i> Urb.	endemic	AR	AR		1,190	EN	B1ab(iii)	<5		
<i>Psychotria nervosa</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Psychotria officinalis</i> (Aubl.) Raeusch. ex Sandwith	native	NAR	NAR		>20,000	LC				
<i>Psychotria paniculata</i> (Aubl.) Raeusch.	native	NAR	NAR		>20,000	LC				
<i>Psychotria patens</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Psychotria pubescens</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Psychotria revoluta</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Psychotria tenuifolia</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Pterocarpus officinalis</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Pterocaulon alopecuroideum</i> (Lam.) DC.	native	NAR	NAR		>20,000	LC				
<i>Pterocaulon virgatum</i> (L.) DC.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Pterolepis glomerata</i> (Rottb.) Miq.	native	NAR	NAR		>20,000	LC				
<i>Ptilimnium capillaceum</i> Michx. Raf. ex Ser.	native	NAR	NAR		>20,000	LC				
<i>Quadrella cynophallophora</i> (L.) Hutch.	native	NAR	NAR		>20,000	LC				
<i>Quadrella indica</i> (L.) Ilitis & Cornejo	native	NAR	NAR		>20,000	LC				
<i>Quararibea turbinata</i> (Sw.) Poir.	native	NAR	NAR		>20,000	LC				
<i>Rajania cordata</i> L.	endemic	NAR	NAR		>20,000	LC				
<i>Randia aculeata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Randia parvifolia</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Randia portoricensis</i> (Urb.) Britton & Standl.	native	AR	AR		6,943	CR	B1ab(v) + 2ab(v); C1 + 2a (i); D	2	<250 individuals	
<i>Ranunculus recurvatus</i> Poir.	native	NAR	NAR		>20,000	LC				
<i>Rauvolfia nitida</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Rauvolfia viridis</i> Willd. ex Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Ravenia urbanii</i> Engl.	endemic	AR	AR		3,011	EN	B1ab(iii)	<5		
<i>Remirea maritima</i> Aubl.	native	NAR	NAR		>20,000	LC				
<i>Renealmia alpinia</i> (Rottb.) Maas	native	NAR	NAR		>20,000	LC				
<i>Renealmia aromatica</i> (Aubl.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Renealmia jamaicensis</i> (Gaertn.) Horan.	native	NAR	NAR		>20,000	LC				
<i>Reynosia krugii</i> Urb.	endemic	AR	AR		10,004	LC			not in decline	
<i>Reynosia uncinata</i> Urb.	native	NAR	NAR		39,691	LC				
<i>Reynosia vivesiana</i> Trejo	endemic	AR	AR		348	CR	B1ab(iii)	1	Known only from Guanica Forest Reserve	
<i>Rhabdadenia biflora</i> (Jacq.) Müll. Arg.	native	NAR	NAR		>20,000	LC				
<i>Rhamnus sphaerosperma</i> Sw.	native	AR	NAR		>20,000	LC				
<i>Rhexia cubensis</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Rhipsalis baccifera</i> (J.S. Muell.) Stearn	native	NAR	NAR		>20,000	LC				
<i>Rhizophora mangle</i> L.	native	NAR	NAR		>20,000	LC				
<i>Rhynchosia minima</i> (L.) DC.	native	NAR	NAR		>20,000	LC				
<i>Rhynchosia phaseoloides</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				
<i>Rhynchosia reticulata</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora alba</i> (L.) Vahl	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora berteroi</i> (Spreng.) C.B. Clarke	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora brachychaeta</i> C. Wright	native	AR	NAR		>20,000	LC			widespread	
<i>Rhynchospora ciliata</i> (G. Mey.) Kük.	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora colorata</i> (L.) H. Pfeiff.	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora contracta</i> (Nees) J. Raynal	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora corymbosa</i> (L.) Britton	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora depressirostris</i> M.T. Strong	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Rhynchospora divaricata</i> (Desv. ex Ham.) M.T. Strong	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora domingensis</i> Urb.	native	NAR	NAR		28,076	LC		>10		
<i>Rhynchospora fascicularis</i> (Michx.) Vahl	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora filiformis</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora galeana</i> Naczi, W.M. Knapp, & Gerry Moore	native	AR	NAR		>20,000	LC			widespread	
<i>Rhynchospora gigantea</i> Link	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora holoschoenoides</i> (Rich.) Herter	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora jamaicensis</i> Britton	native	NAR	AR		3,581	LC		>10	undercollected	
<i>Rhynchospora lindeniana</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora marisculus</i> Lindl. & Nees	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora microcarpa</i> Baldwin ex A. Gray	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora nitens</i> (Vahl) A. Gray	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora odorata</i> C. Wright ex Griseb.	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora plumosa</i> Elliott	native	NAR	NAR		>20,000	LC				
<i>Rhynchospora pusilla</i> Chapm. ex M.A. Curtis	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
Rhynchospora racemosa C. Wright	native	NAR	NAR		>20,000	LC				
Rhynchospora radicans (Schltld. & Cham.) H. Pfeiff.	native	NAR	NAR		>20,000	LC				
Rhynchospora rariflora (Michx.) Elliott	native	NAR	NAR		>20,000	LC				
Rhynchospora recognita (Gale) Kral	native	NAR	NAR		>20,000	LC				
Rhynchospora rugosa (Vahl) Gale	native	NAR	NAR		>20,000	LC				
Rhynchospora tenerrima Nees ex Spreng.	native	NAR	NAR		>20,000	LC				
Rhynchospora uniflora Boeckeler	native	NAR	NAR		>20,000	LC				
Rhynchospora velutina (Kunth) Boeckeler	native	NAR	NAR		>20,000	LC				
Rhynchospora wrightiana Boeckeler	native	NAR	NAR		>20,000	LC				
Rhytidophyllum auriculatum Hook.	native	NAR	NAR		>20,000	LC				
Richardia scabra L.	native	NAR	NAR		>20,000	LC				
Rivina humilis L.	native	NAR	NAR		>20,000	LC				
Rocheportia acanthophora (DC.) Griseb.	native	NAR	NAR		>20,000	LC				
Rocheportia spinosa (Jacq.) Urb.	native	AR	NAR		>20,000	LC				
Rolandra fruticosa (L.) Kuntze	native	NAR	NAR		>20,000	LC				
Rollinia mucosa (Jacq.) Baill.	native	NAR	NAR		>20,000	LC				
Rondeletia inermis (Spreng.) Krug & Urb.	endemic	NAR	AR		12,167	LC				
Rondeletia pilosa Sw.	native	AR	AR		6,754	VU	B1ab(iii)	6		
Rondeletia portoricensis Krug & Urb.	endemic	AR	AR		2,825	VU	B1ab(iii)	<10		
Rorippa portoricensis (Spreng.) Stehlé	native	NAR	AR		3,932	LC		>10	widespread, undercollected	
Rotala ramosior (L.) Koehne	native	NAR	NAR		>20,000	LC				
Rourea surinamensis Miq.	native	NAR	NAR		>20,000	LC				
Rousselia humilis (Sw.) Urb.	native	NAR	NAR		>20,000	LC				
Roystonea borinquena O.F. Cook	native	NAR	NAR		>20,000	NT		<10	infected populations	
Rubus florulentus Focke	endemic	AR	AR		2,377	EN	B1ab(iii)	<5		
Ruellia blechnum L.	native	NAR	NAR		>20,000	LC				
Ruellia coccinea (L.) Vahl	native	NAR	NAR		23,646	LC		>30	widespread, undercollected	
Ruellia tuberosa L.	native	NAR	NAR		>20,000	LC				
Ruppia cirrhosa (Petagna) Grande	native	AR	NAR		>20,000	LC				
Ruppia didyma Sw. ex Wikstr.	native	AR	NAR		>20,000	LC				
Ruppia maritima L.	native	NAR	NAR		>20,000	LC				
Sabal causiarum (O.F. Cook) Becc.	native	NAR	AR		8,792	NT		>10	population decline; over-harvesting	
Sabicea villosa Willd. ex Roem. & Schult.	native	NAR	NAR		>20,000	LC				
Sacciolepis striata (L.) Nash	native	NAR	NAR		>20,000	LC				
Saccola lanceolata (Aubl.) Garay	native	NAR	NAR		>20,000	LC				
Sagittaria intermedia Micheli	native	NAR	NAR		>20,000	LC				
Sagittaria lancifolia L.	native	NAR	NAR		>20,000	LC				
Sagittaria latifolia Willd.	native	NAR	NAR		>20,000	LC				
Sagraea polystachya (Naudin) Triana	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
Sagraea pusilliflora (Cogn.) Alain	native	NAR	NAR		>20,000	LC				
Sagraea scabrosa (L.) Naudin	native	AR	NAR		>20,000	LC				
Sagraea scalpta (Vent.) Naudin	native	NAR	AR		160	VU	B1ab(iii)	<10		
Salicornia bigelovii Torr.	native	NAR	NAR		>20,000	LC				
Salicornia virginica L.	native	NAR	NAR		>20,000	LC				
Salmea scandens (L.) DC.	native	NAR	NAR		>20,000	LC				
Salvia coccinea Buc'hoz ex Etl.	native	NAR	NAR		>20,000	LC				
Salvia micrantha Vahl	native	NAR	NAR		>20,000	LC				
Salvia misella Kunth	native	NAR	NAR		>20,000	LC				
Salvia occidentalis Sw.	native	NAR	NAR		>20,000	LC				
Salvia serotina L.	native	NAR	NAR		35,965	LC			widespread	
Samolus parviflorus Raf.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Samyda dodecandra</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Samyda spinulosa</i> Vent.	native	NAR	AR		6,275	LC				
<i>Sapindus saponaria</i> L.	native	NAR	NAR		>20,000	LC				
<i>Sapium laurocerasus</i> Desf.	endemic	NAR	AR		9,491	VU	B1ab(iii)	10		
<i>Sarcocornia perennis</i> (Mill.) A.J. Scott	native	AR	NAR		>20,000	LC			widespread	
<i>Sauvagesia erecta</i> L.	native	NAR	NAR		>20,000	LC				
<i>Savia sessiliflora</i> (Sw.) Willd.	native	NAR	NAR		>20,000	LC				
<i>Scaevola plumieri</i> (L.) Vahl	native	NAR	NAR		>20,000	LC				
<i>Scaphyglottis modesta</i> (Rchb. f.) Schltr.	native	NAR	NAR		>20,000	LC				
<i>Scaphyglottis punctulata</i> (Rchb. f.) C. Schweinf.	native	AR	NAR		>20,000	LC			widespread, but uncommon	
<i>Schaefferia frutescens</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Schefflera gleasonii</i> (Britton & P. Wilson) Alain	endemic	AR	AR	VU	266	EN	B1ab(iii)	3		
<i>Schefflera morototoni</i> (Aubl.) Maguire, Steyerl. & Frodin	native	NAR	NAR		>20,000	LC				
<i>Schizachyrium brevifolium</i> (Sw.) Nees	native	NAR	NAR		>20,000	LC				
<i>Schizachyrium gracile</i> (Spreng.) Nash	native	NAR	NAR		>20,000	LC				
<i>Schizachyrium sanguineum</i> (Retz.) Alston	native	NAR	NAR		>20,000	LC				
<i>Schizachyrium tenerum</i> Nees	native	NAR	NAR		>20,000	LC				
<i>Schlegelia brachyantha</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Schoenoplectus americanus</i> Pers.) Volkart ex Schinz & Keller	native	NAR	NAR		>20,000	LC				
<i>Schoenoplectus validus</i> (Vahl) A. Löve & D. Löve	native	NAR	NAR		>20,000	LC				
<i>Schoepfia arenaria</i> Britton	endemic	AR	AR	EN	2,687	EN	B1ab(iii)	4	<250 individuals	
<i>Schoepfia obovata</i> C. Wright	native	NAR	NAR		27,175	LC				
<i>Schoepfia schreberi</i> J.F. Gmel.	native	NAR	NAR		>20,000	LC				
<i>Schradera exotica</i> (J.F. Gmel.) Standl.	native	NAR	NAR		>20,000	LC				
<i>Schultesia brachyptera</i> Cham.	native	NAR	NAR		>20,000	LC				
<i>Scleria brittonii</i> Core	native	AR	NAR		>20,000	LC			widespread	
<i>Scleria canescens</i> Boeckeler	endemic	NAR	AR		4,990	LC		>15		
<i>Scleria ciliata</i> Michx.	native	NAR	NAR		>20,000	LC				
<i>Scleria distans</i> Poir.	native	NAR	NAR		>20,000	LC				
<i>Scleria eggertiana</i> Boeckeler	native	NAR	NAR		>20,000	LC				
<i>Scleria gaertneri</i> Raddi	native	NAR	NAR		>20,000	LC				
<i>Scleria georgiana</i> Core	native	NAR	NAR		>20,000	LC				
<i>Scleria havanensis</i> Britton	native	NAR	NAR		21,323	LC		>10	undercollected	
<i>Scleria hirtella</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Scleria lithosperma</i> (L.) Sw.	native	NAR	NAR		>20,000	LC				
<i>Scleria microcarpa</i> Nees ex Kunth	native	NAR	NAR		>20,000	LC				
<i>Scleria mucronata</i> Poir.	native	NAR	NAR		79,548	LC		>15	undercollected	
<i>Scleria muehlenbergii</i> Steud.	native	NAR	NAR		>20,000	LC				
<i>Scleria secans</i> (L.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Scleria verticillata</i> Muhl. ex Willd.	native	NAR	NAR		>20,000	LC				
<i>Scolosanthus grandifolius</i> Krug & Urb.	native	AR	AR		9,487	VU	B1ab(iii)	<10		
<i>Scolosanthus portoricensis</i> Borhidi	endemic	AR	AR		101	VU	B1ab(iii)	<10		
<i>Scolosanthus versicolor</i> Vahl	native	NAR	AR		10,237	NT		<10		
<i>Scoparia dulcis</i> L.	native	NAR	NAR		>20,000	LC				
<i>Scrophularia minutiflora</i> Pennell	native	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
<i>Scutellaria havanensis</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Scybalium jamaicense</i> Schott & Endl.	native	NAR	NAR		>20,000	NT		<10	Possibly extinct in PR	
<i>Securidaca virgata</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Senegalia muricata</i> (L.) Britton & Rose	native	NAR	AR		225	LC		>15		
<i>Senegalia vogeliana</i> (Steud.) Britton & Rose	native	NAR	NAR		>20,000	LC				
<i>Senegalia westiana</i> (DC.) Britton & Rose	native	NAR	AR		7,142	LC		>20		

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Senna alata</i> (L.) Roxb.	native	NAR	NAR		>20,000	LC				
<i>Senna angustisiliqua</i> (Lam.) H.S. Irwin & Barneby	native	NAR	NAR		>20,000	LC				
<i>Senna atomaria</i> (L.) H.S. Irwin & Barneby	native	NAR	NAR		>20,000	LC				
<i>Senna bicapsularis</i> (L.) Roxb.	native	NAR	NAR		>20,000	LC				
<i>Senna hirsuta</i> (L.) H.S. Irwin & Barneby	native	NAR	NAR		>20,000	LC				
<i>Senna nitida</i> (L.) H.S. Irwin & Barneby	native	NAR	NAR		>20,000	LC				
<i>Senna obtusifolia</i> (L.) H.S. Irwin & Barneby	native	NAR	NAR		>20,000	LC				
<i>Senna occidentalis</i> (L.) Link	native	NAR	NAR		>20,000	LC				
<i>Senna pendula</i> (Humb. & Bonpl.ex Willd.) H.S. Irwin & Barneby	endemic	AR	NAR		>20,000	LC				
<i>Senna polyphylla</i> (Jacq.) H.S. Irwin & Barneby	native	NAR	NAR		>20,000	LC				
<i>Senna sophera</i> (L.) Roxb.	native	NAR	NAR		>20,000	LC				
<i>Senna uniflora</i> (Mill.) H.S. Irwin & Barneby	native	NAR	NAR		>20,000	LC				
<i>Serjania diversifolia</i> (Jacq.) Radlk.	native	NAR	NAR		>20,000	LC				
<i>Serjania lucida</i> Schumach.	native	NAR	AR		7,416	LC				
<i>Serjania polyphylla</i> (L.) Radlk.	native	NAR	NAR		>20,000	LC				
<i>Sesbania emerus</i> (Aubl.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Sesuvium maritimum</i> (Walter) Britton, Sterns & Poggenb.	native	NAR	NAR		>20,000	LC				
<i>Sesuvium microphyllum</i> Willd.	native	AR	AR		Unable to calculate	LC			common in Cuba	
<i>Sesuvium portulacastrum</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Setaria macrostachya</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Setaria magna</i> Griseb.	native	NAR	NAR		>20,000	LC				
<i>Setaria parviflora</i> (Poir.) Kerguelen	native	NAR	NAR		>20,000	LC				
<i>Setaria pumila</i> (Poir.) Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Setaria setosa</i> (Sw.) P. Beauv.	native	NAR	NAR		>20,000	LC				
<i>Setaria tenacissima</i> Schrad. ex Schult.	native	NAR	NAR		>20,000	LC				
<i>Setaria utowanana</i> (Scribn.) Pilg.	native	NAR	AR		7,196	LC		~30		
<i>Sida abutilifolia</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Sida acuta</i> Burm. f.	native	NAR	NAR		>20,000	LC				
<i>Sida aggregata</i> C. Presl	native	NAR	NAR		>20,000	LC				
<i>Sida ciliaris</i> L.	native	NAR	NAR		>20,000	LC				
<i>Sida cordata</i> (Burm. f.) Borss. Waalk.	native	NAR	NAR		>20,000	LC				
<i>Sida cordifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Sida glabra</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Sida glomerata</i> Cav.	native	NAR	NAR		>20,000	LC				
<i>Sida glutinosa</i> Comm. ex Cav.	native	NAR	NAR		>20,000	LC				
<i>Sida jamaicensis</i> L.	native	NAR	NAR		>20,000	LC				
<i>Sida rhombifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Sida salviifolia</i> C. Presl	native	NAR	NAR		>20,000	LC				
<i>Sida spinosa</i> L.	native	NAR	NAR		>20,000	LC				
<i>Sida ulmifolia</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Sida urens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Sidastrum multiflorum</i> (Jacq.) Fryxell	native	NAR	NAR		>20,000	LC				
<i>Sideroxylon cubense</i> (Griseb.) T.D. Penn.	native	NAR	NAR		>20,000	LC				
<i>Sideroxylon foetidissimum</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Sideroxylon obovatum</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Sideroxylon portoricense</i> Urb.	native	NAR	NAR		>20,000	LC				
<i>Sideroxylon salicifolium</i> (L.) Lam.	native	NAR	NAR		>20,000	LC				
<i>Simarouba tulae</i> Urb.	endemic	NAR	AR		5,282	LC				
<i>Siphoneugena densiflora</i> O. Berg	native	NAR	NAR		>20,000	LC				
<i>Siphoneugena dussii</i> (Krug & Urb.) Proença	native	NAR	NAR		>20,000	LC				
<i>Siphonoglossa sessilis</i> (Jacq.) D.N. Gibson	native	NAR	NAR		>20,000	LC				
<i>Siphonoglossa sessilis</i> (Jacq.) D.N. Gibson	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Sisyrinchium rosulatum</i> E.P. Bicknell	native	NAR	NAR		>20,000	LC				
<i>Sloanea amygdalina</i> Griseb.	native	AR	AR		5,152	VU	B1ab(iii)	10		small % collections georeferenced
<i>Sloanea berteroa</i> Choisy ex DC.	native	NAR	NAR		26,096	LC		>10		
<i>Sloanea ilicifolia</i> Urb.	native	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
<i>Smilax coriacea</i> Spreng.	native	NAR	NAR		>20,000	LC				
<i>Smilax domingensis</i> Willd.	native	NAR	NAR		>20,000	LC				
<i>Solanum americanum</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Solanum bahamense</i> L.	native	NAR	NAR		>20,000	LC				
<i>Solanum campechiense</i> L.	native	NAR	NAR		>20,000	LC				
<i>Solanum capsicoides</i> All.	native	NAR	NAR		>20,000	LC				
<i>Solanum ensifolium</i> Dunal	endemic	AR	AR	CR (<i>Solanum drymophilum</i>)	1,116	CR	C2b	<5	<250 individuals	
<i>Solanum jamaicense</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Solanum lanceifolium</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Solanum nigrescens</i> M. Martens & Galeotti	native	NAR	NAR		>20,000	LC				
<i>Solanum nudum</i> Humb. & Bonpl. ex Dunal	native	NAR	NAR		>20,000	LC				
<i>Solanum polygamum</i> Vahl	native	AR	AR		3,914	VU	B1ab(iii)	<10		
<i>Solanum rugosum</i> Dunal	native	NAR	NAR		>20,000	LC				
<i>Solanum torvum</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Solanum woodburyi</i> R.A. Howard	endemic	AR	AR		2,986	EN	B1ab(iii)	2	limited elevation	
<i>Sophora tomentosa</i> L.	native	NAR	NAR		>20,000	LC				
<i>Sorghastrum setosum</i> (Griseb.) Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Sorghastrum stipoides</i> (Kunth) Nash	native	NAR	NAR		>20,000	LC				
<i>Sparganophorus sparganophora</i> (Sw.) Lindl.	native	NAR	NAR		>20,000	LC				
<i>Spartina patens</i> (Aiton) Muhl.	native	NAR	NAR		>20,000	LC				
<i>Spermacoce brachysepala</i> (Urb.) Alain	native	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		
<i>Spermacoce densiflora</i> (DC.) Alain	native	NAR	NAR		>20,000	LC				
<i>Spermacoce eryngioides</i> (Cham. & Schltdl.) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Spermacoce exilis</i> (L.O.Williams) C.D.Adams ex W.C.Burger & C.M.Taylor	native	AR	NAR		>20,000	LC				
<i>Spermacoce ocyimifolia</i> Willd. ex Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Spermacoce prostrata</i> Aubl.	native	NAR	NAR		>20,000	LC				
<i>Spermacoce remota</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Spermacoce tenuior</i> L.	native	NAR	NAR		>20,000	LC				
<i>Spermacoce tetraquetra</i> A. Rich.	native	NAR	NAR		>20,000	LC				
<i>Spermacoce verticillata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Sphagneticola gracilis</i> (Rich.) Pruski	native	NAR	NAR		39,169	LC		>15	widespread	
<i>Spigelia anthelmia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Spilanthes urens</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Spiracantha cornifolia</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Spiranthes torta</i> (Thunb.) Garay & H.R. Sweet	native	NAR	NAR		>20,000	LC				
<i>Spirodela intermedia</i> W. Koch	native	NAR	NAR		>20,000	LC				
<i>Spirodela polyrhiza</i> (L.) Schleid.	native	NAR	NAR	LC	>20,000	LC				
<i>Spondias mombin</i> L.	native	NAR	NAR		>20,000	LC				
<i>Sporobolus cubensis</i> Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Sporobolus domingensis</i> (Trin. ex Spreng.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Sporobolus indicus</i> (L.) R. Br.	native	NAR	NAR		>20,000	LC				
<i>Sporobolus jacquemontii</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Sporobolus pyramidatus</i> (Lam.) Hitchc.	native	NAR	NAR		>20,000	LC				
<i>Sporobolus tenuissimus</i> (Mart. ex Schrank) Kuntze	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Sporobolus virginicus</i> (L.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Stachytarpheta cayennensis</i> (Rich.) Vahl	native	NAR	NAR		>20,000	LC				
<i>Stachytarpheta jamaicensis</i> (L.) Vahl	native	NAR	NAR		>20,000	LC				
<i>Stachytarpheta mutabilis</i> (Jacq.) Vahl	native	NAR	NAR		>20,000	LC				
<i>Stachytarpheta strigosa</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Stachytarpheta urticifolia</i> (Salisb.) Sims	native	NAR	NAR		>20,000	LC				
<i>Stahlia monosperma</i> (Tul.) Urb.	native	AR	AR	EN	17,480	EN	C2a	5	documented decline	
<i>Steinchisma laxa</i> (Sw.) Zuloaga	native	NAR	NAR		>20,000	LC				
<i>Stelis perpusilliflora</i> Cogn.	native	AR	AR		1,091	LC			widespread, but uncommon	
<i>Stelis pygmaea</i> Cogn.	native	AR	AR		19,401	LC			widespread, but uncommon	
<i>Stellaria antillana</i> Urb.	native	NAR	AR		1,993	LC		>10	undercollected	
<i>Stemodia durantifolia</i> (L.) Sw.	native	NAR	NAR		>20,000	LC				
<i>Stemodia maritima</i> L.	native	NAR	NAR		>20,000	LC				
<i>Stenandrium tuberosum</i> (L.) Urb.	native	NAR	AR		11,936	LC			widespread, undercollected	
<i>Stenocereus fimbriatus</i> (Lam.) Lourteig	native	NAR	NAR		>20,000	LC				
<i>Stenostomum acutatum</i> DC.	endemic	NAR	AR		6,516	LC				
<i>Stenostomum coriaceum</i> (Vahl) Griseb.	native	NAR	NAR		67,167	LC				
<i>Stenostomum lucidum</i> (Sw.) C.F. Gaertn.	native	NAR	NAR		>20,000	LC				
<i>Stenostomum obtusifolium</i> (Urb.) Britton & P. Wilson	endemic	NAR	AR		1,337	EN	B1ab(iii)	<5		
<i>Stenostomum portoricense</i> Britton & P. Wilson	endemic	AR	AR	VU (<i>Antirhea portoricensis</i>)	164	EN	B1ab(iii)	<5		
<i>Stenostomum resinum</i> (Vahl) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Stenostomum sintenisii</i> (Urb.) Britton	endemic	AR	AR	VU (<i>Antirhea sintenisii</i>)	5,398	VU	B1ab(iii)	<10		
<i>Stenotaphrum secundatum</i> (Walter) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Stigmaphyllon bannisterioides</i> (L.) C.E. Anderson	native	NAR	NAR		>20,000	LC				
<i>Stigmaphyllon emarginatum</i> (Cav.) A. Juss.	native	NAR	NAR		>20,000	LC				
<i>Stigmaphyllon floribundum</i> (DC.) C.E. Anderson	endemic	NAR	AR		7,679	LC		>50		
<i>Stigmaphyllon puberum</i> (Rich.) A. Juss.	native	NAR	NAR		>20,000	LC				
<i>Strumpfia maritima</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Stylogyne lateriflora</i> (Sw.) Mez	native	AR	AR		41	VU	B1ab(iii)	<10		
<i>Stylosanthes viscosa</i> (L.) Sw.	native	NAR	NAR		>20,000	LC				
<i>Styrax portoricensis</i> Krug & Urb.	endemic	AR	AR	CR	24	CR	B1ab(iii)	1	<50 individuals	
<i>Suriana maritima</i> L.	native	NAR	NAR		>20,000	LC				
<i>Symphotrichum subulatum</i> (Michx.) G.L. Nesom	native	NAR	NAR		>20,000	LC				
<i>Symplocos lanata</i> Krug & Urb.	endemic	NAR	AR		2	VU	B1ab(iii)	<10	limited elevation	
<i>Symplocos martinicensis</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Symplocos micrantha</i> Krug & Urb.	endemic	AR	AR		96	CR	B1ab(iii)	1		
<i>Synedrella nodiflora</i> (L.) Gaertn.	native	NAR	NAR		>20,000	LC				
<i>Syringodium filiforme</i> Kütz.	native	NAR	NAR	LC	>20,000	LC			locally common at high elevations	
<i>Tabebuia haemantha</i> (Bertero ex Spreng.) DC.	endemic	NAR	NAR		35,636	LC		6	locally common at high elevations	
<i>Tabebuia heterophylla</i> (DC.) Britton	native	NAR	NAR		>20,000	LC				
<i>Tabebuia karsoana</i> Trejo	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	2		
<i>Tabebuia rigida</i> Urb.	endemic	AR	AR		7,487	NT		6	locally abundant	
<i>Tabebuia schumanniana</i> Urb.	endemic	NAR	AR		4,499	NT		6	locally common at high elevations	
<i>Tabernaemontana citrifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Tabernaemontana oppositifolia</i> (Spreng.) Urb.	endemic	NAR	AR	VU	2,674	VU	B1ab(iii)	7		

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Talinum fruticosum</i> (L.) Juss.	native	NAR	NAR		>20,000	LC				
<i>Talinum paniculatum</i> (Jacq.) Gaertn.	native	NAR	NAR		>20,000	LC				
<i>Tamonea boxiana</i> (Moldenke) R.A. Howard	native	AR	NAR		>20,000	LC			widespread	
<i>Tarenaya spinosa</i> (Jacq.) Raf.	native	NAR	AR		3,238	LC			widespread, undercollected	
<i>Tarigidia axelrodii</i> A.S. Vega & Rógolo	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Tecoma stans</i> (L.) Kunth	native	NAR	NAR		>20,000	LC				
<i>Tephrosia cinerea</i> (L.) Pers.	native	NAR	NAR		>20,000	LC				
<i>Tephrosia senna</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Teramnus labialis</i> (L. f.) Spreng.	native	NAR	NAR		>20,000	LC				
<i>Teramnus uncinatus</i> (L.) Sw.	native	NAR	NAR		>20,000	LC				
<i>Ternstroemia heptasepala</i> Krug & Urb.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Ternstroemia luquillensis</i> Krug & Urb.	endemic	AR	AR	CR	910	CR	D	2	<50 individuals	
<i>Ternstroemia peduncularis</i> DC.	native	NAR	NAR		>20,000	LC				
<i>Ternstroemia stahlia</i> Krug & Urb.	endemic	AR	AR		6,044	LC		~30	not in decline	
<i>Ternstroemia subsessilis</i> (Britton) Kobuski	endemic	AR	AR	CR	Unable to calculate	CR	D	1	<50 individuals	
<i>Tetragastris balsamifera</i> (Sw.) Kuntze	native	NAR	NAR		>20,000	LC				
<i>Tetramicra canaliculata</i> (Aubl.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Tetrapteryx inaequalis</i> Cav.	native	NAR	AR		2,049	LC			undercollected	
<i>Tetrazygia angustifolia</i> (Sw.) DC.	native	NAR	NAR		>20,000	LC				
<i>Tetrazygia biflora</i> (Cogn.) Urb.	native	NAR	AR		1,862	VU	B1ab(iii)	<10		
<i>Tetrazygia crotonifolia</i> (Desr.) DC.	native	NAR	AR		17,817	LC		~100		
<i>Tetrazygia eleagnoides</i> (Sw.) DC.	native	NAR	AR		9,631	LC		<50	undercollected	
<i>Tetrazygia krugii</i> Cogn.	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Tetrazygia urbanii</i> Cogn.	endemic	NAR	AR		18,651	NT		<20		
<i>Thalassia testudinum</i> K.D. Koenig	native	NAR	NAR	LC	>20,000	LC				
<i>Thalia geniculata</i> L.	native	NAR	NAR		>20,000	LC				many records in database are from cultivated specimens
<i>Thespesia grandiflora</i> (Jacq.) H. Karst.	endemic	NAR	AR		14,201	LC		<100		
<i>Thespesia populnea</i> (L.) Sol. ex Corrêa	native	NAR	NAR		>20,000	LC				
<i>Thouinia striata</i> Radlk.	endemic	NAR	NAR		67,820	LC				
<i>Thrinax morrisii</i> H. Wendl.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia ariza-juliae</i> L.B. Sm. & J. Jiménez Alm.	native	AR	AR		Unable to calculate	EN	B1ab(iii)	<5		One specimen each from PR and DR
<i>Tillandsia borinquensis</i> Cedeño-Mald. & Proctor	endemic	AR	AR		267	VU	B1ab(iii)	5	undercollected	
<i>Tillandsia bulbosa</i> Hook.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia fasciculata</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia festucoides</i> Brongn. ex Mez	native	NAR	NAR		>20,000	LC				
<i>Tillandsia flexuosa</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia polystachia</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia pruinosa</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia recurvata</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia setacea</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia tenuifolia</i> L.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia usneoides</i> (L.) L.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia utriculata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Tillandsia variabilis</i> Schldl.	native	NAR	NAR		>20,000	LC				
<i>Tolumnia prionocheila</i> (Kraenzl.) Braem	native	NAR	AR		5,260	LC			locally common	
<i>Tolumnia variegata</i> (Sw.) Braem	native	NAR	NAR		>20,000	LC				
<i>Torralsbasia cuneifolia</i> (C. Wright ex A. Gray) Krug & Urb. ex Seguí	native	NAR	NAR		>20,000	LC				
<i>Tournefortia bicolor</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Tournefortia filiflora</i> Griseb.	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Tournefortia gnaphalodes</i> (L.) R. Br. ex Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Tournefortia hirsutissima</i> L.	native	NAR	NAR		>20,000	LC				
<i>Tournefortia scabra</i> Lam.	native	NAR	AR		Unable to calculate	LC		>15	widespread	
<i>Trachypogon macroglossus</i> Trin.	native	AR	NAR		>20,000	LC				
<i>Tradescantia zanoniana</i> (L.) Sw.	native	NAR	NAR		>20,000	LC				
<i>Tragia volubilis</i> L.	native	NAR	NAR		>20,000	LC				
<i>Trema lamarckianum</i> (Roem. & Schult.) Blume	native	NAR	NAR		>20,000	LC				
<i>Trema micranthum</i> (L.) Blume	native	NAR	NAR		>20,000	LC				
<i>Trianthera portulacastrum</i> L.	native	NAR	NAR		>20,000	LC				
<i>Trichilia hirta</i> L.	native	NAR	NAR		>20,000	LC				
<i>Trichilia pallida</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Trichilia triacantha</i> Urb.	endemic	AR	AR	CR	388	CR	D	2	<50 individuals	
<i>Trichosalpinx dura</i> (Lindl.) Luer	native	AR	NAR		>20,000	LC			widespread, but rare in Puerto Rico	
<i>Trichostigma octandrum</i> (L.) H. Walter	native	NAR	NAR		>20,000	LC				
<i>Tridax procumbens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Triphora amazonica</i> Schltr.	native	AR	NAR		>20,000	LC			widespread, undercollected	
<i>Triphora hassleriana</i> (Cogn. ex Chodat & Hassl.) Schltr.	native	AR	NAR		>20,000	LC			widespread, but rare	
<i>Triphora surinamensis</i> (Lindl. ex Benth.) Britton	native	AR	NAR		>20,000	LC			widespread, common	
<i>Tripogandra serrulata</i> (Vahl) Handl.	native	NAR	NAR		>20,000	LC				
<i>Triumfetta lappula</i> L.	native	NAR	NAR		>20,000	LC				
<i>Triumfetta rhomboidea</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Triumfetta semitriloba</i> Jacq.	native	NAR	NAR		>20,000	LC				
<i>Trophis racemosa</i> (L.) Urb.	native	NAR	NAR		>20,000	LC				
<i>Tropidia polystachya</i> (Sw.) Ames	native	NAR	NAR		>20,000	LC				
<i>Turbina corymbosa</i> (L.) Raf.	native	NAR	NAR		>20,000	LC				
<i>Turnera diffusa</i> Willd. ex Schult.	native	NAR	NAR		>20,000	LC				
<i>Turnera pumilea</i> L.	native	NAR	NAR		>20,000	LC				
<i>Turpinia occidentalis</i> (Sw.) G. Don	native	NAR	NAR		>20,000	LC				
<i>Typha domingensis</i> Pers.	native	NAR	NAR		>20,000	LC				
<i>Uniola virgata</i> (Poir.) Griseb.	native	NAR	NAR		>20,000	LC				
<i>Urena lobata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Urena sinuata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Urera baccifera</i> (L.) Gaudich. ex Wedd.	native	NAR	NAR		>20,000	LC				
<i>Urera caracasana</i> (Jacq.) Gaudich. ex Griseb.	native	NAR	NAR		>20,000	LC				
<i>Urera chlorocarpa</i> Urb.	endemic	AR	AR		3,842	EN	B1ab(iii)	<5		
<i>Urochloa adspersa</i> (Trin.) R.D. Webster	native	NAR	NAR		>20,000	LC				
<i>Urochloa fusca</i> (Sw.) B.F. Hansen & Wunderlin	native	NAR	NAR		>20,000	LC				
<i>Urochloa plantaginea</i> (Link) R.D. Webster	native	NAR	NAR		>20,000	LC				
<i>Utricularia gibba</i> L.	native	NAR	NAR		>20,000	LC				
<i>Utricularia guyanensis</i> A. DC.	native	AR	NAR		>20,000	LC			undercollected	
<i>Utricularia juncea</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Utricularia pusilla</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Utricularia subulata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Vaccinium racemosum</i> (Vahl) Wilbur & Luteyn	native	NAR	NAR		>20,000	LC				
<i>Vachellia farnesiana</i> (L.) Wight & Arn.	native	NAR	NAR		>20,000	LC				
<i>Vachellia macracantha</i> (Humb. & Bonpl. ex Willd.) Seigler & Ebinger	native	NAR	NAR		>20,000	LC				
<i>Vachellia tortuosa</i> (L.) Seigler & Ebinger	native	NAR	NAR		>20,000	LC				
<i>Valeriana scandens</i> L.	native	NAR	NAR		>20,000	LC				
<i>Vanilla barbellata</i> Rchb. f.	native	AR	NAR		>20,000	LC			common	

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Vanilla claviculata</i> (W. Wright) Sw.	native	NAR	AR		Unable to calculate	LC			widespread, under-collected	
<i>Vanilla dilloniana</i> Correll	native	AR	NAR		>20,000	LC			widespread	
<i>Vanilla mexicana</i> Mill.	native	NAR	NAR		>20,000	LC				
<i>Vanilla planifolia</i> Jacks. ex Andrews	native	NAR	NAR		>20,000	LC				
<i>Vanilla poitaei</i> Rchb. f.	native	NAR	NAR		>20,000	LC				
<i>Varronia bellonis</i> (Urb.) Britton	endemic	AR	AR		3,060	CR	C2	5	<250 individuals	
<i>Varronia bullata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Varronia lima</i> Desv.	native	NAR	NAR		>20,000	LC				
<i>Varronia polycephala</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Varronia rupicola</i> (Urb.) Britton	native	AR	AR	CR (Cordia rupicola)	4,251	EN	B1ab(iii)	2		
<i>Varronia wagnerorum</i> (R.A. Howard) Borhidi	endemic	AR	AR	CR (Cordia wagnerorum)	Unable to calculate	CR	B1ab(iii)	1	restricted to high elevations	
<i>Verbena littoralis</i> Kunth	native	NAR	NAR		>20,000	LC				
<i>Verbena scabra</i> Vahl	native	NAR	NAR		>20,000	LC				
<i>Verbesina alata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Verbesina encelioides</i> (Cav.) Benth. & Hook. f. ex A. Gray	native	NAR	NAR		>20,000	LC				
<i>Veronica peregrina</i> L.	native	AR	NAR		>20,000	LC				
<i>Vigna adenantha</i> (G. Mey.) Maréchal, Mascherpa & Stainier	native	NAR	NAR		>20,000	LC				
<i>Vigna antillana</i> (Urb.) Fawc. & Rendle	native	AR	NAR		>20,000	LC			widespread; undercollected; no records georeferenced	
<i>Vigna luteola</i> (Jacq.) Benth.	native	NAR	NAR		>20,000	LC				
<i>Vigna marina</i> (Burm.) Merr.	native	NAR	NAR		>20,000	LC				
<i>Vigna peduncularis</i> Fawc. & Rendle	native	NAR	NAR		>20,000	LC				
<i>Vigna vexillata</i> (L.) A. Rich.	native	NAR	NAR		>20,000	LC				
<i>Vitex divaricata</i> Sw.	native	NAR	NAR		>20,000	LC				
<i>Vitis tiliifolia</i> Humb. & Bonpl. ex Roem. & Schult.	native	NAR	NAR		>20,000	LC				
<i>Volkameria aculeata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Voyria aphylla</i> (Jacq.) Pers.	native	NAR	NAR		>20,000	LC				
<i>Voyria parasitica</i> (Schltdl. & Cham.) Ruyters & Maas	native	NAR	NAR		>20,000	LC				
<i>Voyria tenella</i> Guilding ex Hook.	native	NAR	NAR		>20,000	LC				
<i>Vriesea macrostachya</i> (Bello) Mez	native	AR	AR		2,275	NT		<10		Need info from Cuba, Hispaniola
<i>Vriesea proctorii</i> (Cedeño-Mald.) Acev.-Rodr.	endemic	AR	AR		Unable to calculate	EN	B1ab(iii)	2		
<i>Vriesea ringens</i> (Griseb.) Harms	native	NAR	NAR		>20,000	LC				
<i>Vriesea sintenisii</i> (Baker) L.B. Sm. & Pittendr.	native	NAR	AR		10,761	LC		>12	widespread	
<i>Wallenia lamarckiana</i> (A. DC.) Mez	native	NAR	AR		11,070	NT		<10		abundance in Martinique unknown
<i>Wallenia yunquensis</i> (Urb.) Mez	endemic	AR	AR		2,821	EN	B1ab(iii)	<5		
<i>Waltheria calcicola</i> Urb.	native	AR	AR		4,316	VU	B1ab(iii)	<10		
<i>Waltheria indica</i> L.	native	NAR	NAR		>20,000	LC				
<i>Wedelia calycina</i> Rich.	native	NAR	NAR		>20,000	LC				
<i>Wedelia lanceolata</i> DC.	endemic	NAR	AR		2,523	VU	B1ab(iii)			
<i>Wedelia reticulata</i> DC.	native	NAR	AR		10,896	LC		>10	widespread	
<i>Weinmannia pinnata</i> L.	native	NAR	NAR		>20,000	LC				
<i>Wissadula amplissima</i> (L.) R.E. Fr.	native	NAR	NAR		>20,000	LC				
<i>Wissadula excelsior</i> (Cav.) C. Presl	native	NAR	NAR		>20,000	LC				
<i>Wissadula periplocifolia</i> (L.) C. Presl ex Thwaites	native	NAR	NAR		>20,000	LC				

Species	PR status	US results	NY results	IUCN 2011	EOO (km ²)	Provisional Assessment	Provisional Criteria	# locations	notes	*footnote
<i>Wolffia brasiliensis</i> Wedd.	native	NAR	NAR		>20,000	LC				
<i>Wolffiella welwitschii</i> (Hegelm.) Monod	native	AR	NAR		>20,000	LC			widespread	
<i>Wulfschlaegelia aphylla</i> (Sw.) Rchb. f.	native	NAR	NAR		>20,000	LC				
<i>Wulfschlaegelia calcarata</i> Benth.	native	NAR	NAR		>20,000	LC				
<i>Xanthosoma undipipes</i> (K. Koch & C.D. Bouché) K. Koch	native	NAR	NAR		>20,000	LC				
<i>Ximenia americana</i> L.	native	NAR	NAR		>20,000	LC				
<i>Xylosma buxifolia</i> A. Gray	native	NAR	NAR		>20,000	LC				
<i>Xylosma pachyphylla</i> (Krug & Urb.) Urb.	endemic	AR	AR	CR (<i>Xylosma pachyphyllum</i>)	19	CR	D	2	<50 individuals	
<i>Xylosma schaefferioides</i> A. Gray	native	NAR	NAR		>20,000	LC				
<i>Xylosma schwaneckeanum</i> (Krug & Urb.) Urb.	endemic	AR	AR		224	EN	B1ab(iii)	<5		
<i>Xyris curtissii</i> Malme	native	AR	NAR		>20,000	LC				
<i>Xyris elliottii</i> Chapm.	native	NAR	NAR		>20,000	LC				
<i>Xyris jupicai</i> Rich.	native	NAR	NAR		>20,000	LC				
<i>Zamia erosa</i> O.F. Cook & G.N. Collins	native	AR	AR	VU	8	VU	B1ab(iii)	<10		
<i>Zamia portoricensis</i> Urb.	endemic	AR	AR	EN	408	EN	B1ab(iii)	<10		
<i>Zamia pumila</i> L.	native	NAR	NAR	NT (both <i>Zamia pumila</i> + <i>Zamia integrifolia</i>)	>20,000	NT		<30	declining populations	
<i>Zanthoxylum bifoliolatum</i> Leonard	native	NAR	NAR		31,109	LC				
<i>Zanthoxylum caribaeum</i> Lam.	native	NAR	NAR		>20,000	LC				
<i>Zanthoxylum flavum</i> Vahl	native	NAR	NAR	VU	39,994	LC				
<i>Zanthoxylum martinicense</i> (Lam.) DC.	native	NAR	NAR		>20,000	LC				
<i>Zanthoxylum monophyllum</i> (Lam.) P. Wilson	native	NAR	NAR		>20,000	LC				
<i>Zanthoxylum punctatum</i> Vahl	native	NAR	AR		19,519	LC				
<i>Zanthoxylum schreberi</i> (J.F. Gmel.) Reynel	native	AR	NAR		>20,000	LC				
<i>Zanthoxylum thomasianum</i> (Krug & Urb.) Krug & Urb.	native	AR	AR	EN	5,072	EN	B1ab(iii)	<5		
<i>Zapoteca portoricensis</i> (Jacq.) H.M. Hern.	native	NAR	NAR		>20,000	LC				
<i>Zephyranthes proctorii</i> Acev.-Rodr. & M.T. Strong	endemic	AR	AR		Unable to calculate	CR	B1ab(iii)	1		
<i>Zephyranthes puertoricensis</i> Traub.	native	AR	NAR		>20,000	LC			widespread	
<i>Zephyranthes rosea</i> Lindl.	native	NAR	NAR		>20,000	LC				
<i>Ziziphus reticulata</i> (Vahl) DC.	native	NAR	NAR		>20,000	LC				
<i>Ziziphus rignonii</i> Delpon	native	NAR	NAR		>20,000	LC				
<i>Ziziphus taylori</i> (Britton) M.C. Johnst.	native	AR	NAR		22,735	LC		>10		
<i>Zornia gemella</i> T. Vogel	native	NAR	NAR		>20,000	LC				
<i>Zornia reticulata</i> Sm.	native	NAR	NAR		>20,000	LC				