

Rare and ondangoned Plants at Puerto Rico

QK 86 P9 W66 1975

RARE
AND ENDANGERED
PLANTS
OF PUERTO RICO
a committee report

Published by: U.S. DEPARTMENT OF AGRICULTURE, SOIL CONSERVATION SERVICE In Cooperation with the DEPARTMENT OF NATURAL RESOURCES COMMONWEALTH OF PUERTO RICO 1975 RARE
AND ENDANGERED
PLANTS
OF PUERTO RICO
a committee report







All plant drawings on this publication were prepared by and are a courtesy of the Institute of Tropical Forestry, U. S. Forest Service, Río Piedras, Puerto Rico.

Cover Drawing: Miconia pycnoneura, Camasey
Number 135--Rare Endemic Plant Species of Puerto Rico.

AUTHORSHIP

THE PRINCIPAL AUTHOR OF THIS PLANT LIST AND THE PRIMARY EXPERT RESPONSIBLE FOR THIS WORK'S SUBSTANTIVE CONTENT IS MR. ROY WOODBURY, BOTANIST IN RESIDENCE OF THE DEPARTMENT OF NATURAL RESOURCES AND BOTANIST AT THE DEPARTMENT OF BIOLOGY OF THE UNIVERSITY OF PUERTO RICO.

OTHER MEMBERS OF THE COMMITTEE, WHO ACTED IN AN ADVISORY AND SUPPORTIVE CAPACITY, INCLUDE HERBERT RAFFAELE AND MITCHELL FRAM, DEPARTMENT OF NATURAL RESOURCES; CARLOS RIOS, OFFICE OF SCIENTIFIC ASSESSMENT, ENVIRON-MENTAL QUALITY BOARD; LEON LIEGEL, USDA-FOREST SERVICE; WILLIE CUMPIANO AND AURELIO SIERRA, USDA-SOIL CONSERVATION SERVICE; JOSE MARRERO, RETIRED FORESTER; AND JOHN WHELAN, NATURAL HISTORY SOCIETY OF PUERTO RICO.

PREFACE

In an effort to prepare a watchlist of rare and endangered plant species for Puerto Rico, the Soil Conservation Service consulted with agencies, organizations, and individuals and a committee was organized December 4, 1973, to accomplish this objective —a similar committee published a report of rare and endangered animal species of Puerto Rico.


The Committee is greatly indebted to the USDA-Soil Conservation Service and agencies of the Commonwealth Government of Puerto Rico, particularly, the Department of Natural Resources, which so generously allowed their employees and consultants to participate.

The Committee also expresses its deepest appreciation to Miss Quirina Rivera, of the USDA-Soil Conservation Service, for her assistance in the preparation of this manuscript.

CONTENTS

	Page
AUTHORSHIP	. 1
PREFACE	. 2
CONTENTS	3
INTRODUCTION AND DEFINITIONS	4
LIST OF RARE AND ENDANGERED PLANT SPECIES Endangered Endemic Plants	9 23 27 53
CAUSES OF ENDANGERMENT A. Destruction or Disturbance of Habitat B. Extremely Limited Natural Range C. Plant Collecting or Harvesting D. Environmental Stresses	67 68 68 68
LIST OF ENDANGERED HABITAT Areas of Rare and Endangered Plant Species Map of Puerto Rico Showing Areas Where Rare and Endangered Plant Species Occur Areas Where Rare and Endangered Plant Species Occur in Puerto Rico	69 70
RECOMMENDATIONS FOR A PLAN OF ACTION	82
REFERENCES	. 85

INTRODUCTION AND DEFINITIONS



Concern for vanishing species has traditionally focused on the animal kingdom, particularly, the higher orders of the animal kingdom. Toads and snails get scant attention: plants receive even less. Yet, we have come to realize that life is a web. no part of which is entirely independent. It is a concern for the integrity of the whole web of life, as well as the intrinsic value of individual plant species, that has drawn this committee together and is the spirit of this report. Our hope is that this document, probably the most comprehensive work yet assembled on endangered local plants of a region, will stimulate greater interest in the diverse and unique flora of Puerto Rico and will lead to a more effective protection of this natural heritage. We further hope that this publication will serve to stimulate works of a similar nature in other regions of the world.

The report contains a list of rare and endangered species, a discussion of causes of endangerment and endangered habitats, and recommendations for a plan of action. The species list is arranged in two general sections: those plants which are endangered and those considered rare. These sections, in turn, have been organized in groups of endemic and nonendemic plants.


<u>Ilex sintenisii</u> No. 126

Introduction and Definitions (Con.)

Within each category of this text, the species are presented in alphabetical order by family. Under each family, plants are listed alphabetically by scientific names.

Although the arrangement generally connotates an order of priority, the reader should not conclude that the lowest priority is therefore not critical. The fact that a plant is nonendemic does not mean it can be found in abundance elsewhere. For some nonendemic species, the greatest number found anywhere in the world is the small endangered population found here in Puerto Rico (e.g.: Cóbana negra, Stahlia monosperma, though considered nonendemic in Puerto Rico, is only known outside the Island from a single collection in Hispaniola).

The list is long. This is the result of several factors: the Island has extraordinary plant diversity due to its proximity to Central and South America -- the greatest centers of floral speciation in the world. Yet, as species became established or evolved in Puerto Rico, they filled limited niches on a very limited land mass. Their distribution was, thus, greatly restricted. A further factor in causing endangerment has been the increasing pressure of the Island's human population on plant habitats. This final factor is the one responsible for extensive additions to the list and is the only controllable one.




Ravenia urbanii No. 103

Tortugo prieto


DEFINITIONS

THE FOLLOWING ARE THE DEFINITIONS USED IN THIS PUBLICATION:



ENDANGERED --Species that are in immediate danger of extinction and are unlikely to survive without special protective measures. They usually occur in small numbers and have a specialized habitat or limited range.

ENDEMIC -- A species of extremely limited range. In this list, it applies to species found only in Puerto Rico.



Quina

Antirhea sintenisii No. 97

Definitions (Con.)


NONENDEMIC -- A species of broad range. In this list it applies to indigenous or native forms that occur outside Puerto Rico as well as on the Island.

LIMITED DISTRIBUTION -Refers to species with restricted ranges or
those with scattered or local populations
spread over large areas.

HABITAT DESTRUCTION -The complete or partial alteration of a natural environment by man.



Persea krugii No. 254 Canela



Crescentia portoricensis, Higuero de Sierra Number 8-Endangered Endemic Plant Species of Puerto Rico.

					Page 11
NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
1	ACANTHACEAE Diapedium krugii		Herb	Wooded slopes by Utuado and ravines near Coamo.	Habitat destruction
2	Justicia borinquensis		Herb	Open wooded areas of Monte Cerrote, Adjuntas.	Limited distribution
3	Justicia culebritae		Herb	Culebrita-wooded slopes.	Limited distribution
4	APOCYNACEAE Plumeria portoricensis	Alelí cimarrón Frangipani	Tree	Río Maricao. One collection.	Unknown
5	AQUIFOLIACEAE Ilex cookii	Té Holly	Tree	Limited to peaks and upper wet ridges of Toro Negro.	Limited distribution
6	ASCLEPIADACEAE Cynanchium monense		Herb vine	Rare on plateau of Mona.	Limited distribution
7	Marsdenia elliptica		Herb vine	One collection in mountain forests - Luquillo.	Unknown
8	BICNONTACEAE Crescentia portoricensis	Higdero de sierra Calabash	Tree	Wet forests of upper Monte del Estado, Maricao.	Limited distribution
9	BORAGINACEAE Heliotropium guanicense	Cotorrilla Heliotrope	Shrub	Only in Punta Aguila, Cabo Rojo.	Limited distribution
10	BROMELIACEAE Tillandsia lineatispica	Pinón	Epiphyte	On rocks and bases of trees of Vieques and Culebra.	Limited distribution
11	CACTACEAE <u>Harrisia</u> portoricensis	Higo chumbo	Tree	Being attacjed by the larva of the Cactus moth. Restricted to Mona, Monito, and Desecheo.	Cactus moth and limited distribution

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
12	CACTACEAE (Con.) Leptocereus quadricostatus	Sebucán	Tree	Limited to southwestern Puerto Rico.	Limited distribution
13	Opuntia borinquensis	Olaga	Shrub	Morrillos de Cabo Rojo.	Habitat destruction
14	CANELLACEAE Pleodendron macranthum	Chupa <i>g</i> allo	Tree	Very rare on moist-to-wet western slopes of the Luquillo Mountains.	Limited distribution
15	CANNACEAE Canna pertusa	Maraoa	Shrub	Along banks and streams - central and western mountains.	Limited distribution
16	CASSIACRAE <u>Caesalpinia</u> <u>culebrae</u>	Mato amarillo Smooth yellow nioker	Woody vine	Sandy beaches of Culebra.	Limited distribution
17	Caesalpinia monensis	Mato negro Black nicker	Tree	Platean of Mona.	Limited distribution
18	Caesalpinia portoricensis	Mato Brown nicker	Woody vine	Beaches of Guánica.	Limited distribution
- 19	Cassia exunguis	Tamarindillo	Shrub	Open slopes - Coamo area,	Habitat destruction
20	Cassia mirabilis	·	Shrub	Moist sand, Dorado and Tortuguero.	Habitat destruction
21	CELASTRACEAE Maytenus elongata	Cuero de sapo	Tree	Scattered in moist areas from El Verde, Luquillo, to Monte del Estado, Maricao.	Limited distribution
22	Maytenus ponceana	Cuero de sapo	Tree	A small tree of moist areas near Florida and Río Portugués (north of Ponce).	Habitat destruction and limited distri-
23	COMPOSITAE <u>Eupatorium</u> droserolepis	Oreganillo	Shrub	Summits of Central Cordillera.	Habitat destruction

NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
24	COMPOSITAE (Con.) Mikania stevensiana	Guaco	Slender vine	Ravines - Monte del Estado, Maricac.	Limited distribution
25	CONVOLVULACEAE Ipomoea krugii	White morning glory	Slender vine	Marshes of western Puerto Rico.	Habitat destruction
26	Ipomoea palustris	Bejuco de puerco Morning glory	Slender vine	Swamps in siliceous sand - Bayamón principally, also Dorado and Tortuguero.	Limited distribution and habitat de- struction
27	CUCURBITACEAE Anguria cookiana	Algodoncillo	Slender vine	Ravine north of Coamo.	Habitat destruction
28	CYATHEACEAE Cyathea dryopteroides	Helecho	Shrub	Upper forests - Central Cordillera.	Habitat destruction
29	EHRETIACEAE Cordia bellonis		Shrub	Wet serpentine forests - Maricao.	Limited distribution
30	Cordia wagnerorum		Shrub	Wet mountain ridges - Luquillo.	Limited distribution
31	CYPERACEAE Cyperus urbani		Sedge	Very rare in Coamo area and Vieques on grassy slopes.	Limited distribution
32	Scleria doradoensis		Sedge	Marshy areas - Tortuguero and Dorado.	Habitat destruction
33	Soleria stevensiana		Sed <i>g</i> e	One collection in swamp near Lares. Not recently seen.	Unknown
34	EUPHORBIACEAE Chamaesyce monensis	Lechecillo	Herb	Rare on Mona plateau.	Limited distribution

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
35	EUPHORBIACEAE (Con.) Croton impressus	Croton	Shrub	Very local on moist serpentine mountain slopes.	Habitat destruction
36	Hyeronima clusioides	Cedro macho	Tree	Good wood. Moist hills and mountain forests - central and western Puerto Rico.	Lumbering and limited distribution
37	FLACOURTIACEAE Banara portoricensis	Palo de Ramón	Tree	Higher moist areas of the Central Cordillera.	Limited distribution
38	Banara vanderbiltii		Tree	Very rare in moist limestone hills near Bayamón. Only a few trees known.	Limited distribution
39	Xylosma pachyphyllum	·	Tree	Higher elevations in Monte del Estado, Maricao.	Limited distribution
40	<u>Xylosma</u> <u>schwaneckeanum</u>	Palo de candela	Tree	Of wet to moist slopes in Carite and El Verde.	Limited distribution
41	GESNERIACEAE Gesneria pauciflora		Herb	Upper mountain drainage areas of Monte del Estado.	Limited distribution
42	GRAMINEAE Aristida portoricensis	Pelos del diablo Triple-awned grass	Grass	Serpentine slopes of western Puerto Rico.	Limited distribution
43	Panicum stevensianum		Grass	Margin of Tortuguero Lake only.	Very limited distri- bution
44	ICACINACEAE Ottoschulzia rhodoxylon	Palo de rosa	Tree	Very rare - found near Mayagüez.	Unknown
45	LYCOPODIACEAE Lycopodium portoricensis	Club moss	Herb	Wet banks in Luquillo Mountains.	Limited distribution
				<u> </u>	

NO.	SCIENTIFIC NAME	COMMON NAME	навіт	DISTRIBUTION	CAUSE
46	LORANTHACEAE Dendropemon sintenisii	Hicaquillo Mistletoe	Epiphyte	One collection near Aibonito.	Limited distribution
47	MAGNOLIACEAE Magnolia portoricensis	Jaguilla	Tree	Virgin wet forest of Central Cordillera. Wet central mountain ridge.	Habitat destruction
48	Magnolia splendens	Laurel sabino	Tree	Excellent wood. Limited to wet, middle and upper regions of Luquillo Mountains.	Lumbering, slow reproduction
49	MALPIGHIACEAE Byrsonima horniana	Maricao cimarrón	Tree	Very rare and local on moist slopes of western Puerto Rico.	Habitat destruction
50	Byrsonima ophiticola	Maricao cimarrón	Tree	Of moist slopes and scattered distribution in western Puerto Rico.	Habitat destruction
51	Byrsonima wadsworthii	Almendrillo	Tree	Few in numbers widely scattered in wet mountains at middle to high elevations.	Unknown
52	Malpighia shaferi	Olaga	Tree	Only in moist ravines on Vieques. Pasture destroying habitat.	Habitat destruction
53	MALVACEAE Abutilon commutatum	Terciopelo	Shrub	Thickets of Guánica.	Limited distribution
54	Montezuma speciosissima	Maga	Tree	Valuable wood of moist to wet woods and on roadsides.	Habitat destruction
55	MELASTOMACEAE Clidemia unbrosa	Camasey	Tree	Limited to Carite Forest at middle elevations in wet areas.	Limited distribution
56	Henrietella membranifolia	Camasey	Tree	Moist hills between Lares and Aguada.	Limited distribution
57	Ossaea krugiana	Camasey	Tree	Upper Central Cordillera.	Limited distribution

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
58	MELIACEAE Trichilia triacantha	Bariaco	Tree	Rare in dry southwestern Puerto Rico.	Limited distribution
59	MIMOSACRAE Schrankia portoricensis	Zarzarilla	Shrub	Dry to moist open forests - Coamo area.	Habitat destruction
60	MYRICACEAE Myrica holdridgii	Arrayán Wax-berry	Tree	Upper Luquillo Mountains.	Limited distribution
61	MYRSINACEAE Grammadenia sintenisii		Tree	Local in upper Luquillo Mountains.	Limited distribution
62	MYRTACEAE Calyptranthes luquillensis		Tree	Middle elevation wet areas of El Verde region of Luquillo Mountains.	Limited distribution
63	Calyptranthes peduncularis		Tree	Upper moist regions of Monte del Estado, Maricao.	Limited distribution
64	Calyptranthes portoricensis		Tree	Upper moist areas of Monte del Estado, Maricao.	Limited distribution
65	Calyptranthes triflorum	·	Tree	Upper moist regions of Monte del Estado, Maricao.	Limited distribution
66	Calyptropsidium sintenisii	Hoja menuda	Tree	Rare in wet upper forests of Luquillo Mountains.	Limited distribution
67	Eugenia bellonis		Shrub	Dry rocky slopes - Guánica and Caja de Muertos.	Unknown
68	Eugenia boqueronensis		Tree	Coastal slopes. Not well known.	Unknown
69	Eugenia corozalensis		Tree	Limestone hills - Corozal. Not well known.	Unknown


Page 17 SCIENTIFIC NAME **COMMON NAME** NO. HABIT DISTRIBUTION CAUSE MYRTACEAE (Con.) Guasávara 70 Eugenia eggersii Tree Very rare at middle to higher elevations. Limited distribution Eugenia fajardensis Tree Moist forest, Fajardo. Not well known. Unknown Eugenia haematocarpa Tree Wet middle areas of El Verde, Luquillo. Limited distribution Eugenia margarettae Tree Upper wet regions of Toro Negro. Limited distribution Eugenia serrasuela Serrasuela Tree Collected by Bello near Anones, Las Marías. Unknown Not well known. Eugenia underwoodiana Tree Moist hills near Yauco. Limited distribution and habitat destruction Marlierea sintenisii Murta Tree Upper wet ridges in the Luquillo Mountains. Limited distribution Myrcia pagani Ausú Tree Western moist limestone hills. Habitat destruction OLACACEAE Schoepfia arenaria Araña Tree Moist hills of the north coast. Habitat destruction OLEACEAE Linociera holdridgii Tree Hueso prieto Local in dry forests of Guánica and Susúa, Yauco. Limited distribution ORCHIDACEAE Brachionidium ciliatum Epiphyte Mossy forest - East Peak area of Luquillo Limited distribution Mountains. 81 Epidendrum krugii Epiphyte Southwestern areas. Collecting and limited distribution

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
82	ORCHIDACEAE (Con.) Epidendrum lacerum		Epiphyte	Monte Cedro, thickets (Adjuntas). Not well known. Reported from Cuba.	Unknown
83	<u>Lepanthes</u> <u>dodiana</u>		Epiphyte	Upper eastern mountains, very local.	Limited distribution
84	Lepanthes eltorensis		Epiphyte	Upper Luquillo Mountains. Two locations only.	Limited distribution
85	PALMACEAE Aiphanes acanthophylla	Coyure Ruffle palm	Tree	Of moist limestone hills. An understory palm of scattered distribution.	Limited distribution
86	Calyptrogyne rivalis	Manaca	Tree	Of moist limestone hills. Very rare and local, only two small colonies known.	Limited distribution
87	Gaussia attenuata	Llume	Tree	Near the tops of moist limestone hills.	Limited distribution
88	Sabal causiarum	Palma de sobrero Puerto Rican hat palm	Tree	Mainly of western Puerto Rico near Ramey Base and Joyuda Lagoon, Mayaguez.	Harvesting and habitat destruction
89	PAPILIONACEAE Erythrina horrida	Piñón espinoso Cockspur	Tree	Moist limestone hills of north coast.	Limited distribution
90	PIPERACEAE Peperomia wheeleri	Peperomia	Herb	On forest rocks, Culebra.	Habitat destruction
91	POLYCALACEAE Polygala cowellii	Palo de violeta Violet tree	Tree	Used for fences. Of wide distribution, but rare in dry-to-moist coastal hills.	Poor reproduction and lumbering
92	Polygala portoricensis		Tree	Upper dry slopes of Monte del Estado, Maricao.	Limited distribution
93	POLYGONACEAE Coccoloba rugosa	Ortegón	Tree	In coastal hills of northeast and east coasts.	Habitat destruction and collection

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
	POLYGONACEAE (Con.)		-	-	
94	Coccoloba sintenisii var. alba	Uvero del monte	Tree	Confined to dry upper slopes above Coamo.	Habitat destruction
	RHAMNACEAE	-			
95	Reynosia krugli		Tree	Very scattered moist forests in the mountains and wet limestone hills.	Habitat destruction and limited distribution
	RUBIACEAE		_		
96	Antirhea portoricensis	Quina	Tree	Moist forests - local	Habitat destruction
97	Antirhea sintenisii	Quina	Tree	Moist forests - local.	Habitat destruction
98	Erithalis revoluta		Shrub	Coastal forest - Caña Gorda, Guánica.	Habitat destruction
99	Mitracarpus maxwelliae		Herb	Coastal plate rock - Guánica.	Limited distributio
.00	Mitracarpus polycladus	:	Herb	Coastal rocky thicket - Guánica.	Limited distributio
101	Palicourea brevithyrsa		Shrub	Mountain forests of Monte Cerrote, Adjuntas	Limited distribution
102	Randia portoricensis		Shrub	Coastal thickets and hills - Ponce to Guánica.	Limited distribution and habitat de-
103	RUTACEAE <u>Ravenia</u> <u>urbania</u> .	Tortugo prieto	Tree	Of ornamental value with limited distribution in wet mountains at middle elevations. Local in	struction Limited distribution
.04	Zanthoxylum bifoliatum		Tree	El Verde and Carite. Moist to dry upper slopes of Monte del Estado, Maricao, and Susúa, Yauco.	Limited distributio
105	Zanthoxylum thomasianum		Tree	Dry ridges and slopes near Rio Cuyón to Asomante, Aibonito. Possibly St. Thomas, V. I.	Limited distribution

NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
106	SABIACEAE Meliosma obtusifolia	Arroyo	Tree	Scattered on middle moist slopes.	Limited distribution
107	SAPOTACEAE Dipholis bellonis	Tabloncillo	Tree	Western districts. Not well known.	Unknown
108	SOLANACEAE* Brunfelsia portoricensis		Shrub	Wet forests - El Verde, Luquillo.	Limited distribution
109	Goetzea elegans	Mata buey	Tree	Extremely local in moist woodlands.	Limited distribution
110	Solanum drymophilum	Erubia	Tree	Wet mountain forests - very local.	Limited distribution
111	Solanum mucronatum		Shrub	Mountain woodlands - Coamo area. Possibly in St. John and St. Thomas, U.S. Virgin Islands. Not well known.	Unknown
112	Solanum riedlei		Shrub	Not well known. Reported from Puerto Rico.	Unknown
113	STYRACACEAE Styrax portoricensis	Palo de jazmín	Tree	Local in Luquillo Mountains.	Limited distribution
114	SYMPLOCACEAE Symplocos lanata	Níspero cimarrón	Tree	Mountain forests near Adjuntas.	Limited distribution
115	THEACEAE Laplacea portoricensis	Niño de cota, Marioao Verde	Tree	Wet-to-moist western slopes of the Luquillo Mountains.	Limited distribution
116	Ternstroemia heptasepala		Tree	Wet ridges only in the Luquillo Mountains.	Limited distribution


NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
117	THEACEAE (Con.) Ternstroemia luquillensis	Palo colorado	Tree	Very wet areas or peaks and ridges in the Luquillo Mountains.	Limited distribution
118	Ternstroemia subsessilis		Tree	Mountain peaks in Luquillo and Monte del Estado, Maricao.	Limited distribution
119	URTICACEAE Urera chlorocarpa	Ortiga colorada Nettle	Tree	Virgin forest of Central Cordillera.	Limited distribution
120	Pilea leptophylla		Herb	Cerro la Pandura, Maunabo.	Habitat destruction
121	Pilea multicaulis		Herb	Eastern mountains. One collection.	Very limited distri- bution
122	VERBENACEAE Callicarpa ampla	Capa rosa	Tree	Moist-to-wet mountain forests. Very local.	Limited distribution
123	Cornutia obovata	Nigua	Tree	Mountain peaks, Monte La Torrecilla.	Habitat destruction
124	Priva portoricensis	Vervain	Herb	Thickets near Guánica.	Habitat destruction
125	ZANNICHELLIACEAE Ruppia anomala	Yerba de zanja	Herb	Aquatic plant, Guánica only.	Habitat destruction
*	SOLANACEAE Solanum woodburyi (Insert after No. 112)	_	Shrub	Wet, upper Luquillo Mountains. Very local.	Limited distribution



Brunfelsia lactea, Vega blanca Number 143--Rare Endemic Plant Species of Puerto Rico

NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
126	AQUIFOLIACEAE Ilex sintenisii		Tree	Wet montane peaks - Luquillo Mountains only.	Limited distribution
	ARALIACEAE Didymopanax gleasoni	Yuquilla	Tree	Scattered and rare in upper mountain forests.	Limited distribution
	COMPOSITAE Eupatorium oteroi	·	Shrub	Coastal cliffs - Mona and Quebradillas.	Limited distribution
129	Osmia borinquensis		Slender vine	Wet limestone hills - western areas.	Habitat destruction
130	Vernonia borinquensis		Shrub	Moist-to-wet western hills.	Habitat destruction
	EBENACEAE Diospyros sintenisii	Guayabota, níspero	Tree	Local in moist forests of middle and western Puerto Rico.	Limited distribution
132	EHRETIACEAE Cordia rupicola		Shrub	Dry thickets - southwestern Puerto Rico.	Habitat destruction
	MELASTOMACEAE Menendezia stahlii	Camasey	Tree	Wet mountains of El Verde, Guavate, and Bayamón. May not be distinct from M. urbanii.	Unknown
134	Miconia foveolata	Camasey	Tree	Only in the upper ridges and peaks of the Luquillo Mountains.	Limited distribution
135	Miconia pycnoneura	Camasey	Tree	Only on the peaks of the Luquillo Mountains and Cerro de Punta area, Jayuya.	Limited distribution
1	MYRSINACEAE Ardisia luquillensis	Mameyuelo	Tree	Upper Luquillo Mountains.	Limited distribution

Page 26 CAUSE **COMMON NAME** HABIT DISTRIBUTION NO. SCIENTIFIC NAME MYRTACEAE Eugenia stewardsonii Upper Central Cordillera. Limited distribution Tree ORCHIDACEAE Epidendrum brittonianum Epiphyte Confined and widespread on Mona. Limited distribution 138 PORTULACACEAE Portulaca caulerpoides Herb 139 Coastal limestone on Caja de Muertos and Mona. Limited distribution RUBLACEAE Scolosanthus grandifolius Espuela de galán Shrub Upper western mountains - local. Limited distribution SAPINDACEAE 141 Thouinia portoricensis Serrasuela, Quebracho Tree Dry woodland and thickets - southwestern Puerto Habitat destruction Rico. SOLANACEAE Brunfelsia densifolia Tree Limited distribution 142 Upper serpentine slopes, western Puerto Rico. Tree 143 Brunfelsia lactea Vega blanca Upper-wet eastern mountains. Limited distribution SAPOTACEAE 144 Pouteria dictyoneura Tree Few mature trees. Moist limestone hills of north Limited distribution coast. URTICACEAE Herb Upper wet mountains of Luquillo and Toro Negro. Limited distribution 145 Pilea yunquensis



Persea <u>krugii</u>, Canela Number 254--Endangered Nonendemic Plant Species of Puerto Rico

NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
146	AIZOACEAE Sesuvium maritimum	Verdolaga del mar Sea purslane	Herb	Margin of Guánica Lake. Widespread elsewhere.	Habitat destruction
147	AMARANTHACEAE Aonida cuspidata	Blero de agua Water hemp	Shrub	Coastal marshes of Tortuguero. Through Florida and West Indies.	Habitat destruction
148	Achyranthes ramosissima		Herb	Coastal sands of San Juan. Also Florida, Central and South America.	Habitat destruction
149	Celosia virgata	Albahaca	Herb	Monte Ventana, Vieques. Also Cuba, Central and South America.	Limited distribution
150	ANNONACEAE Oxandra lanceolata	Haya prieta Lancewood	Tree	Forests near Cabo Rojo and Quebradillas. Through Greater Antilles.	Harvesting and habitat destruction
151	Rollinia mucosa	Anón cimarrón	Tree	Good wood. Rare in moist forests. Through West Indies and Mexico.	Lumbering
152	APOCYNACEAE Anechites nerium		Woody vine	One collection. Open areas near Vega Baja. Also Greater Antilles and South America.	Habitat destruction
153	AQUIFOLIACEAE Ilex urbaniana	Cuero de sapo	Tree	Forests near Utuado. Also Tortola.	Limited distribution
154	ARACEAE Dracontium polyphyllum	Guapa	Shrub	Individual plants near streams. Also Hispaniola and northern South America.	Habitat destruction
155	Montrichardia arborescens	Yautia madera	Shrub	Marsh plant not seen recently. Lesser Antilles to South America.	Unknown
156	Philodendron fragrantissima		Epiphyte	Local in two river canyons. Also South America.	Ornamental value and limited distribution

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
157	ASCLEPTADACEAE Oxypetalum cordifolium		Herb vine	Recorded from Puerto Rico. Scattered in American tropics.	Limited distribution
158	BALANOPHORACEAE Scybalium jamaicense		Herb	Cerro Garzas, Adjuntas. Throughout Greater Antilles.	Very limited distri- bution
159	BIGNONIACEAE Arrabidaea chica		Woody vine	Forests of Bayamón Area. Also Trinidad and South America.	Limited distribution
160	BORAGINACEAE <u>Heliotropium</u> <u>antillanum</u>		Herb	One collection - coastal plain by Vega Baja. Also Cuba.	Limited distribution
161	BROMELIACEAE <u>Aechmea</u> <u>nudicaulis</u>		Epiphyte	Rocks and bases of trees near Punta Picia, Luquillo, and Garrochales, Barceloneta. Through tropical America.	Very limited distri- bution
162	Guzmania erythrolepis	Pirigallo	Epiphyte	On rocks and bases of trees on Monte Alegrillo, Maricao. Also Jamaica and Cuba.	Limited distribution
163	<u>Tillandsia</u> araujei		Epiphyte	One collection on dry mountain ridge south of Río Cuyón, Aibonito. Also Brazil.	Very local distri- bution
164	Tillandsia juncea		Epiphyte	One collection near Adjuntas. From Florida to South America.	Very limited distri- bution
165	<u>Tillandsia</u> pruinosa		Epiphyte	Rare in Susúa Forest, Yauco. Florida to Brazil.	Limited distribution
166	Vriesia ringens	Pirigallo	Epiphyte	Only two small locations in Luquillo Mountains. Lesser Antilles to South America.	Limited distribution
167	Wittmackia lingulata	Piña cortadora	Epiphyte	On rocks near Caguas. Also Lesser Antilles.	Limited distribution
168	BUXACEAE Buxus citrifolia		Tree	Moist forests - very local. Also Venezuela.	Limited distribution

Page 31 SCIENTIFIC NAME **COMMON NAME** NO. HABIT DISTRIBUTION CAUSE BUXACEAE (Con.) 169 Buxus vahlii Tree Very local in coastal limestone hills near Limited distribution Bayamón, Rincón, and Ponce. St. Croix and Jamaica (?). May be endemic. Requires more CACTACEAE Opuntia moniliformis 170 Tuna Tree Forest thickets of Desecheo and Mona. Cactus moth and Also Hispaniola. limited distribution CAPPARIDACEAE 171 Morisonia americana Palo de peo Tree Moist forests of Desecheo, Culebra, and Vieques. Habitat destruction Also common in the Lesser Antilles. CASSIACEAE Mato 172 Caesalpinia bunduc Coastal area near Isabela. Widespread in Woody vine Unknown Yellow nicker tropics. Woody vine 173 Caesalpinia melanosperma Mato Mona coastal plain. Also Lesser Antilles. Limited distribution Black nicker 174 Cassia bacillaris Woody vine Lower Luquillo Mountains. Lesser Antilles to Habitat destruction Cockrico bush South and Central America. Stahlia monosperma Cobana negra Tree Furniture wood. Margins of mangroves, south-Limited distribution western and eastern coasts of Vieques. Also and lumbering Hispaniola. Cynometra portoricensis Oreganillo Tree Moist limestone hills. Also Hispaniola. Limited distribution and habitat destruction CELASTRACEAE 177 Maytenus cymosa Tree Coastal forests of eastern Puerto Rico. Also Limited distribution Lesser Antilles. CHENOPODIACEAE 178 Salicornia bigelowii Chifle Herb Salt flat near Cabo Rojo. Widespread elsewhere. Very limited distri-Glasswort bution

Û

Page 32 NO. SCIENTIFIC NAME **COMMON NAME** DISTRIBUTION HABIT CAUSE COMMELINACEAE 179 Campelia zanonia Cohitre blanco Shrub Craggy mountain slopes - Coamo area. Limited distribution Greater Antilles, Central and South America. COMPOSITAE Herb Tortuguero - dry siliceous sand. Ambrosia tenuifolia Habitat destruction . 180 Shrub Coastal rocky slopes. Through West Indies. Baccharis dioica Limited distribution Broom bush Herb Reported from eastern Puerto Rico. Through Limited distribution Wedelia gracilis Greater Antilles. CONVOLVULACEAE Ipomoea carnea Gloria de la mañana 183 Woody vine Moist ravines, Coamo area and east. Scattered Limited distribution Morning glory in West Indies, Central and South America. Gloria de la mañana roja Southern moist slopes in woodland. Also in 184 Ipomoea horsfolliae Slender vine Collecting and limited Red morning glory Jamaica and cultivated in tropics. Of ornamendistribution tal value. Slender vine One collection near Mayaguez. Limited distribution Ipomoea tricolor CUCURBITACEAE 186 Anguria ottoniana Slender vine One collection. Also Cuba, Tobago, and Limited distribution Venezuela. Slender vine One collection. Also Hispaniola. Limited distribution Anguria trifoliata CUSCUTACEAE Shore of Lake Guánica. Widespread in American Habitat destruction 188 Bejuco de Mona Epiphyte Cuscuta indecora Dodder tropics. CYATHEACEAE (Fern) Limited distribution 189 Cyathea brooksii Shrub Upper western mountains. Through Greater Antilles.

			<u> </u>		Page 3
NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
190	CYATHEACEAE (Con.) <u>Hemitelia escuquensis</u>	Helecho arbóreo Tree fern	Tree	Wet Central Cordillera and western mountains. Also Venezuela.	Limited distribution
191	CYPERACEAE Bulbostylis curassavica	Junquillo	Sedge	Dry wooded areas - Guánica and Caja de Muertos. Through West Indies.	Limited distribution
192	Bulbostylis junciformis	Junquillo	Sedge	Dry-to-moist siliceous sand - Tortuguero. Also Lesser Antilles to South America.	Limited distribution
193	Cyperus confertus		Sedge	Local coastal plant of Cataño area. Of wide tropical distribution.	Very limited distri- bution
194	Cyperus eggersii		Sedge	High swampy areas from Guajataca to Lares. Through Greater Antilles.	Limited distribution
195	Cyperus flavescens		Sedge	Moist grassy areas in Dorado and Bayamón. Widespread in tropics.	Limited distribution
196	Cyperus fuligineus		Sedge	Open areas on Icacos Cay, Fajardo. Florida and West Indies.	Limited distribution
197	Cyperus nanus var. subtenuis		Sedge	Only one collection near Yauco. Rare in Cuba and Jamaica.	Limited distribution
198	Cyperus swartzii		Sedge	Only two collections in Guánica and Peñuelas. Scattered in West Indies.	Limited distribution
199	Cyperus unioloides		Sedge	Wet grasslands - Only one collection near Lares. A little known species. Greater Antilles, Central and South America.	Unknown
200	Cyperus virens		Sedge	Swampy grassland west of Bayamón. Widespread in tropics and subtropics.	Habitat destruction
201	Eleocharis fallax	Junco	Sedge	Guánica Lake and one location in the Luquillo Mountains. Rare in the Greater Antilles.	Habitat destruction

Page 34 NO. SCIENTIFIC NAME **COMMON NAME** HABIT DISTRIBUTION CAUSE CYPERACEAE (Con.) Eleocharis pachystyla Junco Sedge Only one collection in wet siliceous sands of Limited distribution Dorado. West Indies to Central and South America. 203 Eleocharis radicans Junco Sedge One collection. Not recently seen. Local in Unknown tropical and temperate areas. Hemicarpha micrantha Sedge Local in siliceous sands of Tortuguero. Limited distribution Widespread in tropics and temperate regions. Lagenocarpus guianensis Sedge Low wet areas in siliceous sand of Dorado and Limited distribution Tortuguero. Lesser Antilles to South America. Psilocarya nitens Sedge Marshy areas about Lake Tortuguero. Limited distribution Subtropical to temperate United States. Rhynchospora brachychata Sedge Only one collection in Luquillo Mountains. Limited distribution A questionable species. Rhynchospora filifornis Sedge Reported from Puerto Rico. Not recently seen. Unknown Rhynchospora hispidula Recorded from Puerto Rico. Not recently seen. Sedge Unknown Rhynchospora microcarpa Sedge Rare in swamps of Tortuguero. Southern United Limited distribution States and West Indies. 211 Rhynchospora miliacea Sedge Recorded from Puerto Rico. Not recently seen. Unknown Rhynchospora odorata Sedge One collection near Cataño Swamp. Greater Very limited distri-Antilles and Southern United States. bution 213 Rhynchospora oligantha Sedge Wet grassy areas in the Luquillo Mountains, Very limited distri-Tortuguero, and Dorado. Eastern United States bution and Greater Antilles.

ì

					Page 35
NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
214	CYPERACEAE (Con.) Rhynchospora oligantha var. breviseta		Sedge	Wet grassy areas - upper Luquillo Mountains, Tortuguero, and Dorado. In Florida and the Greater Antilles.	Limited distribution
215	Rhynchospora podosperma		Sedge	Recorded from Puerto Rico. Not recently seen.	Unknown
216	Rhynchospora rariflora		Sedge	Wet grassy areas around Lake Tortuguero. In Florida and the Greater Antilles.	Limited distribution
217	Rhynchospora rufa		Sedge	Swamps of north coast - two collections. Also Cuba and South and Central America.	Limited distribution
218	Scleria gracilis	Nut-rush	Sedge	Wet grassy areas of Tortuguero. Southern United States and West Indies.	Limited distribution
219	Scleria mitis	Cortadora	Sedge	One collection in Bayamón. West Indies, Central and South America. Not recently seen.	Unknown
220	Scleria pauciflora	Nut rush	Sedge	Wet grassy areas of Tortuguero. Eastern United States and West Indies.	Limited distribution
	DILLENIACEAE <u>Doliocarpus</u> brevipedicellatus		Woody vine	Very local in coastal moist forests of north coast.	Limited distribution
	DROSERACEAE Drosera capillaris	Sundew	Herb	Wet siliceous sand. Canada to Brazil.	Habitat destruction
223	EHRETIACEAE Bourreria revoluta		Tree	Moist coastal woodland - Quebradillas. Greater Antilles to Florida.	Limited distribution
224	Rochefortia acanthophora	Juso	Tree	Southwestern Puerto Rico - Coastal forests. Through West Indies.	Habitat destruction
225	Rochefortia cuneata	Espino	Tree	One collection at La Plata, Guánica. West Indies.	Limited distribution

NO.	SCIENTIFIC NAME	COMMONNAME	HABIT	DISTRIBUTION	CAUSE
					CAUSE
0.50	EUPHORBIACEAE		}		
226	Chamaesyce anegadensis		Herb	Very rare on rocky plateau of Mona. Also Anegada.	Limited distribution
227	Chamaesyce cowelii		Herb	Dry coastal rocky thickets of southwestern Puerto Rico, Caja de Muertos, and Mona. Also Anegada and Dominican Republic.	Limited distribution
228	Croton nummulariaefolius		Shrub	Very local in rocky coastal thickets - Guánica. Also Cuba and Hispanicla.	Limited distribution
229	Drypetes ilicifolia	Encinillo	Tree	Rare in moist coastal hills of the north coast. Also Jamaica.	Habitat destruction and limited distribution
	FLACOURTIACEAE				
230	<u>Lunania</u> <u>buchii</u>		Tree	Forest of upper Monte del Estado. Also Hispaniola.	Limited distribution
231	<u>Prockia cruis</u>		Tree	Very local in Vieques and southeastern Puerto Rico - moist forests. Through tropical America.	Habitat destruction
	GENTIANACEAE				
232	Enicostema verlicillatum		Herb	Recorded from Puerto Ricc. Not recently seen. West Indies and Old World tropics.	Limited distribution
	Schultesia brachyptera		Herb	Only one collection in wet sand near Bayamon. Through Greater Antilles, Central and South America.	Limited distribution
1 1	GRAMINEAE Andropogon domingensis	Barbas			
2,4		Beardgrass	Grass	Only along Río Maricao, Puerto Rico. Occurs west to Florida.	Limited distribution
235	Aristida cognata	Polos del diablo Triple-awned grass	Grass	Rocky slopes near Boquerón. Rare in the Lesser Antilles, Jamaica, and the Bahamas.	Limited distribution
236	Aristida spiciformis	Pelos del diablo Triple-awned grass	Grass	Moist siliceous sandy areas of Tortuguero. Also scattered in the Isle of Pines (Cuba), and Florida.	Limited distribution

Page 37 DISTRIBUTION NO. SCIENTIFIC NAME **COMMON NAME** HABIT CAUSE GRAMINEAE (Con.) Dry coastal plain near Guánica. Also Hispaniola Limited distribution Lamilla 237 Bouteloa juncea Grass 238 Chusquea abietifolia Bambú trepador Grass Western mountains of Puerto Rico. Also Limited distribution Bamboograss Hispaniola and Jamaica. 239 Gymnopogon foliosus Matojo Grass Siliceous sand of Tortuguero. Also St. Thomas, Limited distribution Hispaniola, and South America. 240 Panicum fusiforme Panicum Grass Summit of El Yunque. Of wide tropical distri-Limited distribution bution. 241 Paspalum parviflorum One collection in Puerto Rico and rare in South Grass America. Tortuguero. Matojito Serpentine soils at higher elevations. Also in 242 Paspalum rupestre Grass Limited distribution 243 Sporobolus cubensis Matojo cubano Rare in Monte Mesa, Mayagüez. Also in Cuba. Grass Limited distribution Drop seed Pata de gallina 244 Syntherisma argillacea Grass Western open areas and Tortuguero. Also in Habitat destruction Fingergrass Cuba. HIPPOCRATEACEAE 245 Hippocratea caribaea Woody vine One collection from Cerro La Pandura. Also the Habitat destruction Windward Islands. Not well known. HYMENOPHYLLACEAE Hymenophyllum asplenioides Epiphyte Moist to wet forests - Maricac. Through Limited distribution Greater Antilles, Central and South America. ICACINACEAE 247 Mappia racemosa Tree Very rare in coastal moist forest - Quebradillas Limited distribution area. Also Greater Antilles.

Page 38 NO. SCIENTIFIC NAME **COMMON NAME** HABIT DISTRIBUTION **CAUSE** JUGLANDACEAE 248 Juglans jamaicensis Nogal Tree Central Cordillera and western mountains. Also Limited distribution Tropical walnut Hispaniola. Not recently seen. LABIATAE (Lamiaceae) 249 Hyptis spicigers Marrubio Shrub One collection near Cabo Rojo. Greater Antilles Limited distribution Central and South America. 250 Hyptis verticillata Marrubio Shrub Open slopes of eastern Puerto Rico. Also Habitat destruction tropical America. LAURACEAE 251 Aniba bracteata Canelillo Tree Moist eastern mountains. Also Lesser Antilles. Limited distribution 252 Ocotea foeniculacea Palo santo Tree Mountain peaks near Cerro de Punta. Also Cuba. Limited distribution 253 Ocotea wrightii Laurel canelón Tree Upper Central Cordillera. Also Cuba. Limited distribution 254 Persea krugii Canela Tree Upper western mountains. Also Hispaniola. Limited distribution LORANTHACEAE Dendropemon purpureus Hicaquillo Epiphyte Dry forest near Guánica. Also Bahamas, Cuba, Habitat destruction Mistletoe and Hispaniola. 256 Eubrachion ambiguum Epiphyte Monte del Estado (one peak). Also Hispaniola Very limited distriand Jamaica. bution 257 Ixidium wrightii Epiphyte Mountain forests. Also Hispaniola and Cuba. Limited distribution LYCOPODIACEAE 258 Lycopodium curvatum Herb Sphagnum areas of Luquillo Mountains. Also Limited distribution Club moss Jamaica.

. .

Page 39 SCIENTIFIC NAME **COMMON NAME** CAUSE NO. HABIT DISTRIBUTION LYCOPODIACEAE (Con.) Lycopodium meridionale Herb Wet, grassy areas of Luquillo Mountains. 259 Limited distribution Club moss Tropical America. 260 Lycopodium tenuicaule Wet forests of Luquillo Mountains. Also Epiphyte Limited distribution Club moss Lesser Antilles. 261 Lycopodium wilsoni Epiphyte Upper Luquillo Mountains. Guadeloupe and Limited distribution Club moss Colombia. MALPIGHIACEAE 262 Banisteriopsis lucida Paralejo de monte Woody vine One collection, maybe exterminated. Also Habitat destruction St. Vincent and northern South America. 263 Bunchosia glandulifera Café falso Tree One locale in forests of Sierra de Yabucoa. Limited distribution Also Montserrat to South America. 264 Bunchosia nitida Tree Recorded in woodland of southwestern Puerto Limited distribution Rico. Also Hispaniola and Lesser Antilles. Heteropteris wydleriana Woody vine Mountains of western Puerto Rico. Habitat destruction Malpighia fucata Olaga Tree Coastal and river thickets. Also U.S. Virgin Habitat destruction Islands and Jamaica. Malpighia infestissima Tree Coastal thickets. Very local distribution. Limited distribution Cowhage cherry Isla Maguey, Lajas. Also U.S. Virgin Islands. Malpighia linearis Tree Coastal thickets of eastern Puerto Rico. Limited distribution Stinging bush Also Lesser Antilles to Montserrat. 269 Stigmaphyllon diversifolium Bejuco de paralejo Woody vine Two coastal records. Needs more study, very Unknown similar to another species. Also Hispaniola and Cuba. 270 Stigmaphyllon puberum Woody vine Recorded from eastern Puerto Rico in small Limited distribution numbers. West Indies, Central and South America.

Page 40 SCIENTIFIC NAME **COMMON NAME** NO. HABIT DISTRIBUTION CAUSE MALVACEAE Shrub 271 Bastardia bivalvis Escoba babosa One collection. Fields near Coamo. Also Limited distribution tropical America. Hibiscus clypeatus Huevo de gato Tree Dry forests near Guánica. Through Greater Limited distribution Antilles, Mexico, Cayman Islands. 273 Hibiscus trilobus Shrub Rare in marshes. Also Hispaniola, Trinidad, Limited distribution Jamaica, and French Guiana. 274 Lebretonia paniculata Cadillo anaranjado Shrub Wet ground near Bayamón and Lares. Also Limited distribution Hispaniola, Guadeloupe, Central and South America. 275 Sida eggersii Tree Hills of Culebra. Also Virgin Islands. Limited distribution MARATTIACEAE 276 Danaea jenmani Herb Wet upper mountain forests - Adjuntas. Limited distribution Also Jamaica. MARSILIACEAE Borders of ponds. Local in tropics. 277 Marsilia berteroi Herb Habitat destruction Herb Borders of ponds. Local in tropics. 278 Marsilia polycarpa Habitat destruction MELIACEAE Cedrela odorata Cedro Tree Very good timber, but poor reproduction. Moist Lumbering and disease mountain woodlands. Planted in tropical America Spanish cedar MELASTOMACEAE Very local in wet forests of eastern mountains. Limited distribution Conostegia hotteana Tree Also Haiti. 281 Reterotrichum angustifolium Camasey Recorded from Puerto Rico. Also Hispaniola. Tree Unknown

NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
	MELASTOMACEAE (Con.) Miconia lanata	Camasey	Tree	Recorded to have been collected in Puerto Rico. Also in Cuba, St. Vincent, Trinidad, northern South America.	Unknown .
283	Miconia microcarpa	Camasey	Tree	Wet-to-moist upland forests near Juncos (Monte Santo de León). Also Cuba and French Guiana.	Unknown
284	Miconia ottoschulzii	Camasey	Tree	Recorded from forest at Isabón near Utuado. Also the Dominican Republic.	Limited distribution
285	Miconia punctata	Camasey	Tree	Mountain forests near Utuado. Also found in Cuba, Hispaniola, Guatemala, and Bolivia.	Limited distribution
286	Miconia rubiginosa	Camasey	Tree	Of middle elevations in western Puerto Rico. Also Hispaniola and Central and South America.	Limited distribution
287	Mouriri domingensis	Murta	Tree	Local in moist forests. Scattered in West Indies.	Limited distribution
288	Ossaea domingensis	Camasey	Shrub	One collection in Central Cordillera. Also Rispaniola.	Limited distribution
289	Ossaea scabrosa	Camasey	Shrub	Very local in upper wet Central Cordillera. Also Jamaica to Cuba.	Limited distribution
290	Rhexia cubensis	Camasey marino West-Indian Meadow-beauty	Herb	Very local in siliceous sand marshes near Dorado and Tortuguero. Also Florida and Cuba.	Limited distribution
291	Tetrazygia angustifolia	Cenizo	Tree	Moist seasonal forest south of Isabela and eastern Puerto Rico. Also the Lesser Antilles.	Habitat destruction and limited distri-bution
292	MIMOSACEAE Calliandra haematostoma	Caliandra Red anneslia	Tree	Guayanilla area. Through Greater Antilles.	Habitat destruction
293	Entada polyphylla	Tamarindillo	Woody vine	River banks of Fajardo and Vega Baja. Also South America.	Limited distribution

			1		Page 42
NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
294	MYRSINACEAE Stylogyme lateriflora		Shrub	Luquillo Mountains. Collected only once. Rare in Lesser Antilles.	Limited distribution
295	MYRTACEAE Calyptranthes thomasiana		Tree	Monte Ventana, Vieques. Also Signal Hill, St. Thomas. Not well known.	Limited distribution
296	Calyptranthes zuzygium	Myrtle-of-the-river	Tree	Cambalache Forest, Barceloneta. Through Greater Antilles and South Florida.	Limited distribution
297	NAIDACEAE Naias marina	Yerba de zanja	Herb	An aquatic plant in Puerto Rico confined to Lake Tortuguero. Elsewhere widespread, but local.	Limited distribution
298	NYCTAGINACEAE Guapira discolor	Palo de corono	Tree	Dry forests of Montalva, Ensenada; Mona and Desecheo. Through Greater Antilles and Bahamas.	Limited distribution
299	<u>Pisonia helleri</u>		Woody vine	Moist limestone thickets. Through West Indies.	Habitat destruction
300	OLACACEAE Schoepfia schreberi		Tree	Woodlands of Vieques. Also Lesser Antilles, Central and South America.	Habitat destruction
301	ORCHIDACEAE Basiphyllaea angustifolia		Herb	Monte del Estado. Also Cuba.	Limited distribution
302	Bletia patula var. alba	Bletia	Herb	Open moist slopes near Lares. Also Hispaniola, Cuba, and Florida.	Limited distribution
303	Brachionidium parvum		Herb	Wet banks and slopes - Upper Luquillo and Guavate forests. Also Lesser Antilles.	Limited distribution
304	Brassavola cucullata		Epiphyte	Reported in Puerto Rico. Lesser Antilles to South America.	Unknown _
			-		

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
305	ORCHIDACEAE (Con.) Brassavola nodosa		Epiphyte	Reported in Puerto Rico, may be an escape. Also Central and South America.	Unknown
306	Bulbophyllum pachyrrhachis		Epiphyte	Western mountains. Greater Antilles and Trinidad to Central America.	Habitat destruction
307	Campylocentrum monteverdii		Epiphyte	Central Cordillera. Also Cuba.	Limited distribution
308	Campylocentrum pachyrrizum		Epiphyte	Western mountains and limestone hills. Florida and West Indies.	Habitat destruction
309	Cochleanthes flabelliformis		Epiphyte	Moist mountain forests.	Collecting
310	Coelia triptera		Herb	Rocky, mountain areas of western Puerto Rico. Greater Antilles and Central America.	Limited distribution
311	Cyrtopodium punctatum	Piñuela Cow horn orchid	Epiphyte	Northern slopes. Also Greater Antilles, Trinidad, and South America.	Collecting and harvesting
312	Epidendrum bifidum		Epiphyte	Eastern Puerto Rico. Also Lesser Antilles and Hispaniola. Common in Lesser Antilles.	Collecting and limited distribution
313	Epidendrum cochleatum var. album	Cañuela	Epiphyte	Maricao Mountains. Rare in West Indies.	Limited distribution
314	Epidendrum furcatum		Epiphyte	Central Cordillera. Through Greater Antilles.	Limited distribution
315	Epidendrum oncidioides var.		Epiphyte	Western Puerto Rico. Also South America.	Limited distribution
316	Epidendrum ottonis		Epiphyte	Rare on palm trunks of Utuado area. Through Greater Antilles and South America.	Limited distribution
317	Epidendrum pallidiflorum		Epiphyte	Rare in upper Luquillo Mountains. Also in Lesser Antilles.	Limited distribution

NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
318	ORCHIDACEAE (Con.) Epidendrum patens		Epiphyte	Upper Luquillo and Carite mountains. Also in Trinidad. Poorly known.	Limited distribution
319	Epidendrum sintenisii		Epiphyte	Western mountains. Also rare in Cuba and Jamaica.	Limited distribution
320	Eurystyles ananassocomos		Epiphyte	On trunks of mountain palms. Through Greater Antilles.	Limited distribution
321	<u>Habenaria</u> <u>distans</u>		Herb	Grassy areas of Monte Mesa, Mayagüsz. Through Greater Antilles to Florida and Guatemala.	Limited distribution
322	<u>Habenaria</u> <u>dussii</u>		Herb	Mossy forests of Luquillo Mountains. Also Guadeloupe.	Limited distribution
323	Jacquiniella teretifolia		 Epiphyte		Very limited distri- bution
324	Koellensteinia graminea		Epiphyte	Forests near Utuado. Also South America.	Very limited distri- bution
325	Liparis eggersii		Herb	Monte Mesa, Mayagüez. Also St. Thomas. Not well known.	Limited distribution
326	Liparis vexillifera		Herb	Rare in Central Cordillera and western mountains. Also West Indies, Central and South America.	Limited distribution
327	Lycaste barringtoniae		Epiphyte	Rare in western mountains. Uncommon through Greater Antilles.	Limited distribution
328	Maxillaria confertum		Epiphyte	Forests near Utuado. Also Cuba and the Lesser Antilles.	Limited distribution
329	Pleurothallis foliata		Epiphyte	Upper Luquillo Mountains. Through West Indies to Central and South America. Not common anywhere.	Very limited distri- bution

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
330	ORCHIDACEAE (Con.) Xylobium palmifolium		Epiphyte	Upper Maricao Mountain. Through Greater Antilles. Only one collection.	Unknown
331	OCHNACEAE Ouratea striata		Tree	Very local on wet mountain peaks and ridges. Through Greater Antilles.	Limited distribution
332	OLFACEAE Linociera axilliflora	Hueso	Tree	Local in Guánica ridge forests. Also Cuba.	Limited distribution
333	Lincciera ligustrina	Hueso	Tree	Moist limestone hills of northwestern Puerto Rico. Through Greater Antilles.	Limited distribution
334	OPHICCLOSSACEAE (Ferns) Botrychium jenmani	!	Herb	Wet, open serpentine mountain slopes. Through Greater Antilles.	Limited distribution
335	OSMUNDACEAE (Fern) Osmunda cinnamomea	Cinnamon fern	Herb	Margins of swamps - Lake Tortuguero.	Limited distribution
336	PAPILIONACEAE (Fabaceae) Centrosema plumieri	Callinita	Herbaceous vine	Only one collection - thickets near Bayamón. Also tropical America.	Limited distribution
337	Crotalaria maritima		Herb	Siliceous sands of north coast. Also in southeastern United States.	Limited distribution
338	Desmodium affine		Herb	Mountains west of Cayey - Open areas. Greater Antilles and South America.	Limited distribution
339	Desmodium cubense		Shrub	Open slopes of Coamo area. Also Hispaniola and Cuba.	Habitat destruction
340	Dioclea reflexa	Bejuco de mato	Woody vine	Moist coastal forests. Very local and rare. Rare in West Indies.	Limited distribution

NO.	SCIENTIFIC NAME	COMMON NAME	TIGAH	DISTRIBUTION	CAUSE
341	PAPILIONACEAE (Fabaceae) (Con.) Eriosema crinatum		Herbaceous vine	One collection in siliceous sands of Tortuguero. Weedy open areas. Also Cuba, Central and South America.	Limited distribution
342	Mucuna sloanea	Ojo de buey Horse-eye bean	Woody vine	Rare in coastal wet forests. Pan tropical.	Collecting
343	Mucuna urens	Tortera Ox-eye bean	Woody vine	Western coastal forests. Rare and local in West Indies.	Collecting
344	Sophora tomentosa	Necklace pod	Shrub	Southwestern coastal plain and Vieques. Also wide tropical range.	Limited distribution
345	PASSIFLORACEAE Passiflora anadenia		Slender vine	Guánica Forest. Also Hispaniola.	Limited distribution
346	Passiflora bilobata		Slender vine	Local in coastal forests west of Ponce. Also Hispaniola.	Habitat destruction and limited distri- bution
347	Passiflora murucuja		Slender vine	Local in coastal forests of Quebradillas. Also Hispaniola.	Habitat destruction and limited distri- bution
348	PIPERACEAE Piper dilotatum	Higuillo	Shrub	Rio Abajo Forest. Also Lesser Antilles. Central and South America.	Limited distribution
349	Piper swartzianum	Higuillo	Shrub	Moist Central Cordillera. Also Hispaniola.	Habitat destruction
350	Peperomia myrtifolia	Peperomia	Herb	Rocks on Monte Ventana, Vieques. Also St. Croix and Virgen Gorda.	Limited distribution
351	POLYGONACEAE Coccoloba pallida	Uvillo	Tree	Coastal forest near Quebradillas. Through Greater Antilles.	Habitat destruction


NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
352	POLYGONACEAE (Con.) Coccoloba tenuifolia	Uvillo	Tree	Coastal forest near Quebradillas. Also the Bahamas.	Habitat destruction
353	POLYPODIACEAE Acientopsis paupercula		Herb	On rocks, Río Maricao. Also Cuba and Jamaica.	Limited distribution
354	Adiantum macrophyllum	Maiden-hair fern	Herb	Mountain ravines. Local in tropical America.	Collecting
355	Adiantum rigidulum		Herb	Listed from Yauco. Also Virgin Islands and Jamaica (?)	Limited distribution
356	Adiantum villosum		Herb	Moist ravines of eastern Puerto Rico. Tropical America.	Limited distribution
357	Adiantum wilsoni		Herb	Local in very wet ravines. Local in tropical America.	Limited distribution
358	Dennstaedtia cicutaria		Shrub	Moist forests - Caguas. Also Cuba, Jamaica, Central and South America.	Limited distribution
359	Dennstaedtia globulifera		Shrub	Moist thickets near Quebradillas. Greater Antilles and South America.	Limited distribution
360	Diplazium expansum	,	Herb	Mountain forests near Adjuntas. Also Jamaica, Cuba, and South America.	Limited distribution
361	Grammitis myosouroides		Epiphyte	Wet forests by Río de Maricao. Also Jamaica.	Limited distribution
362	Hecistopteris pumila		Epiphyte	On rotting logs and stumps of western mountains. Tropical America.	Limited distribution
363	Lindsaea portoricensis		Herb	Thickets in wet siliceous sand, Tortuguero. Through tropical America.	Limited distribution

Page 48 NO. SCIENTIFIC NAME COMMON NAME HABIT DISTRIBUTION CAUSE POLYPODIACEAE (Con.) Herb Lindsaea stricta Open areas in mossy forest, Luguillo. Limited distribution Local in West Indies, Central and South America. Polypodium sectifrons Epiphyte Moist-to-wet mountain forests. Scattered in Limited distribution West Indies, common in Costa Rica. 366 Polystichum polystichiforme Herb Forested slopes - Monte La Torrecilla. Greater Limited distribution Antilles. Herb Psilogramme hispidula Rocky summits El Yunque area. South America. Limited distribution Pteris deflexa Herb Summit of Monte La Torrecilla and near Utuado. Limited distribution Hispaniola and South America. Herb Pthlypteris serrata Swamp near Utuado. Local in tropical America. Limited distribution RHAMNACEAE Hybosperma spinosum Shrub Rocky crests of hills, Guánica. Limited distribution Also Hispaniola. Guamá Tree Coastal forests of Guánica. Also Virgin Reynosia guama Limited distribution Islands. 372 Rhamnus sphacosperma Tree Very local on mountain peaks. Through Limited distribution West Indian buckthorn Greater Antilles. Zizyphus taylori Tree Dry forest, Mona. Also Bahamas. Limited distribution Zizyphus rignonii Tree Coastal forests, Fajardo area. Also Limited distribution Virgin Islands. RUBIACEAE Catesbaea melanocarpa Shrub Dry forests, Montalva, Ensenada, to Guánica. Limited distribution Also Lesser Antilles.

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE 49
376	RUBIACEAE (Con.) Chione seminervis		Tree	Local in dwarf forest of Cerro de Punta area. Also Hispaniola.	Limited distribution
377	Exostema ellipticum	Plateado	Tree	Upper Central Cordillera forests. Also Cuba.	Limited distribution
378	Exostema sanctae-luciae		Tree	Very local in forests of upper serpentine mountains. Rare in West Indies.	Limited distribution
379	Metracarpus hirtus		Herb	Local in wet open swampy areas.	Habitat destruction
380	Psychotria involucrata	Cachimbo verde	Shrub	Thicket near Bayamón. West Indies to South America.	Limited distribution
381	Psychotria nutans	Cachimbo de mona	Tree	Sink holes in plateau, Mona. Also Hispaniola.	Limited distribution
382	Sabicea cinera		Shrub	Coastal moist forests, Dorado. Also French Guiana and Guiana.	Limited distribution
393	RUTACEAE Amyris balsamifera	Teilla	Tree	Woodlands near Guánica. Also tropical America.	Limited distribution
384	SAPINDACEAE Serjania diversifolia		Woody vine	One collection in forests near Utuado. Also Eahamas, Cuba, and Hispaniola.	Limited distribution
385	SAPOTACEAE Pouteria hotteana		Tree	Local on Monte del Estado. Also Haiti.	Limited distribution
386	SCHIZAEACEAE Anemia hirsuta		Herb	Upper rocky banks, Coamo area. Tropical America	Limited distribution
387	Schizaea pennula	Curlygrass fern	Herb	Wet to moist thickets (siliceous sand areas). Lesser Antilles, Central and South America.	Habitat destruction and limited distribution.

Page 50 NO. SCIENTIFIC NAME **COMMON NAME** HABIT DISTRIBUTION CAUSE SCROPHULARIACEAE Espiga de San Antonio Herb Wet siliceous sand of north coast. Greater Habitat destruction 388 Buchnera elongata Antilles and Florida. and limited distribution SIMAROUBACEAE Castela erecta Tree Coastal thickets of southwestern Puerto Rico. Habitat destruction Also Lesser Antilles to Venezuela. and limited distribution 390 Picrasma excelsa Tree Moist woodland, Coamo Springs area. Through Habitat destruction Greater Antilles. Bitterwood and limited distribution SOLANACRAE Shrub Reported from Luquillo Mountains. Lesser Cestrum alternifolium Limited distribution Antilles to South America. Shrub Rocky soil, Monito, and very local in West Limited distribution 392 Lycium americanum Indies. Woodland, Caguas. Through Greater Antilles. Saracha antillana Shrub Limited distribution Moist mountain ravines, very local. Greater 394 | Solanum antillarum Tree Poor reproduction and Antilles. limited distribution Tree One collection in Puerto Rico. Coastal forests Limited distribution 395 | Solanum polygamum by Salinas. Also Virgin Islands. Cakalaka-berry Shrub Moist forests, Caguas. Also Mexico and South Limited distribution 396 Solanum pterocaulon America. THEACEAE 397 Cleyera albopunctata Tree Summits of Luquillo Mountains. Also Cuba and Limited distribution Teta prieta Hispaniola. TURNERACEAE Along coast of southwestern Puerto Rico. Also Limited distribution Herb 398 | Piriqueta ovata Dutch Islands and Hispaniola.

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE	
399	TURNERACEAE (Con.) Piriqueta viscosa		Herb	Thickets of Tortuguero and Culebra. Also St. Thomas, Cuba, and South America.	Habitat destruction and limited distri-	
400	URTICACEAE Urera caracasana	Ortiga colorada Nettle	Tree	Drainage areas in Luquillo Mountains. Also Lesser Antilles, Central and South America.	Limited distribution	
401	Pouzolzia occidentalis		Shrub	Forests of Coamo Area and Vieques. Also Central and South America.	Habitat destruction	
402	Pilea richardi		Herb	One collection near Lares. Also one collection in St. Thomas. Not well known.	Limited distribution	
403	Pilea sanctae-crucis		Herb	One collection in Luquillo Mountains. Also Virgin Islands. Not well known.	Limited distribution	
404	VERBENACEAE Lantana reticulata	Cariaquillo	Shurb	Moist rocky slopes north of Salinas. West Indies and Mexico.	Habitat destruction and limited distri-	
405	Lantana trifolia	Cariaquillo	Shrub	Dry south coast. Tropical America and Africa.	Habitat destruction	
406	VITACEAE Cissus intermedia		Herbaceous vine	Recorded from Peñuelas and Manatí. Also Bahamas, Cuba, and Hispaniola.	Habitat destruction	
407	Cissus obovata		Herbaceous vine	Recorded from Puerto Rico. Also the Virgin Islands.	Habitat destruction	
408	ZANNICHELLIACEAE Potomogeton ephydrus ZINGIBERACEAE	Lino de agua	Herb	Aquatic plant reported to be in Puerto Rico. None seen recently.	Unknown	
409	Costus cylindricus	Caña amarga	Shrub	Damp mountain banks. Scattered in West Indies and South America.	Limited distribution	



PARE NORENDEMIC PLANT SPECIES

<u>Ilex guianensis</u>; Maconcona Number 415--Rare Nonendemic Plant Species of Puerto Rico

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
410	ALISMACEAE Helianthium tenellum		Herb	An aquatic plant. Elsewhere widespread.	Limited distribution
411	Sagittaria intermedia		Herb	A marsh plant of the Creater Antilles.	Habitat destruction
412	AMYGDALACEAE Prunus occidentalis	Almendrillo Cherrylaurel	Tree	Moist mountain forests. Through West Indies and in Guatemala.	Limited distribution and habitat de- struction
413	ANNONACEAE Guatteria caribaea	Haya blanca	Tree	Eastern moist forests. Also Lesser Antilles.	Limited distribution
414	Oxandra laurifolia	Haya Lancewood	Tree	Rare in mountains. Through West Indies.	Habitat destruction and lumbering
415	AQUIFOLIACEAE Ilex guianensis	Maconcona	Tree	Moist coastal forests - north and western areas. Also Hispanicla, Trinidad, and Central and South America.	Habitat destruction
416	BIGNONIACEAE Enallagua latifolia	Higuerillo Black calabash	Tree		Habitat destruction
417	BORAGINACEAE Tournefortia filiflora	Nigua	Tree	Moist forests of north coast. Also Lesser Antilles.	Habitat destruction
418	BROMELIACEAE Catopsis sessiliflora		Epiphyte	Scattered in middle Luquillo Mountains. Through West Indies, Central and South America.	Local distribution
419	CACTACEAE Pereskia aculeata	Cooseberry	Woody vine		Limited distribution

				Page 56	
NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
420	CUNONIACEAE Weinmannia pinnata	Oreganillo Bastard brazilleto	Tree	Mountain peaks. Through West Indies, Central and South America.	Limited distribution
421	CUSCUTACEAE Cuscuta glandulosa	Bejuco de Mona Dodder	Epiphyte	Moist areas of eastern regions; a parasite on low plants. Scarce, but widespread elsewhere.	Limited distribution
422	CYATHEACEAE Cyathea tenera	Helecho arbóreo Tree fern	Tree	Mountain forests - local. Through Greater Antilles.	Limited distribution
423	Hemitelia wilsoni	Helecho arbóreo Tree fern	Tree	Wet-to-moist mountain forests and banks. Local in Greater Antilles.	Limited distribution
424	CYPERACEME Bulbostylis pauciflora		Sedge	Open-to-dry wooded areas of Guánica, Vieques, and Tortuguero. Also in St. Croix.	Limited distribution
425	Cladium resticides		Sedge	Open areas of Luquillo Mountains. West Indies mountain forests.	Limited distribution
426	Cyperus digitatus		Sedge	Open, wet areas of southwest coast. Of wide distribution in tropics to subtropics.	Limited distribution
427	Eleocharis rostellata		Sedge	Local about Tortuguero swamp. United States, Mexico, and Cuba.	Limited distribution
428	Rhynchospora alba		Sedge	Grassy areas in upper Luquillo Mountains. A widespread temperate species.	Very limited distri- bution
429	Rhynchospora elongata		Sedge .	Grassy areas in upper Luquillo Mountains. Also Cuba and Jamaica.	Very limited distri- bution
430	Rhynchospora marisculus		Sedge	Rare in upper Luquillo Mountains. Through American tropics.	Limited distribution
431	Rivnenospora plumosa		Sedge	Wet, grassy areas - Luquillo Mountains, Dorado, and Tortuguero. Florida and Greater Antilles.	Limited distribution
ı	1	1	1	4	1

. . 1

•

15

			,		Page 57
NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
432	CYPERACEAE (Con.) Rhynchospora tenuis		Sedge	Wet, open areas of El Yunque, Tortuguero, and Dorado. Widespread elsewhere.	Limited distribution
433	Scleria ciliata	Fringed razorsedge	Sedge	Tortuguero and wet grassy areas with serpentine soils. Southern United States and Greater Antilles.	Limited distribution
434	Scleria secans	Cortadora de altura Razorgrass	Sedge	Wooded areas of Caguas and Tortuguero. West Indies, Central and South America.	Limited distribution
435	Scleria triglomerata	Cortadora Whip razorsed <i>g</i> e	Sedge	Open serpentine soils and wet sand at Tortuguero Eastern United States.	Limited distribution
436	Scleria verticillata	Cortadora Whorled razorsedge	Sedge	Wet, grassy areas of Lake Tortuguero. Eastern United States, Mexico, and West Indies.	Limited distribution
437	DILLENIACEAE Doliocarpus calinoides	Bejuco de agua	Woody vine	Wet mountain forests. Also Guadeloupe and Trinidad.	Limited distribution
438	EBENACEAE Diospyros ebenaster	Guayabota, Zapote negro	Tree	Only two locations in moist forests of northern districts.	Limited distribution
439	EHRETIACEAE Bourreria virgata	Roble de guayo	Tree	Dry forests of southwestern Puerto Rico. Also Hispaniola.	Limited distribution
440	ELAEOCARPACEAE Sloanea amygdalana	Motillo	Tree	Timber wood of mountain forests in central and western Puerto Rico. Also Hispaniola and Guadeloupe.	Lumbering and limited distribution
441	ERYTHROXYLACEAE Erythroxylon rulum	False cocaine	Tree	Moist forests of north coast. Also Cuba, Central and South America.	Habitat destruction
442	EUPHORBIACEAE Andrachne cuneifolia		Tree	Very local in dry thickets of southwestern Puerto Rico. Also Cuba.	Habitat destruction

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
443	EUPHORBIACEAE (Con.) Ditta myricoides	Jaboncillo	Tree	Eastern mountains. Also Hispaniola and Cuba.	Limited distribution
444	Drypetes lateriflora	Palo blanco Guiana plum	Tree	Moist northern limestone hills. Greater Antilles, Bahamas, Florida, and Central America.	Habitat destruction
445	Sapium jamaicense	Tabaiba Milk wood	Tree	Very local in mountain forests. Through Greater Antilles and Central America.	Limited distribution
446	FLACOURTIACEAE Taetia procera	Talantrón	Tree	Wet montane forests. Luquillo and Utuado. Through West Indies.	Limited distribution
447	GENTIANACEAE Leiphaimos parasitica		Herb	Moist limestone hills in northern districts. Also Florida, Greater Antilles, and Central	Limited distribution
448	CLEICHENIACEAE Gleichenia furcata		Slender vine	America. Mountain summits - Cerro de Punta. Also Lesser Antilles.	Limited distribution
449	GRAMINEAE Andropogon saccharoides	Silver bluestem	Grass	Moist open areas of western Puerto Rico. Widespread in the tropics.	Habitat destruction
450	Arthrostylidium multispicatum		Grass	Local in Central Cordillera and western mountains. Also Hispaniola and Cuba.	Limited distribution
451	Ichnanthes axillaris (Nees)		Grass	Moist upper mountains of Puerto Rico. Also Lesser Antilles to South America.	Limited distribution
452	Leptocoryphium lanatum	Lanilla	Grass	Open serpentine soils. West Indies to South America.	Limited distribution
453	Muhlenbergia cappilaris	Hairawn muhly	Grass	Wet grasslands of the northern coast. Also Cuba, Bahamas, and United States.	Limited distribution

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
454	GRAMINEAE (Con.) Panicum portoricense	Witchgrass	Grass	Wet siliceous sand. Also southeastern United States.	Limited distribution
455	Panicum stenodes		Grass	Open areas around San Juan. Of wide tropical distribution.	Habitat destruction
456	Panicum tenerum		Grass	In wet siliceous sands. West to Florida.	Limited distribution
457	Pharus parvifolius	Creeping leafstalkgrass	Grass	Woodlands south of Arecibo. Throughout West Indies.	Limited distribution
458	Setaria magna	Giant bristlegrass	Grass	Wet coastal swamps - Tortuguero to Humacao Widespread in tropics.	Limited distribution
459	Sorghastrum parviflorum		Grass	Found in open areas of siliceous sand. Wide-spread in tropics.	Habitat destruction
460	HERNANDIACEAE Hernandia sonora	Mago	Tree	Rare in moist forests. Widespread in tropics.	Limited distribution
461	IAURACEAE Beilschmiedia pendula	Aguacate cimarrón	Tree	Moist forests - scattered. Through West Indies.	Limited distribution
462	Licaria triandra	Palo misanteco Gulf licaria	Tree	Rare in moist forests. Through West Indies.	Limited distribution
463	Nectandra krugii	Laurel canelón	Tree	Scattered in eastern mountains and Central Cordillera. Also Lesser Antilles.	Limited distribution
464	Persea urbaniana	Aguacatillo	Tree	Rare in upper mountains. Also in Jamaica and Lesser Antilles.	Limited distribution
465	Phoebe montana	Avispillo	Tree	Scattered in moist mountain forests. Through Greater Antilles.	Limited distribution

					Page 60
NO.	SCIENTIFIC NAME	COMMON NAME	TIGAH	DISTRIBUTION	CAUSE
466	LENTIBULARIACEAE Utricularia gibba	Bladderwort	Herb	Wet savannas and ponds at Tortuguero. Widespread elsewhere.	Habitat destruction and limited distri- bution
467	Utricularia subulata	Bladderwort	Herb	Wet savannas and ponds at Tortuguero and Luquillo Mountains. Widespread elsewhere.	
468	Utricularia pusilla	Bladderwort	Herb	Wet savannas and ponds at Tortuguero and Luquillo Mountains. Widespread elsewhere.	Habitat destruction and limited distribution
469	Utricularia juncea	Bladderwort	Herb	Wet savannas and ponds at Tortuguero and Luquillo Mountains. Widespread elsewhere.	Habitat destruction and limited distribution
470	LOGANIACEAE Polypremum procumbers		Herb	Weedy siliceous sands - Tortuguero. Widespread elsewhere.	Limited distribution
471	MALPIGHIACEAE Tetrapteris <u>inaequalis</u>	Bejuco de paralejo	Woody vine	Coastal thickets. Also Lesser Antilles.	Habitat destruction
472	MARATTIACEAE Marattia sp.	all	Herb	Drainage areas of Cerro de Punta area.	Limited distribution
473	MELASTONACEAE Tetrazykia crotonifolia		Shrub	Open cliffs and hillsides at middle elevations (north slopes) of western Puerto Rico. Also Hispaniola.	Limited distribution
474	MENISPERMACEAE <u>Hyperbaena</u> domingensis	100	Woody vine	Moist districts, very local. Through tropical America.	Habitat destruction
475	MORACEAE Pseudolmedia spuria	Negra lora	Tree	Moist forests. Through Greater Antilles, Central and South America.	Limited distribution

	<u> </u>		·		Page 61
NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
476	MYRICACEAE Myrica cerifera	Wax myrtle	Tree	Scattered in moist districts. Also United States, Greater Antilles, and Central America.	Habitat destruction
477	MYRTACEAE Eugenia sessiliflora		Tree	Moist slopes of Coamo and Cabo San Juan, Fajardo. Also Lesser Antilles.	Limited distribution
478	Eugenia sintenisii	Murta	Tree	Upper Central Cordillera and western mountains. Also Lesser Antilles.	Limited distribution
479	Psidium amplexicaule	Guayaba de monte Mountain guava	Tree	Moist limestone hills. Also Lesser Antilles.	Limited distribution
480	NYCTAGINACEAE Guapira obtusata	Corcho prieto	Tree	Moist forests of western Puerto Rico. Also Cuba, Jamaica, and Bahamas.	Habitat destruction
481	NYMPHAEACEAE Nymphaea amola	Lirio de agua Water lily	Herb	Ponds, streams, and canals. Also tropical America.	Habitat destruction
482	Nymphaea amazonum	Lirio de agua Water lily	Herb	Lagoons and canals, northern districts. Also tropical America.	Habitat destruction
483	Nymphaea jamesoniana	Lirio de agua Water lily	Herb	Ditches near Hatillo and Añasco, Greater Antilles, and Ecuador.	Habitat destruction
484	Nymphaea odorata	Lirio de agua Water lily	Herb	Ditches, Algarrobo, Vega Baja; and tropical America.	Mabitat destruction
485	Nymphaea pulchella	Lirio de agua Water-lily	Herb	Lagoons and ponds. Also tropical America.	Habitat destruction
486	Nymphaea rudgeana	Lirio de agua Water lily	Herb	Ponds. Also tropical America.	Habitat destruction
487	OLEACEAE Forestiera eggersiana	Ink bush	Tree	Very scattered in thickets of north coast and dry sloves of south coast. Also Lesser Antillas.	Limited distribution

NO.	SCIENTIFIC NAME	COMMON NAME	НАВІТ	DISTRIBUTION	CAUSE
488	OLEACEAE (Con.) Forestiera rhamnifolia	Ink bush	Tree	Forest on Mona. Through West Indies.	Limited distribution
489	OPHIOGLOSSACEAE (Fern) Ophioglossum palmatum	Hand fern	Epiphyte	Wet forests on trees or rotting logs. Tropical America.	Poor reproduction
490	ORCHIDACEAE Campylocentrum pygmaeum		Epiphyte	Upper mountain forests and Lesser Antilles.	Limited distribution
491	<u>Govenia utriculata</u>		Herb	Rare in deep leafmold of limestone forests. Through Greater Antilles to Florida, Central and South America. Not common anywhere.	Limited distribution
492	<u> Habenaria</u> eustachya		Herb	Rare in upper western mountains. Through Greater Antilles, Florida, and Guatemala.	Limited distribution
493	Lepanthes sanguinea		Epiphyte	Upper Luquillo and Carite mountains. Also Jamaica.	Limited distribution
494	PAPILIONACEAE (Fabaceae) Canavalia rusiosperma	Mato colorado	Woody vine	Mountain forests of western Puerto Rico. Also Bahamas, Cuba, Hispaniola, St. Thomas and Mexico (?).	Limited distribution
495	Parosela domingensis		Shrub	Dry coastal slopes of southern Puerto Rico. Through Greater Antilles, St. Johns and South America.	Limited distribution
496	Phaseolus trichocarpus	Habichuela cimarrona	Herbaceous vine	Marshes of northern and western Puerto Rico. Through Greater Antilles and South America.	Habitat destruction
497	PASSIFLORACEAE Passiflora serrato-digitata	Tagua-tagua	Woody vine	River banks in lower montane forests. Also the Windward Islands to South America.	Limited distribution
498	PIPERACEAE Poperomia maculosa		Herb	Mossy rocks and cliffs in mountain forests. Through Greater Antilles, Central & South America	Habitat destruction

NO.	SCIENTIFIC NAME	COMMON NAME	HABIT	DISTRIBUTION	CAUSE
499	PIPERACEAE (Con.) Piper tuberculatum	Higuillo	Tree	Moist limestone hills. Through Greater Antilles, Central and South America.	Limited distribution
500	POLYGALACEAE Polygala hectandra		Herb	Very local in dry southwestern thickets. Also Anegada and Hispaniola.	Limited distribution.
501	POLYPODIACEAE Polypodium decumanum		Epiphyte	Local in wet coastal forests. Hispaniola, Trinidad, Central and South America.	Habitat destruction
502	Polystichum triangulum		Herb	Wet limestone hills - Florida area. Creater Antilles.	Limited distribution
503	RUBIACEAE Phialanthus myrtilloides	Aquilón prieto	Shrub	Thickets of upper serpentine mountains. Also Cuba, Jamaica, and Bahamas.	Limited distribution
504	Rondeletia pilosa	Cordobancillo peludo	Tree	Moist slopes of eastern Puerto Rico. Also Lesser Antilles.	Habitat destruction
505	Scolosanthus densiflorus		Shrub	Dry thickets of upper serpentine mountains. Limited distrib	
506	SCHIZAEACEAE Schizaea poeppigianum		Herb	Deep humus - western mountains. Also Cuba, Central and South America.	Limited distribution
507	SOLANACEAE Brunfelsia americana	Aguacero	Tree	Moist slopes - Coamo and east coast. Also Lesser Antilles.	Habitat destruction
508	Solanum guanicense		Shrub	Marshes of southwestern Puerto Rico. Through Greater Antilles and Costa Rica.	Limited distribution and habitat de-
509	STERCULIACEAE Walteria calicola		Shrub	Dry hillsides of southwestern Puerto Rico. Also Hispaniola and Jamaica.	

Page 64 SCIENTIFIC NAME COMMON NAME HABIT DISTRIBUTION CAUSE NO. THEACEAE Ternstroemia peduncularis 510 Tree Coastal forests of eastern Puerto Rico. Also Habitat destruction Lesser Antilles. VERBENACEAE Cornutia pyramidata Tree Scattered in moist forests. West Indies and Habitat destruction Central America. 512 Lippia stoechadifolia Poleo Shrub Margins of swamps and lakes. Widespread Used in medicine and elsewhere. limited distribution ZINGIBERACEAE 513 Costus macrostrobilus Cana de India Shrub Mountain slopes. Also Trinidad. Limited distribution Costus ZYGOPHYLLACEAE 514 Guaiacum officinale Guayacán Tree Good wood. Dry south coast. Through West Indies, Central and South America. Lumbering Common lignumvitae Dry forests, southwestern Puerto Rico. Good wood, nearly exterminated. Greater Antilles, Guayacán blanco Tree Lumbering 515 Guaiacum sanctum Holywood lignumvitae Yucatán, and Florida.



المتعلق والمنصوص والمراز والمراز والمراز

Stahlia monosperma, Cóbana negra Number 175--Endangered Nonendemic Plant Species of Puerto Rico.

CAUSES OF ENDANGERMENT

A. DESTRUCTION OR DISTURBANCE OF HABITATS

1. <u>Upland/Montane Habitat</u> (above 1000-foot elevation)

Remoteness, relative inaccessibility, and government ownership have tended to result in less intense land use pressure on upper montane areas. However, many of these habitats have been heavily logged, cleared for pasture or housing, or otherwise disturbed. The higher peaks and ridges are especially vulnerable. For example, in the past two years, highway and communications tower construction have destroyed large areas of elfin and upper montane woodland in Carite State Forest and Cerro de Punta. Activities of this type can be expected to increase, aggravating the problem.

2. Moist Limestone Hills (below 1000-foot elevation, noncoastal)

Very little natural forest of this type remains in Puerto Rico due to intensive agricultural land usage. Presently, urban development is increasing in this zone. The remaining natural forest is found primarily in the limestone karst topography of northwestern Puerto Rico.

3. Coastal Habitats

Coastal habitats, other than mangrove, have been practically obliterated in Puerto Rico. These include fresh-water swamps and a variety of forest types. Rapid urban, recreation and tourist developments threaten the few remaining small patches of such habitats. Aside from land use pressure, the remaining swamps are also vulnerable to changes in their delicate water balance. Mangroves, while still numbering several thousand acres, have been reduced by over 75 percent since the arrival of the Spaniards to Puerto Rico, and could thus qualify as an endangered habitat.

4. Island

Most of the islands surrounding Puerto Rico have been heavily disturbed by intensive agricultural use and military operations. These pressures, combined with the prospects of industrial and urban developments, will create an increasingly severe stress on the flora of our offshore islands.

Limited natural range in an uninhabited region is not a strong cause for alarm, except for the potential threat of natural catastrophes. However, on an island as heavily populated as Puerto Rico, there are few localities safe from possible human intrusion. Plants in this , category are subject to a swift demise possibly resulting from a single poorly placed develop-..ment. - Programme of the contract of the con


and the first of the configuration of the configuration

Surger and the state of the sta

. While the controlled collecting or harvesting of plants can be compatible with their continued prosperity, overcollecting can cause severe damage to a species and even its extinction. Unfortunately, there is a tendency to collect all the plants of the desired species out of a single area, destroying the seeding stock, rather than harvesting a few plants from a series of localities. While the former procedure is less time consuming and more econo--mical, in the short run it could have a dis-: astrous : impact : on -a highly : desired : plant a species . Acordo sycomog (intra servario e e cherto) colorated approal to men or a colo

B. EXTREMELY LIMITED NATURAL RANGE (1988) 1998 (1988) OTHER ENVIRONMENTAL STRESSES

Stresses from herbicides, air pollution, and water contamination which, in a broad sense are forms of habitat disturbance, are increasingly becoming threats to the balances of various plant communities. These factors, although they come from outside the plant community being analyzed, must receive increasing attention since they have a significant impact on the survival of certain plant species in the community and the nature of the community as a whole me and graft a particular to the first




Grand Control of the Control of the

AREAS OF RARE AND ENDANGERED PLANT SPECIES

	Area	Percent of Total Species
l.	Luquillo Mountains	19
2.	Monte del Estado	17
3.	Toro Negro Mountains	14
4.	Lake Tortuguero	13
5•	Guajataca Forest	9
6.	Río Abajo Forest	9 .
7.	Guánica Forest	8.7
	Quebradillas	8
9•	Sierra de Cayey	7
10.	Guilarte Forest	6.1
ll.	Biafara (near Arecibo)	5 . 9
12.	Campanillas, Toa Baja	5 . 8
13.	Coamo - Cuyón River	5.8
14.	Monte La Torrecilla	4.1
15.	Susúa Forest	3.9
16.	Playa de Guayanés (Punta Guayané	(s) 2.1
17.	Cambalache Forest	2

MAP OF PUERTO RICO SHOWING AREAS WHERE RARE AND ENDANGERED PLANT SPECIES OCCUR




- 1. Luquillo Mountains
- 2. Sierra de Cayey
- 3. Coamo and east
- 4. Playa de Guayanés (Punta Guayanés)
- 5. Campanillas, Toa Baja
- 6. Lake Tortuguero
- 7. Biafara (near Arecibo)
- 8. Monte La Torrecilla
- 9. Toro Negro Mountains


- 10. Río Abajo Forest
- 11. Cambalache Forest
- 12. Quebradillas
- 13. Guajataca Forest
- 14. Guilarte Forest
- 15. Susúa Forest
- 16. Guánica Forest
- 17. Monte del Estado




MAP SHOWING THE SITE LOCALITY WHERE RARE AND ENDANGERED PLANT SPECIES OCCUR (OUTSIDE OF STATE AND FEDERAL FORESTS)




Area No. 3. COAMO AREA (Refer to map on p. 70)




Area No. 4. PLAYA DE GUAYANES (Punta Guayanés) - (Refer to map on p. 70)




Area No. 5. CAMPANILLAS AREA, TOA BAJA (Refer to map on p. 70)




Area No. 6. LAKE TORTUGUERO AREA (Refer to map on p. 70)



Area. No. 7. BIAFARA AREA (Near Arecibo) - (Refer to map on p. 70)



Area No. 8. MONTE LA TORRECILLA (Refer to map on p. 70)



Area No. 12. QUEBRADILLAS AREA (Refer to map on p. 70)

AREAS WHERE RARE AND ENDANGERED PLANT SPECIES OCCUR IN PUERTO RICO

Area Number	Area Where Rare and Endangered Plants Occur	Species Number in List
. 1	Luquillo Mountains	?, 14, 21, 30, 40, 45, 47, 51, 54, 60, 61, 62, 66, 70, 72, 76, 83, 84, 103, 106, 108, 113, 115, 116, 117, 118, 119, 121, 122, 126, 127, 134, 135, 136, 143, 145, 154, 157, 166, 174, 207, 213, 214, 230, 240, 251, 258, 259, 260, 261, 263, 266, 280, 294, 303, 309, 317, 318, 322, 329, 331, 354, 364, 367, 372, 391, 394, 397, 400, 403, 409, 412, 413, 414, 418, 420, 422, 423, 425, 428, 429, 431, 432, 437, 443, 460, 461, 463, 464, 465, 467, 468, 469, 489, 490, 493, 497, 510
2	Sierra de Cayey	40, 45, 48, 51, 54, 55, 70, 83, 103, 110, 127, 133, 136, 137, 143, 166, 258, 280, 303, 318, 320, 331, 365, 413, 418, 425, 434, 437, 443, 462, 463, 474, 478, 490, 493
3	Coamo and east	1, 19, 27, 31, 59, 91, 94, 95, 105, 111, 163, 179, 271, 279, 338, 339, 346, 386, 390, 401, 404, 419, 462, 474, 475, 477, 478, 507
4	Playa de Guayanés	93, 250, 291, 312, 477, 500, 501, 504, 507, 510
5	Campanillas, Toa Baja	38, 54, 78, 85, 87, 89, 91, 96, 97, 107, 131, 144, 159, 169, 176, 229, 311, 340, 380, 413, 415, 417, 460, 461, 462, 474, 475, 491

AREAS WHERE RARE AND ENDANGERED PLANT SPECIES OCCUR IN PUERTO RICO

Area Number	Area Where Rare and Endangered Plants Occur	Species Number in List
. 11	Cambalache Forest	54, 87, 89, 91, 131, 229, 415, 462, 479, 480
12	Quebradillas	54, 78, 79, 85, 89, 91, 107, 109, 128, 131, 144, 150, 168, 176, 223, 225, 229, 247, 265, 279, 298, 332, 333, 340, 347, 351, 352, 359, 413, 415, 417, 419, 441, 462, 474, 479, 480, 487, 488, 494
13	Guajataca Forest	29, 36, 54, 56, 77, 78, 85, 87, 89, 95, 96, 97, 107, 129, 130, 131, 144, 151, 156, 168, 194, 265, 279, 298, 309, 311, 340, 354, 413, 415, 417, 440, 441, 462, 473, 474, 475, 476, 478, 479, 480, 491, 494, 499, 502, 511, 512
14	Guilarte Forest	2, 5, 23, 28, 37, 45, 48, 51, 57, 70, 101, 130, 137, 153, 190, 254, 258, 288, 289, 308, 309, 394, 413, 414, 420, 422, 463, 478, 489, 492, 498
15	Susúa Forest	35, 42, 79, 91, 92, 104, 140, 165, 197, 242, 298, 332, 399, 441, 442, 480, 503, 505
16	Guánica Forest	9, 12, 18, 53, 58, 67, 68, 79, 81, 91, 98, 99, 100, 102, 124, 125, 132, 139, 141, 146, 191, 198, 201, 224, 227, 228, 237, 255, 272, 332, 345, 370, 371, 375, 383, 389, 405, 424, 439, 442, 487, 495, 509, 514, 515

AREAS WHERE RARE AND ENDANGERED PLANT SPECIES OCCUR IN PUERTO RICO

Area Number	Area Where Rare and Endangered Plants Occur	Species Number in List
17	Monte del Estado	4, 8, 15, 21, 23, 24, 00, 35, 36, 39, 41, 42, 45, 48, 51, 63, 64, 67, 80, 51, 92, 95, 104, 106, 118, 127, 129, 130, 131, 170, 174, 151, 162, 168, 189, 190, 230, 234, 238, 242, 244, 154, 256, 258, 265, 13, 225, 298,
		301, 309, 310, 315, 319, 340, 521, 325, 326, 327, 330, 334, 349, 353, 361, 362, 372, 378, 385, 413, 422, 423, 433, 435, 438, 440, 441, 464, 475, 476, 480, 489, 491, 492, 494, 498, 499, 500, 503, 505, 506

RECOMMENDATIONS FOR A PLAN OF ACTION

It is recommended that the Department of Natural Resources implement the following plan of action, or one similar to it:

I. REDUCTION OF CAUSES OF ENDANGERMENT

The Department of Natural Resources should pursue a program for reducing the causes of endangerment of the rare and endangered species as shown in the report, with emphasis as follows:

A. HABITAT PRESERVATION AND MANAGEMENT

The key to protection of these species is the preservation and management of their habitat against destruction or development for other land uses. State forests known to support endangered species should have specific plans drawn up for the management of such species. Steps should also be taken to protect endangered forms lying outside the state forests through the creation of sanctuaries or natural areas with strictly enforced regulations and suitable protective buffer zones to minimize the threat of outside development, watershed deterioration, or pollutants on the site. New sanctuary areas should be considered for:

- 1. Mourasus of the Central Mountains and limestone hills
- Lake Tortuguero and adjacent swamplands and areas of siliceous sand
- 3. Dry forest habitat in the southwest

Recommendations, etc. (Con.)

- 4. Off-shore islands such as Mona, Culebra, and Vieques
- 5. Other specific areas with unique plants (see map)

B. PLANT COLLECTING

In places where the taking of plants for elmamental or other uses has created such a pressure on the species as to make it rare or endangered, harvesting of that form should be regulated against; and measures to protect remaining specimens should be taken. Conspicuous examples of plants that need such protection are all the orchids and the Melon cactus (Cactus intortus), which is not yet on this list, but may soon be as a result of over collecting.

C. LUMBERING

The lumbering of species that have become rare or endangered should be curtailed. A plan to replant such trees should be considered.

D. RESEEDING

The Department of Natural Resources should consider developing a nursery program for the propagation and subsequent outplanting of endangered species. This might be done in conjunction with the Botanical Garden of the University of Puerto Rico.

Recommendations, etc. (Con.)

II. INFORMATION AND EDUCATION

The Department of Natural Resources should formulate and pursue an information and education program directed toward other government agencies, the schools and the general public of the facts and needs for preservation of the rare and endangered plant species of Puerto Rico.

III. MONITORING AND RESEARCH

Organized surveying and monitoring by the Department of Natural Resources should be initiated to keep track of the status of endangered species. Then, research—to some degree by the Department of Natural Resources and to a great extent by the universities—should be undertaken to provide data on factors controlling duplication and abundance, propagation techniques, etc. The data collected should be given wide dissemination.

REFERENCES

- 1. Adams, C. D., 1972. Flowering Plants of Jamaica, Univ. of the West Indies, Mona, Jamaica.
- 2. Britton, N. L., and Wilson, Percy, 1923-30. Botany of Porto Rico and the Virgin Islands. Scientific Survey of Porto Rico and the Virgin Islands. New York Acad. Sci. 5-6.
- 3. Liogier, Alain H., 1965. Nomenclature Changes and Additions to Britton and Wilson's "Flora of Porto Rico and the Virgin Islands." Thodora 67: 315-361.
- 4. Little, E. L., Jr., Woodbury, R. O., and Wadsworth, F. H. 1974. Trees of Puerto Rico and the Virgin Islands. U. S. Dept. Agr., Agr. Handbook 449.

3 6668 14108 9906